

3 Section

out by Chamber

Weekly Check



**Strata Safety Products LLC**  
 3939 Roswell Road Suite 350  
 Marietta, Georgia 30062  
 1-800-691-6601

FAB M2624x3.5				
Minimum Pressures, PSIG				
Temperature, F	Oxygen	Fan Drive	Purge	Shelter Inflate
80	3431	2222	3950	3724
79	3422	2218	3941	3716
78	3414	2214	3932	3708
77	3405	2210	3923	3699
76	3397	2206	3914	3691
75	3388	2202	3905	3683
74	3379	2197	3896	3675
73	3371	2193	3887	3666
72	3362	2189	3878	3658
71	3354	2185	3869	3650
70	3345	2181	3860	3642
69	3337	2177	3851	3633
68	3328	2173	3842	3625
67	3320	2169	3833	3617
66	3311	2164	3824	3609
65	3303	2160	3815	3600
64	3294	2156	3806	3592
63	3286	2152	3797	3584
62	3277	2148	3788	3576
61	3269	2144	3779	3567
60	3260	2140	3770	3559
59	3252	2136	3761	3551
58	3243	2132	3752	3542
57	3235	2127	3743	3534
56	3226	2123	3734	3526
55	3218	2119	3725	3518
54	3209	2115	3716	3509
53	3201	2111	3707	3501
52	3192	2107	3698	3493
51	3183	2103	3689	3485
50	3175	2099	3680	3476
49	3166	2094	3671	3468
48	3158	2090	3662	3460
47	3149	2086	3653	3452
46	3141	2082	3644	3443
45	3132	2078	3635	3435

RG 2008.05.17



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection checklist

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance  
Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4200		3-22-10
Compressed Air (Middle Gauge)	4300		3-22-10
Compressed Air (Bottom Gauge)	4300		3-22-10
Inflate Air (Small Gauge)	4400		3-22-10
Temperature	46°		3-22-10

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass

Fail

Inspector

✓  
✓  
✓  
✓

SOP  
SOP  
SOP  
SOP

COMMENTS



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection checklist

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance  
Check maintenance panel (gauges for proper pressure)

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4200	SSP	3-29-10
Compressed Air (Middle Gauge)	4300	SSP	3-29-10
Compressed Air (Bottom Gauge)	4300	SSP	3-29-10
Inflate Air (Small Gauge)	4400	SSP	3-29-10
Temperature	45°	SSP	3-29-10

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass	Fail	Inspector
✓		SSP
✓		SSP
✓		SSP
✓		SSP

COMMENTS

Tongue Needs Fixed Bent



3-1-10

**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay  
Inspection check list

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance

Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4300	3-1-10 SJP	3-1-10
Compressed Air (Middle Gauge)	4300	SJP	3-1-10
Compressed Air (Bottom Gauge)	4300	SJP	3-1-10
Inflate Air (Small Gauge)	4400	SJP	3-1-10
Temperature	42°	SJP	3-1-10

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass	Fail	Inspector
✓		SJP
✓		SJP
✓		SJP
✓		SJP

COMMENTS



#2 Portal Section

WEEKLY (By operator's certified person) 2-22-10

Last Calibration SOLARIS 2-1-10

Skid and Fresh Air Bay Inspection check list

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance  
Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4200	✓	2-22-10
Compressed Air (Middle Gauge)	4300	✓	
Compressed Air (Bottom Gauge)	4300	✓	
Inflate Air (Small Gauge)	4400	✓	
Temperature	48°	✓	

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass	Fail	Inspector
✓		Inspector <i>[Signature]</i> 1659-A
✓		
✓		
✓		

COMMENTS



#3 Portal Section

WEEKLY (By operator's certified person) 2-8-10

Last calibration SOGARS 2-1-10

Skid and Fresh Air Bay Inspection check list

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance  
Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4100	/	2-8-10
Compressed Air (Middle Gauge)	4300	/	
Compressed Air (Bottom Gauge)	4300	/	
Inflate Air (Small Gauge)	4400	/	
Temperature	46°	/	

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage


Pass

Fail

Inspector

*Jim Williams 1659-A*

COMMENTS



2-1-10

WEEKLY (By operator's certified person)

Skid and Fresh Air Bay  
inspection check list

3 SECTION

LAST calibration 2-1-10  
SOLARIS (swapped spotters out)

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance

Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4150	✓	2-1-10
Compressed Air (Middle Gauge)	4300	✓	
Compressed Air (Bottom Gauge)	4300	✓	
Inflate Air (Small Gauge)	4500	✓	
Temperature	46°	✓	

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass


Fail

Inspector

*Jim Walker* 2-1-10

COMMENTS





WEEKLY (By operator's certified person)

3 section

Skid and Fresh Air Bay  
Inspection check list

1-25-10

Solaris

Last Calibrate 1-6-10

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance

Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4200	✓	1-25-10
Compressed Air (Middle Gauge)	4300	✓	
Compressed Air (Bottom Gauge)	4300	✓	
Inflate Air (Small Gauge)	4400	✓	
Temperature	49°	✓	

Physical Conditions

Doors and Seals

Tamper Proof Seats

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass

Fail

Inspector

*Jim Williams* 1659-A

COMMENTS



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay  
Inspection check list

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance  
Check maintenance panel gauges for proper pressure

Gauge.	Pressure	Checked	Date
Oxygen (Top Gauge)	4100	/	1-18-10
Compressed Air (Middle Gauge)	4300	/	
Compressed Air (Bottom Gauge)	4300	/	4
Inflate Air (Small Gauge)	4400	/	
Temperature	45°	/	

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass	Fail	Inspector
/		g
/		g
/		
/		

COMMENTS



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay  
Inspection check list

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance  
Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4100	<input checked="" type="checkbox"/>	1-25-10
Compressed Air (Middle Gauge)	4300	<input checked="" type="checkbox"/>	
Compressed Air (Bottom Gauge)	4900	<input checked="" type="checkbox"/>	
Inflate Air (Small Gauge)	4400	<input checked="" type="checkbox"/>	
Temperature	46	<input checked="" type="checkbox"/>	

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass	Fail	Inspector
<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	

COMMENTS



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay  
inspection check list

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance  
Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)			
Compressed Air (Middle Gauge)			
Compressed Air (Bottom Gauge)			
Inflate Air (Small Gauge)			
Temperature			

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass Fail Inspector

COMMENTS



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay  
Inspection check list

Weekly and before and after moving unit

*3 sect*

Item

Maintenance  
Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge.	Pressure	Checked	Date
Oxygen (Top Gauge)	4300		1/13/00
Compressed Air (Middle Gauge)	4400		
Compressed Air (Bottom Gauge)	4400		
Inflate Air (Small Gauge)	4500		
Temperature	46°		

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage  
Visually check for damage  
Must be intact  
Check gas monitor for damage

Pass	Fail	Inspector
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<i>[Signature]</i>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	

COMMENTS



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay  
Inspection check list

*Last Cal  
1-6-10*

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance  
Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4300	/	1-6-10
Compressed Air (Middle Gauge)	4400	/	
Compressed Air (Bottom Gauge)	4400	/	
Inflate Air (Small Gauge)	4500	/	
Temperature	49°	/	

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass	Fail	Inspector
/		<i>[Signature]</i>
/		
/		

COMMENTS



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay  
Inspection check list

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance  
Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4,100	✓	1-11-10
Compressed Air (Middle Gauge)	4,200	✓	
Compressed Air (Bottom Gauge)	4,300	✓	
Inflate Air (Small Gauge)	4,500	✓	
Temperature	45°	✓	

LAST CAL 1-6-10

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass	Fail	Inspector
✓		<i>Jim Williams</i>
✓		
✓		
✓		

COMMENTS



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list

Weekly and before and after moving unit

1-12-10

Item  
Oxygen/Air Cylinders

Maintenance  
Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4150	✓	1-12
Compressed Air (Middle Gauge)	4300	✓	1-12
Compressed Air (Bottom Gauge)	4300	✓	1-12
Inflate Air (Small Gauge)	4400	✓	1-12
Temperature	480	✓	1-12

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

	Pass	Fail	Inspector
Examine outside of skid for any damage	✓		<i>[Signature]</i>
Visually check for damage	✓		<i>[Signature]</i>
Must be intact	✓		<i>[Signature]</i>
Check gas monitor for damage	✓		<i>[Signature]</i>

COMMENTS

SOLARIS- LAST CAL. DATE  
1-6-10





WEEKLY (By operator's certified person)

Skid and Fresh Air Bay  
Inspection check list

#3 Portal Section

LAST CALIBRATE 1-06-10

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance  
Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4200	/	1-18-10
Compressed Air (Middle Gauge)	4300	/	
Compressed Air (Bottom Gauge)	4300	/	
Inflate Air (Small Gauge)	4300	/	
Temperature	470	/	

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass	Fail	Inspector
/		David Williams 1659-A
/		
/		
/		

COMMENTS



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay  
Inspection check list

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance

Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4200	SSP	1-5-10
Compressed Air (Middle Gauge)	4300	SSP	1-5-10
Compressed Air (Bottom Gauge)	4300	SSP	1-5-10
Inflate Air (Small Gauge)	4500	SSP	1-5-10
Temperature	48°	SSP	

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass

Fail

Inspector

✓  
✓  
✓  
✓

SSP  
SSP  
SSP  
SSP

COMMENTS

Last Calibration 12-7



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

Maintenance  
Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4200	SOP	12-28-9
Compressed Air (Middle Gauge)	4400	SOP	12-28-9
Compressed Air (Bottom Gauge)	4400	SOP	12-28-9
Inflate Air (Small Gauge)	4500	SOP	12-28-9
Temperature	48°	SOP	12-28-9

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		SOP
Doors and Seals	Visually check for damage	✓		SOP
Tamper Proof Seals	Must be intact	✓		SOP
Gas Monitor	Check gas monitor for damage	✓		SOP

**COMMENTS**



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list																											
Weekly and before and after moving unit																											
Item	Maintenance	Pass	Fail																								
	Check maintenance panel gauges for proper pressure																										
Oxygen/Air Cylinders	<table border="1"> <thead> <tr> <th>Gauge</th> <th>Pressure</th> <th>Checked</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>Oxygen (Top Gauge)</td> <td>4200</td> <td>✓</td> <td>2-29-09</td> </tr> <tr> <td>Compressed Air (Middle Gauge)</td> <td>4400</td> <td>✓</td> <td>11</td> </tr> <tr> <td>Compressed Air (Bottom Gauge)</td> <td>4400</td> <td>✓</td> <td>11</td> </tr> <tr> <td>Inflate Air (Small Gauge)</td> <td>4500</td> <td>✓</td> <td>11</td> </tr> <tr> <td>Temperature</td> <td>52°</td> <td>✓</td> <td>11</td> </tr> </tbody> </table>	Gauge	Pressure	Checked	Date	Oxygen (Top Gauge)	4200	✓	2-29-09	Compressed Air (Middle Gauge)	4400	✓	11	Compressed Air (Bottom Gauge)	4400	✓	11	Inflate Air (Small Gauge)	4500	✓	11	Temperature	52°	✓	11		
	Gauge	Pressure	Checked	Date																							
	Oxygen (Top Gauge)	4200	✓	2-29-09																							
	Compressed Air (Middle Gauge)	4400	✓	11																							
	Compressed Air (Bottom Gauge)	4400	✓	11																							
Inflate Air (Small Gauge)	4500	✓	11																								
Temperature	52°	✓	11																								
Physical Conditions	Examine outside of skid for any damage	✓																									
Doors and Seals	Visually check for damage	✓																									
Tamper Proof Seals	Must be intact	✓																									
Gas Monitor	Check gas monitor for damage	✓																									
			Inspector <i>[Signature]</i>																								

COMMENTS

Outby 1 br4 from  
Spec #24261



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay Inspection check list																											
Weekly and before and after moving unit																											
Item	Maintenance																										
Oxygen/Air Cylinders	Check maintenance panel gauges for proper pressure																										
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 40%;">Gauge</th> <th style="width: 15%;">Pressure</th> <th style="width: 15%;">Checked</th> <th style="width: 30%;">Date</th> </tr> </thead> <tbody> <tr> <td>Oxygen (Top Gauge)</td> <td>4200</td> <td style="text-align: center;">/</td> <td>12-21-09</td> </tr> <tr> <td>Compressed Air (Middle Gauge)</td> <td>4200</td> <td style="text-align: center;">/</td> <td style="text-align: center;">/</td> </tr> <tr> <td>Compressed Air (Bottom Gauge)</td> <td>4400</td> <td style="text-align: center;">/</td> <td style="text-align: center;">/</td> </tr> <tr> <td>Inflate Air (Small Gauge)</td> <td>4500</td> <td style="text-align: center;">/</td> <td style="text-align: center;">/</td> </tr> <tr> <td>Temperature</td> <td>53°</td> <td style="text-align: center;">/</td> <td style="text-align: center;">/</td> </tr> </tbody> </table>	Gauge	Pressure	Checked	Date	Oxygen (Top Gauge)	4200	/	12-21-09	Compressed Air (Middle Gauge)	4200	/	/	Compressed Air (Bottom Gauge)	4400	/	/	Inflate Air (Small Gauge)	4500	/	/	Temperature	53°	/	/		
Gauge	Pressure	Checked	Date																								
Oxygen (Top Gauge)	4200	/	12-21-09																								
Compressed Air (Middle Gauge)	4200	/	/																								
Compressed Air (Bottom Gauge)	4400	/	/																								
Inflate Air (Small Gauge)	4500	/	/																								
Temperature	53°	/	/																								
		Pass	Fail	Inspector																							
Physical Conditions	Examine outside of skid for any damage	/																									
Doors and Seals	Visually check for damage	/																									
Tamper Proof Seals	Must be intact	/																									
Gas Monitor	Check gas monitor for damage	/																									
<b>COMMENTS</b>																											



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list				
Weekly and before and after moving unit				
Item	Maintenance	Pass	Fail	Inspector
	Check maintenance panel gauges for proper pressure			
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4200	✓	Dec 15, 09
	Compressed Air (Middle Gauge)	4200	✓	11
	Compressed Air (Bottom Gauge)	4400	✓	11
	Inflate Air (Small Gauge)	2500	✓	11
	Temperature	52%	✓	11
Physical Conditions	Examine outside of skid for any damage	✓		<i>Wesley B...</i>
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		
<b>COMMENTS</b>				
<p>Moved In by Sped # 24219 by 1/2 brk</p> <p>Solaris Cal. Date</p>				



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay Inspection check list				
Weekly and before and after moving unit				
Item	Maintenance			
Check maintenance panel gauges for proper pressure				
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4200		127-09
	Compressed Air (Middle Gauge)	4400		
	Compressed Air (Bottom Gauge)	4400		
	Inflate Air (Small Gauge)	4500		
Temperature	57°			
		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage			
Doors and Seals	Visually check for damage			
Tamper Proof Seals	Must be intact			
Gas Monitor	Check gas monitor for damage			
<p><b>COMMENTS</b></p>				



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay Inspection check list**

Weekly and before and after moving unit

Item	Maintenance	Check maintenance panel gauges for proper pressure				
		Gauge	Pressure	Checked	Date	
Oxygen/Air Cylinders		Oxygen (Top Gauge)	4280	✓	4-30	
		Compressed Air (Middle Gauge)	4480	✓	4-30	
		Compressed Air (Bottom Gauge)	4400	✓	4-30	
		Inflate Air (Small Gauge)	4500	✓	4-30	
		Temperature	60	✓	4-30	
				Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage		✓			Joe Stewart
Doors and Seals	Visually check for damage		✓			Joe Stewart
Tamper Proof Seals	Must be intact		✓			Joe Stewart
Gas Monitor	Check gas monitor for damage		✓			Joe Stewart
<b>COMMENTS</b>						





**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay Inspection check list				
Weekly and before and after moving unit				
Item	Maintenance			
	Check maintenance panel gauges for proper pressure			
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4250	✓	11-23-09
	Compressed Air (Middle Gauge)	4400	✓	11-23-09
	Compressed Air (Bottom Gauge)	4400	✓	11-23-09
	Inflate Air (Small Gauge)	4500	✓	11-23-09
	Temperature	52°	✓	11-23-09
		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		Jay Stewart
Doors and Seals	Visually check for damage	✓		Jay Stewart
Tamper Proof Seals	Must be intact	✓		Jay Stewart
Gas Monitor	Check gas monitor for damage	✓		Jay Stewart
<b>COMMENTS</b>				



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item  
Oxygen/Air Cylinders

**Maintenance  
Check maintenance panel gauges for proper pressure**

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4250	✓	11-17
Compressed Air (Middle Gauge)	4400	✓	11-17
Compressed Air (Bottom Gauge)	4400	✓	11-17
Inflate Air (Small Gauge)	4500	✓	11-17
Temperature	53°	✓	11-17

**Physical Conditions**

- Doors and Seals: Examine outside of skid for any damage
- Tamper Proof Seals: Visually check for damage
- Gas Monitor: Must be intact
- Gas Monitor: Check gas monitor for damage

Pass	Fail	Inspector
✓		S. Kellum
✓		S. Kellum
✓		S. Kellum
✓		S. Kellum

**COMMENTS**



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list				
Weekly and before and after moving unit				
Item	Maintenance			
	Check maintenance panel gauges for proper pressure			
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4200	✓	11-12-09
	Compressed Air (Middle Gauge)	4400	✓	"
	Compressed Air (Bottom Gauge)	4400	✓	"
	Inflate Air (Small Gauge)	4500	✓	"
	Temperature	52°	✓	"
		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		<i>Jay Stewart</i>
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		
<u>COMMENTS</u>				



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

Maintenance  
Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4200	✓	11/9/09
Compressed Air (Middle Gauge)	4400	✓	11
Compressed Air (Bottom Gauge)	4450	✓	11
Inflate Air (Small Gauge)	4500	✓	11
Temperature	52°	✓	11

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		<i>James Byrd</i>
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		

**COMMENTS**

Inby Spad. # 22979



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay  
Inspection check list

Weekly and before and after moving unit

Item

Maintenance

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date	Pass	Fail	Inspector
Oxygen (Top Gauge)	4350	✓	11-30-09	✓		[Signature]
Compressed Air (Middle Gauge)	4400	✓		✓		
Compressed Air (Bottom Gauge)	4400	✓		✓		
Inflate Air (Small Gauge)	4500	✓		✓		
Temperature	52°	✓		✓		
Physical Conditions	Examine outside of skid for any damage			✓		
Doors and Seals	Visually check for damage			✓		
Tamper Proof Seals	Must be intact			✓		
Gas Monitor	Check gas monitor for damage			✓		

COMMENTS



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay Inspection check list																									
Weekly and before and after moving unit																									
Item	Maintenance																								
	Check maintenance panel gauges for proper pressure																								
Oxygen/Air Cylinders	<table border="1"> <thead> <tr> <th>Gauge</th> <th>Pressure</th> <th>Checked</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>Oxygen (Top Gauge)</td> <td>4350</td> <td>✓</td> <td>10-26-09</td> </tr> <tr> <td>Compressed Air (Middle Gauge)</td> <td>4400</td> <td>-</td> <td></td> </tr> <tr> <td>Compressed Air (Bottom Gauge)</td> <td>4400</td> <td>✓</td> <td></td> </tr> <tr> <td>Inflate Air (Small Gauge)</td> <td>4500</td> <td>✓</td> <td></td> </tr> <tr> <td>Temperature</td> <td>58°</td> <td>✓</td> <td></td> </tr> </tbody> </table>	Gauge	Pressure	Checked	Date	Oxygen (Top Gauge)	4350	✓	10-26-09	Compressed Air (Middle Gauge)	4400	-		Compressed Air (Bottom Gauge)	4400	✓		Inflate Air (Small Gauge)	4500	✓		Temperature	58°	✓	
	Gauge	Pressure	Checked	Date																					
	Oxygen (Top Gauge)	4350	✓	10-26-09																					
	Compressed Air (Middle Gauge)	4400	-																						
	Compressed Air (Bottom Gauge)	4400	✓																						
Inflate Air (Small Gauge)	4500	✓																							
Temperature	58°	✓																							
	<table border="1"> <thead> <tr> <th>Pass</th> <th>Fail</th> <th>Inspector</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td rowspan="4">S. Mey</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </tbody> </table>	Pass	Fail	Inspector			S. Mey																		
Pass	Fail	Inspector																							
		S. Mey																							
Physical Conditions	Examine outside of skid for any damage																								
Doors and Seals	Visually check for damage																								
Tamper Proof Seals	Must be intact																								
Gas Monitor	Check gas monitor for damage																								
<p><b>COMMENTS</b></p> <p style="text-align: right;">Last Cal 10-22-09</p>																									



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list				
Weekly and before and after moving unit				
Item	Maintenance	Pass	Fail	Inspector
	Check maintenance panel gauges for proper pressure			
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4250	✓	10/27/89
	Compressed Air (Middle Gauge)	4400	✓	" "
	Compressed Air (Bottom Gauge)	4400	✓	" "
	Inflate Air (Small Gauge)	4500	✓	" "
	Temperature	50°	✓	" "
Physical Conditions	Examine outside of skid for any damage	✓		R. Tate 28734
Doors and Seals	Visually check for damage	✓		" "
Tamper Proof Seals	Must be intact	✓		" "
Gas Monitor	Check gas monitor for damage	✓		" "
<b>COMMENTS</b>				
<p><i>Changed out spotters. Good calibration until 11/22/89</i></p>				



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay Inspection check list				
<u>Weekly and before and after moving unit</u>				
Item	Maintenance			
Check maintenance panel gauges for proper pressure				
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4250	✓	10/19/09
	Compressed Air (Middle Gauge)	4400	✓	10/19/09
	Compressed Air (Bottom Gauge)	4400	✓	11
	Inflate Air (Small Gauge)	4500	✓	11
	Temperature	52°	✓	11
			Pass	Fail
Physical Conditions	Examine outside of skid for any damage	✓		Inspector <i>[Signature]</i>
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		
<b>COMMENTS</b>				





WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list				
Weekly and before and after moving unit				
Item	Maintenance			
Oxygen/Air Cylinders	Check maintenance panel gauges for proper pressure			
	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	44.00	✓	10/12/09
	Compressed Air (Middle Gauge)	4506	✓	10/12/09
	Compressed Air (Bottom Gauge)	4500	✓	11
	Inflate Air (Small Gauge)	4500	✓	11
	Temperature	56°	✓	11
			Pass	Fail
Physical Conditions	Examine outside of skid for any damage		✓	Inspector <i>Jerry B...</i>
Doors and Seals	Visually check for damage		✓	
Tamper Proof Seals	Must be intact		✓	
Gas Monitor	Check gas monitor for damage		✓	
<b>COMMENTS</b>				



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

Maintenance  
Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4400		10-8-07
Compressed Air (Middle Gauge)	4500		}
Compressed Air (Bottom Gauge)	4500		
Inflate Air (Small Gauge)	4500		
Temperature	62°		

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		Z Y
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		

**COMMENTS**



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

**Maintenance**

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4400		9/28/09
Compressed Air (Middle Gauge)	4506		
Compressed Air (Bottom Gauge)	4500		
Inflate Air (Small Gauge)	4500		
Temperature	62°		

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		Jeremy Burghoff
Doors and Seals	Visually check for damage	✓		" "
Tamper Proof Seals	Must be intact	✓		" "
Gas Monitor	Check gas monitor for damage	✓		" "

COMMENTS

outby Spad at 22952 is  
One brk outby chamber in #2 entry  
main line Intake.



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item	Maintenance	Pass	Fail	Inspector																								
	Check maintenance panel gauges for proper pressure																											
Oxygen/Air Cylinders	<table border="1"> <thead> <tr> <th>Gauge</th> <th>Pressure</th> <th>Checked</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>Oxygen (Top Gauge)</td> <td>4400</td> <td>✓</td> <td>9-23-69</td> </tr> <tr> <td>Compressed Air (Middle Gauge)</td> <td>4500</td> <td>✓</td> <td>"</td> </tr> <tr> <td>Compressed Air (Bottom Gauge)</td> <td>4500</td> <td>✓</td> <td>"</td> </tr> <tr> <td>Inflate Air (Small Gauge)</td> <td>4500</td> <td>✓</td> <td>"</td> </tr> <tr> <td>Temperature</td> <td>60°</td> <td>✓</td> <td>"</td> </tr> </tbody> </table>	Gauge	Pressure	Checked	Date	Oxygen (Top Gauge)	4400	✓	9-23-69	Compressed Air (Middle Gauge)	4500	✓	"	Compressed Air (Bottom Gauge)	4500	✓	"	Inflate Air (Small Gauge)	4500	✓	"	Temperature	60°	✓	"			
	Gauge	Pressure	Checked	Date																								
	Oxygen (Top Gauge)	4400	✓	9-23-69																								
	Compressed Air (Middle Gauge)	4500	✓	"																								
	Compressed Air (Bottom Gauge)	4500	✓	"																								
	Inflate Air (Small Gauge)	4500	✓	"																								
Temperature	60°	✓	"																									
Physical Conditions	Examine outside of skid for any damage	✓		R. Foster																								
Doors and Seals	Visually check for damage	✓		R. Foster																								
Tamper Proof Seals	Must be intact	✓		R. Foster																								
Gas Monitor	Check gas monitor for damage	✓		R. Foster																								

COMMENTS



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item	Maintenance	Pass	Fail	Inspector																								
	Check maintenance panel gauges for proper pressure																											
Oxygen/Air Cylinders	<table border="1"> <thead> <tr> <th>Gauge</th> <th>Pressure</th> <th>Checked</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>Oxygen (Top Gauge)</td> <td>4500</td> <td>✓</td> <td>9/16/09</td> </tr> <tr> <td>Compressed Air (Middle Gauge)</td> <td>4500</td> <td>✓</td> <td> </td> </tr> <tr> <td>Compressed Air (Bottom Gauge)</td> <td>4500</td> <td>✓</td> <td> </td> </tr> <tr> <td>Inflate Air (Small Gauge)</td> <td>4500</td> <td>✓</td> <td> </td> </tr> <tr> <td>Temperature</td> <td>60°</td> <td>✓</td> <td> </td> </tr> </tbody> </table>	Gauge	Pressure	Checked	Date	Oxygen (Top Gauge)	4500	✓	9/16/09	Compressed Air (Middle Gauge)	4500	✓		Compressed Air (Bottom Gauge)	4500	✓		Inflate Air (Small Gauge)	4500	✓		Temperature	60°	✓				
	Gauge	Pressure	Checked	Date																								
	Oxygen (Top Gauge)	4500	✓	9/16/09																								
	Compressed Air (Middle Gauge)	4500	✓																									
	Compressed Air (Bottom Gauge)	4500	✓																									
	Inflate Air (Small Gauge)	4500	✓																									
Temperature	60°	✓																										
Physical Conditions	Examine outside of skid for any damage	✓		Jeremy Rydberg																								
Doors and Seals	Visually check for damage	✓																										
Tamper Proof Seals	Must be intact	✓																										
Gas Monitor	Check gas monitor for damage	✓																										

COMMENTS

22952 spad is outby chamber 1brk  
in #2 entry in main line Intake



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

Maintenance

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4400	✓	09/11/09
Compressed Air (Middle Gauge)	4500	✓	11
Compressed Air (Bottom Gauge)	4500	✓	11
Inflate Air (Small Gauge)	4500	✓	11
Temperature	610	✓	11

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		Jeremy Burghoff 09/11/09
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		

COMMENTS

22952 spnd is outby chamber 1 brk  
in # 2 entry in main line.



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list				
Weekly and before and after moving unit				
Item	Maintenance	Pressure	Checked	Date
Oxygen/Air Cylinders	Check maintenance panel gauges for proper pressure			
	Gauge			
	Oxygen (Top Gauge)	4400	✓	9-3-9
	Compressed Air (Middle Gauge)	4500	✓	↓
	Compressed Air (Bottom Gauge)	4500	✓	
	Inflate Air (Small Gauge)	4500	✓	
Temperature	60°	✓		
		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		Brush Bow 9-3-9
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		
<p><u>COMMENTS</u></p> <p>22952 Spad          outbx 1 Brk of Chamber          #2 Entry in mains          No spad at direct location</p>				



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay  
Inspection check list

Weekly and before and after moving unit

Item	Maintenance	Pass	Fail	Inspector
	Check maintenance panel gauges for proper pressure			
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4300	✓	Aug 27, 09
	Compressed Air (Middle Gauge)	4400	✓	✓
	Compressed Air (Bottom Gauge)	4500	✓	✓
	Inflate Air (Small Gauge)	4500	✓	✓
	Temperature	570	✓	✓
Physical Conditions	Examine outside of skid for any damage	✓		Jeremy Bugshoff
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		

COMMENTS

22951 Nearest Spede.  
Main line in #2 Entry





**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

**Maintenance**

**Check maintenance panel gauges for proper pressure**

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4300	✓	July 30, 01
Compressed Air (Middle Gauge)	4400	✓	11
Compressed Air (Bottom Gauge)	4500	✓	11
Inflate Air (Small Gauge)	4500	✓	11
Temperature	59°	✓	11

**Physical Conditions**

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass

Fail

Inspector

*Jeremy Burdett*

COMMENTS

22834



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay Inspection check list				
Weekly and before and after moving unit				
Item	Maintenance	Pass	Fail	Inspector
	Check maintenance panel gauges for proper pressure			
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4400		7-22
	Compressed Air (Middle Gauge)	4500		
	Compressed Air (Bottom Gauge)	4500		
	Inflate Air (Small Gauge)	4600		
	Temperature	60°		
Physical Conditions	Examine outside of skid for any damage	✓		<i>Blank</i>
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		
<b>COMMENTS</b>				



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

Maintenance

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4350		7-13-09
Compressed Air (Middle Gauge)	4500		
Compressed Air (Bottom Gauge)	4500		
Inflate Air (Small Gauge)	4600		
Temperature	63°		

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	/		[Signature]
Doors and Seals	Visually check for damage	/		
Tamper Proof Seals	Must be intact	/		
Gas Monitor	Check gas monitor for damage	/		

COMMENTS



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item	Maintenance	Pass	Fail	Inspector
	Check maintenance panel gauges for proper pressure			
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4340	/	7-6-09
	Compressed Air (Middle Gauge)	4500	/	
	Compressed Air (Bottom Gauge)	4500	/	
	Inflate Air (Small Gauge)	4600	/	
	Temperature	64°	/	
Physical Conditions	Examine outside of skid for any damage	/		JY
Doors and Seals	Visually check for damage	/		
Tamper Proof Seals	Must be intact	/		
Gas Monitor	Check gas monitor for damage	/		

**COMMENTS**



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list				
<u>Weekly and before and after moving unit</u>				
Item	Maintenance			
Oxygen/Air Cylinders	Check maintenance panel gauges for proper pressure			
	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4350	/	630-09
	Compressed Air (Middle Gauge)	4500	/	
	Compressed Air (Bottom Gauge)	4500	/	9
	Inflate Air (Small Gauge)	4600	/	
	Temperature	630	/	
		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	/		JMM
Doors and Seals	Visually check for damage	/		
Tamper Proof Seals	Must be intact	/		
Gas Monitor	Check gas monitor for damage	/		
<u>COMMENTS</u>				



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

**Maintenance**

Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4350		6-23-07
Compressed Air (Middle Gauge)	4500		}
Compressed Air (Bottom Gauge)	4500		
Inflate Air (Small Gauge)	4900		
Temperature	56°		

Physical Conditions	Examine outside of skid for any damage	Pass	Fail	Inspector
Doors and Seals	Visually check for damage	✓		J. May
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		

COMMENTS

#3 section



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay  
Inspection check list

SPAD 22880

Weekly and before and after moving unit

Item

Maintenance


Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4350		6-17-9
Compressed Air (Middle Gauge)	4500		6-17-9
Compressed Air (Bottom Gauge)	4500		6-17-9
Inflate Air (Small Gauge)	4500		6-17-9
Temperature	55°		6-17-9

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		Brub King
Doors and Seals	Visually check for damage	✓		Brub King
Tamper Proof Seats	Must be intact	✓		Brub King
Gas Monitor	Check gas monitor for damage	NA		

COMMENTS



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay  
Inspection check list

3-Section

Weekly and before and after moving unit

Item

Maintenance

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4300		6-17-05
Compressed Air (Middle Gauge)	4500		↓
Compressed Air (Bottom Gauge)	4500		↓
Inflate Air (Small Gauge)	4500		↓
Temperature	56°		6-17-05

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass

Fail

Inspector

✓		Jeremy Burghoff
✓		ll ll
✓		ll ll
N/A		ll ll

COMMENTS



# 3 Section



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay  
Inspection check list

Weekly and before and after moving unit

Item 452191-01

Oxygen/Air Cylinders

Maintenance  
Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4300	✓	6-9-09
Compressed Air (Middle Gauge)	4500	✓	
Compressed Air (Bottom Gauge)	4500	✓	
Inflate Air (Small Gauge)	4500	✓	
Temperature	58	✓	6-9-09

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass

Fail

Inspector

✓

✓

✓

N/A

Joe Collins  
Strata

COMMENTS

6-month inspection was  
Done on this date: 6-9-2009

By: Joe Collins - Strata



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance  
Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4300	-	6-9-07
Compressed Air (Middle Gauge)	4400	-	
Compressed Air (Bottom Gauge)	4400	✓	
Inflate Air (Small Gauge)	43 <sup>00</sup>	-	
Temperature	51°	-	

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage


Visually check for damage

Must be intact

Check gas monitor for damage

Pass	Fail	Inspector
-		[Signature]
-		
-		
✓		

COMMENTS



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

**Maintenance**

Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4300	-	6-1-07
Compressed Air (Middle Gauge)	4500	-	
Compressed Air (Bottom Gauge)	4500	-	
Inflate Air (Small Gauge)	4500	-	
Temperature	60°	-	

**Physical Conditions**

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass

Fail

Inspector

*[Handwritten signature]*

**COMMENTS**



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

Maintenance  
Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4300	✓	8-13-04
Compressed Air (Middle Gauge)	4500	✓	"
Compressed Air (Bottom Gauge)	4500	✓	"
Inflate Air (Small Gauge)	4500	✓	"
Temperature	68°	✓	"

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass	Fail	Inspector
✓		R. Foster 28734
✓		" "
✓		" "
✓		" "

COMMENTS



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay  
Inspection check list

Weekly and before and after moving unit

Item

Oxygen/Air Cylinders

Maintenance

Check maintenance panel gauges for proper pressure

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4300	✓	12-2-04
Compressed Air (Middle Gauge)	4500	✓	12-2-04
Compressed Air (Bottom Gauge)	4500	✓	12-2-04
Inflate Air (Small Gauge)	4500	✓	12-2-04
Temperature	52°	✓	12-2-04

Physical Conditions

Doors and Seals

Tamper Proof Seals

Gas Monitor

Examine outside of skid for any damage

Visually check for damage

Must be intact

Check gas monitor for damage

Pass	Fail	Inspector
✓		R. Foster
✓		R. Foster
✓		R. Foster
✓		R. Foster

COMMENTS

Checked box and spatter.  
 Phil and Jeff Spratt with M.H. & S.J.  
 with



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay  
Inspection checklist

Weekly and before and after moving unit

Item

Maintenance

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4250	/	5-20-09
Compressed Air (Middle Gauge)	4400	/	5
Compressed Air (Bottom Gauge)	4400	/	
Inflate Air (Small Gauge)	4500	/	
Temperature	50	/	

Physical Conditions

Examine outside of skid for any damage

Pass

Fail

Inspector

Doors and Seals

Visually check for damage

Tamper Proof Seals

Must be intact

Gas Monitor

Check gas monitor for damage

*S. Mung*

COMMENTS

3 section



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay Inspection check list				
<u>Weekly and before and after moving unit</u>				
Item	Maintenance			
	Check maintenance panel gauges for proper pressure			
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4250	/	5-26-09
	Compressed Air (Middle Gauge)	4400	/	
	Compressed Air (Bottom Gauge)	4400	/	
	Inflate Air (Small Gauge)	4500	/	
	Temperature	56°	/	
		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	/		<i>any</i>
Doors and Seals	Visually check for damage	/		
Tamper Proof Seats	Must be intact	/		
Gas Monitor	Check gas monitor for damage	/		
<b><u>COMMENTS</u></b>				



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay Inspection check list																												
Weekly and before and after moving unit																												
Item	Maintenance	Pass	Fail	Inspector																								
	Check maintenance panel gauges for proper pressure																											
Oxygen/Air Cylinders	<table border="1"> <thead> <tr> <th>Gauge</th> <th>Pressure</th> <th>Checked</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>Oxygen (Top Gauge)</td> <td>4250</td> <td>—</td> <td>5-12-07</td> </tr> <tr> <td>Compressed Air (Middle Gauge)</td> <td>4400</td> <td>—</td> <td></td> </tr> <tr> <td>Compressed Air (Bottom Gauge)</td> <td><del>4400</del> 4400</td> <td>—</td> <td></td> </tr> <tr> <td>Inflate Air (Small Gauge)</td> <td>4500</td> <td>—</td> <td></td> </tr> <tr> <td>Temperature</td> <td>55°</td> <td>—</td> <td></td> </tr> </tbody> </table>	Gauge	Pressure	Checked	Date	Oxygen (Top Gauge)	4250	—	5-12-07	Compressed Air (Middle Gauge)	4400	—		Compressed Air (Bottom Gauge)	<del>4400</del> 4400	—		Inflate Air (Small Gauge)	4500	—		Temperature	55°	—				
	Gauge	Pressure	Checked	Date																								
	Oxygen (Top Gauge)	4250	—	5-12-07																								
	Compressed Air (Middle Gauge)	4400	—																									
	Compressed Air (Bottom Gauge)	<del>4400</del> 4400	—																									
Inflate Air (Small Gauge)	4500	—																										
Temperature	55°	—																										
Physical Conditions	Examine outside of skid for any damage	—		<i>[Signature]</i>																								
Doors and Seals	Visually check for damage	—																										
Tamper Proof Seals	Must be intact	—																										
Gas Monitor	Check gas monitor for damage	—																										
<b>COMMENTS</b>																												





**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay Inspection check list																												
<u>Weekly and before and after moving unit</u>																												
Item	Maintenance	Pass	Fail	Inspector																								
Oxygen/Air Cylinders	Check maintenance panel gauges for proper pressure																											
	<table border="1"> <thead> <tr> <th>Gauge</th> <th>Pressure</th> <th>Checked</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>Oxygen (Top Gauge)</td> <td>4200</td> <td>-</td> <td>5-5-01</td> </tr> <tr> <td>Compressed Air (Middle Gauge)</td> <td>4400</td> <td>-</td> <td>/</td> </tr> <tr> <td>Compressed Air (Bottom Gauge)</td> <td>4500</td> <td>-</td> <td>/</td> </tr> <tr> <td>Inflate Air (Small Gauge)</td> <td>4500</td> <td>-</td> <td>/</td> </tr> <tr> <td>Temperature</td> <td>52°</td> <td></td> <td></td> </tr> </tbody> </table>	Gauge	Pressure	Checked	Date	Oxygen (Top Gauge)	4200	-	5-5-01	Compressed Air (Middle Gauge)	4400	-	/	Compressed Air (Bottom Gauge)	4500	-	/	Inflate Air (Small Gauge)	4500	-	/	Temperature	52°					
	Gauge	Pressure	Checked	Date																								
	Oxygen (Top Gauge)	4200	-	5-5-01																								
	Compressed Air (Middle Gauge)	4400	-	/																								
	Compressed Air (Bottom Gauge)	4500	-	/																								
Inflate Air (Small Gauge)	4500	-	/																									
Temperature	52°																											
Physical Conditions	Examine outside of skid for any damage			yz																								
Doors and Seals	Visually check for damage																											
Tamper Proof Seals	Must be intact																											
Gas Monitor	Check gas monitor for damage																											
<b><u>COMMENTS</u></b>																												



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

Maintenance  
Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4200		4-28-09
Compressed Air (Middle Gauge)	4400		/
Compressed Air (Bottom Gauge)	4500		
Inflate Air (Small Gauge)	4300		
Temperature	50°		

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	-		/ <i>J May</i>
Doors and Seals	Visually check for damage	-		
Tamper Proof Seals	Must be intact	-		
Gas Monitor	Check gas monitor for damage	-		

**COMMENTS**

*Synold 22875*



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection checklist**

Weekly and before and after moving unit

Item

**Maintenance**

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4300		
Compressed Air (Middle Gauge)	4400		
Compressed Air (Bottom Gauge)	4400		
Inflate Air (Small Gauge)	4500		
Temperature	50		

Physical Conditions

Examine outside of skid for any damage

Doors and Seats

Visually check for damage

Tamper Proof Seats

Must be intact

Gas Monitor

Check gas monitor for damage

Pass	Fail	Inspector
✓		J May 4-23-09 
✓		
✓		

COMMENTS



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay  
Inspection checklist

Spad. # 22853

Weekly and before and after moving unit

Item

**Maintenance**

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4200		4-18-09
Compressed Air (Middle Gauge)	4400		11
Compressed Air (Bottom Gauge)	4350		11
Inflate Air (Small Gauge)	4500		11
Temperature	50°		11

		Pass	Fail	Inspector
Physical Conditions	Examines outside of skid for any damage	✓		<i>[Signature]</i>
Doors and Seals	Visually check for damage	✓		11
Tamper Proof Seals	Must be intact	✓		11
Gas Monitor	Check gas monitor for damage	✓		11

COMMENTS



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay  
Inspection checklist

Weekly and before and after moving unit

Item

Maintenance

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4900		7-14-09
Compressed Air (Middle Gauge)	4300		
Compressed Air (Bottom Gauge)	4350		
Inflate Air (Small Gauge)	4500		
Temperature	80°		

Physical Conditions

Examine outside of skid for any damage

Doors and Seals

Visually check for damage

Tamper Proof Seals

Must be intact

Gas Monitor

Check gas monitor for damage

Pass

Fail

Inspector

*[Handwritten signature]*

COMMENTS



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Sped.  
23064

Weekly and before and after moving unit

Item

**Maintenance**

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4200	✓	
Compressed Air (Middle Gauge)	4300	✓	
Compressed Air (Bottom Gauge)	4400	✓	
Inflate Air (Small Gauge)	4500	✓	
Temperature			

Moved on  
4-7-09

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		<i>Jerry Boyd</i>
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		

COMMENTS



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay  
Inspection checklist

Weekly and before and after moving unit

Item

Maintenance

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4200		4-5-09
Compressed Air (Middle Gauge)	4350		
Compressed Air (Bottom Gauge)	4400		
Inflate Air (Small Gauge)	4500		
Temperature	49°		

9 pad  
23064

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	<input checked="" type="checkbox"/>	<input type="checkbox"/>	J. King
Doors and Seals	Visually check for damage	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Tamper Proof Seals	Must be intact	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Gas Monitor	Check gas monitor for damage	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

COMMENTS



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

**Maintenance**

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4250	✓	4-2-09
Compressed Air (Middle Gauge)	4300	✓	
Compressed Air (Bottom Gauge)	4300	✓	
Inflate Air (Small Gauge)	4250	✓	
Temperature	54°	✓	

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		<i>Russell Dumas</i>
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		

**COMMENTS**





**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

**Maintenance**

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4250	✓	3-30-09
Compressed Air (Middle Gauge)	4300	✓	
Compressed Air (Bottom Gauge)	4300	✓	
Inflate Air (Small Gauge)	4250	✓	
Temperature	52°	✓	

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		J May
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		

COMMENTS



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item	Maintenance	Pass	Fail	Inspector																									
	Check maintenance panel gauges for proper pressure																												
Oxygen/Air Cylinders	<table border="1"> <thead> <tr> <th>Gauge</th> <th>Pressure</th> <th>Checked</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>Oxygen (Top Gauge)</td> <td>4200</td> <td>✓</td> <td>3/23/07</td> </tr> <tr> <td>Compressed Air (Middle Gauge)</td> <td>4300</td> <td>✓</td> <td></td> </tr> <tr> <td>Compressed Air (Bottom Gauge)</td> <td>4300</td> <td>✓</td> <td></td> </tr> <tr> <td>Inflate Air (Small Gauge)</td> <td>4250</td> <td>✓</td> <td></td> </tr> <tr> <td>Temperature</td> <td>50°</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Gauge	Pressure	Checked	Date	Oxygen (Top Gauge)	4200	✓	3/23/07	Compressed Air (Middle Gauge)	4300	✓		Compressed Air (Bottom Gauge)	4300	✓		Inflate Air (Small Gauge)	4250	✓		Temperature	50°						
	Gauge	Pressure	Checked	Date																									
	Oxygen (Top Gauge)	4200	✓	3/23/07																									
	Compressed Air (Middle Gauge)	4300	✓																										
	Compressed Air (Bottom Gauge)	4300	✓																										
Inflate Air (Small Gauge)	4250	✓																											
Temperature	50°																												
Physical Conditions	Examine outside of skid for any damage	✓		<i>J. Mung</i>																									
Doors and Seals	Visually check for damage	✓																											
Tamper Proof Seals	Must be intact	✓																											
Gas Monitor	Check gas monitor for damage	✓																											

COMMENTS

2313



WEEKLY (By operator's certified person)

**Skid and Fresh Air Bay Inspection check list**

Weekly and before and after moving unit

Item	Maintenance	Pass	Fail	Inspector	
	Check maintenance panel gauges for proper pressure				
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date	
		Oxygen (Top Gauge)	4200	/	3-16-01
		Compressed Air (Middle Gauge)	4300	/	
		Compressed Air (Bottom Gauge)	4300	/	
		Inflate Air (Small Gauge)	4250	/	
	Temperature	490	/		
Physical Conditions	Examine outside of skid for any damage	/		S. M. 3/22	
Doors and Seals	Visually check for damage	/			
Tamper Proof Seals	Must be intact	/			
Gas Monitor	Check gas monitor for damage	/			

**COMMENTS**

Spald  
23065



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list				
Weekly and before and after moving unit				
Item	Maintenance	Pass	Fail	Inspector
	Check maintenance panel gauges for proper pressure			
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4200	-	3-9-09
	Compressed Air (Middle Gauge)	4300	-	
	Compressed Air (Bottom Gauge)	4300	-	
	Inflate Air (Small Gauge)	4200	-	
	Temperature	48°	-	
Physical Conditions	Examine outside of skid for any damage	-		Jany May
Doors and Seals	Visually check for damage	-		
Tamper Proof Seals	Must be intact	-		
Gas Monitor	Check gas monitor for damage	-		
<b>COMMENTS</b>				

Spad  
23065

*[Handwritten mark]*



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

**Maintenance**

Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4150		
Compressed Air (Middle Gauge)	4300		
Compressed Air (Bottom Gauge)	4300		
Inflate Air (Small Gauge)	4350		
Temperature	42°		

3 pad  
23065

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	/		J May
Doors and Seals	Visually check for damage	/		3-4-07
Tamper Proof Seals	Must be intact	—		
Gas Monitor	Check gas monitor for damage	—		

**COMMENTS**



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list																											
<u>Weekly and before and after moving unit</u>																											
Item	Maintenance	Pass	Fail																								
	Check maintenance panel gauges for proper pressure																										
Oxygen/Air Cylinders	<table border="1"> <thead> <tr> <th>Gauge</th> <th>Pressure</th> <th>Checked</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>Oxygen (Top Gauge)</td> <td>4150</td> <td></td> <td>2-27-09</td> </tr> <tr> <td>Compressed Air (Middle Gauge)</td> <td>4300</td> <td></td> <td>✓</td> </tr> <tr> <td>Compressed Air (Bottom Gauge)</td> <td>4300</td> <td></td> <td>✓</td> </tr> <tr> <td>Inflate Air (Small Gauge)</td> <td>4300</td> <td></td> <td>✓</td> </tr> <tr> <td>Temperature</td> <td>45°</td> <td></td> <td></td> </tr> </tbody> </table>	Gauge	Pressure	Checked	Date	Oxygen (Top Gauge)	4150		2-27-09	Compressed Air (Middle Gauge)	4300		✓	Compressed Air (Bottom Gauge)	4300		✓	Inflate Air (Small Gauge)	4300		✓	Temperature	45°				
	Gauge	Pressure	Checked	Date																							
	Oxygen (Top Gauge)	4150		2-27-09																							
	Compressed Air (Middle Gauge)	4300		✓																							
	Compressed Air (Bottom Gauge)	4300		✓																							
Inflate Air (Small Gauge)	4300		✓																								
Temperature	45°																										
Physical Conditions	Examine outside of skid for any damage	✓																									
Doors and Seals	Visually check for damage	✓																									
Tamper Proof Seals	Must be intact	✓																									
Gas Monitor	Check gas monitor for damage	✓																									
			Inspector																								
			<i>Russell Dummoe</i>																								

COMMENTS

spad 23065



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay Inspection check list				
<u>Weekly and before and after moving unit</u>				
Item	Maintenance			
Oxygen/Air Cylinders	Check maintenance panel gauges for proper pressure			
	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4150		2-19-09
	Compressed Air (Middle Gauge)	4300		
	Compressed Air (Bottom Gauge)	4400		
	Inflate Air (Small Gauge)	4400		
	Temperature	46°		
		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	/		J May
Doors and Seals	Visually check for damage	/		
Tamper Proof Seals	Must be intact	/		
Gas Monitor	Check gas monitor for damage	/		
<b><u>COMMENTS</u></b>				

*No Power  
2-17, 18, 19*



**WEEKLY (By operator's certified person)**

**Skid and Fresh Air Bay  
Inspection check list**

Weekly and before and after moving unit

Item

Maintenance  
Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4150		2-10-07
Compressed Air (Middle Gauge)	4300		}
Compressed Air (Bottom Gauge)	4400		
Inflate Air (Small Gauge)	4400		
Temperature	46°		

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	—		J. Mey
Doors and Seals	Visually check for damage	—		2
Tamper Proof Seals	Must be intact	—		
Gas Monitor	Check gas monitor for damage	—		

COMMENTS





WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list				
<u>Weekly and before and after moving unit</u>				
Item	Maintenance			
Oxygen/Air Cylinders	Check maintenance panel gauges for proper pressure			
	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4100	✓	2-5-09
	Compressed Air (Middle Gauge)	4200	✓	
	Compressed Air (Bottom Gauge)	4200	✓	
	Inflate Air (Small Gauge)	4400	✓	
	Temperature	38°	✓	
		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		<i>Russell Durrence</i>
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		
<b><u>COMMENTS</u></b>				
<i>Spad</i> <i>22822</i>				



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list				
Weekly and before and after moving unit				
Item	Maintenance	Pass	Fail	Inspector
Check maintenance panel gauges for proper pressure				
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4500	—	12/2/09
	Compressed Air (Middle Gauge)	4200	—	1
	Compressed Air (Bottom Gauge)	4250	—	1
	Inflate Air (Small Gauge)	4300	—	1
	Temperature	41°	—	
Physical Conditions	Examine outside of skid for any damage	—		J May
Doors and Seals	Visually check for damage	—		
Tamper Proof Seals	Must be intact	—		
Gas Monitor	Check gas monitor for damage	—		
<b>COMMENTS</b>				
spud 22922 <del>12/2/09</del>				



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list		1-22-09		
<u>Weekly and before and after moving unit</u>				
Item	Maintenance	Pass	Fail	Inspector
	Check maintenance panel gauges for proper pressure			
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4700	✓	
	Compressed Air (Middle Gauge)	4900	✓	
	Compressed Air (Bottom Gauge)	4950	✓	
	Inflate Air (Small Gauge)	4300	✓	
	Temperature	40°	✓	
Physical Conditions	Examine outside of skid for any damage	✓		1-22-09
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		
<b><u>COMMENTS</u></b>				
Setting at speed. 22979				



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay Inspection check list				
<u>Weekly and before and after moving unit</u>				
Item	Maintenance			
	Check maintenance panel gauges for proper pressure			
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4200	✓	1-12-09
	Compressed Air (Middle Gauge)	4350	✓	
	Compressed Air (Bottom Gauge)	4370	✓	
	Inflate Air (Small Gauge)	4500	✓	
	Temperature	48	✓	
		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		J. Macey (11)
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	✓		
<b><u>COMMENTS</u></b>				



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list																											
Weekly and before and after moving unit																											
Item	Maintenance	Pass	Fail																								
Oxygen/Air Cylinders	Check maintenance panel gauges for proper pressure																										
	<table border="1"> <thead> <tr> <th>Gauge</th> <th>Pressure</th> <th>Checked</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>Oxygen (Top Gauge)</td> <td>4200</td> <td>/</td> <td>1-5-09</td> </tr> <tr> <td>Compressed Air (Middle Gauge)</td> <td>4400</td> <td>/</td> <td></td> </tr> <tr> <td>Compressed Air (Bottom Gauge)</td> <td>4400</td> <td>/</td> <td></td> </tr> <tr> <td>Inflate Air (Small Gauge)</td> <td>4500</td> <td>/</td> <td></td> </tr> <tr> <td>Temperature</td> <td>50</td> <td></td> <td></td> </tr> </tbody> </table>	Gauge	Pressure	Checked	Date	Oxygen (Top Gauge)	4200	/	1-5-09	Compressed Air (Middle Gauge)	4400	/		Compressed Air (Bottom Gauge)	4400	/		Inflate Air (Small Gauge)	4500	/		Temperature	50				
	Gauge	Pressure	Checked	Date																							
	Oxygen (Top Gauge)	4200	/	1-5-09																							
	Compressed Air (Middle Gauge)	4400	/																								
Compressed Air (Bottom Gauge)	4400	/																									
Inflate Air (Small Gauge)	4500	/																									
Temperature	50																										
Physical Conditions	Examine outside of skid for any damage	/																									
Doors and Seals	Visually check for damage	/																									
Tamper Proof Seals	Must be intact	/																									
Gas Monitor	Check gas monitor for damage	/																									
Inspector: <i>Shamoa Atanah</i>																											
<u>COMMENTS</u>																											
<i>g my 1-5-09</i>																											



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay Inspection check list																											
Weekly and before and after moving unit																											
Item	Maintenance	Pass	Fail																								
	Check maintenance panel gauges for proper pressure																										
Oxygen/Air Cylinders	<table border="1"> <thead> <tr> <th>Gauge</th> <th>Pressure</th> <th>Checked</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>Oxygen (Top Gauge)</td> <td>4250</td> <td></td> <td>12-16-09</td> </tr> <tr> <td>Compressed Air (Middle Gauge)</td> <td>4450</td> <td></td> <td></td> </tr> <tr> <td>Compressed Air (Bottom Gauge)</td> <td>4400</td> <td></td> <td></td> </tr> <tr> <td>Inflate Air (Small Gauge)</td> <td>4500</td> <td></td> <td></td> </tr> <tr> <td>Temperature</td> <td>45°</td> <td></td> <td></td> </tr> </tbody> </table>	Gauge	Pressure	Checked	Date	Oxygen (Top Gauge)	4250		12-16-09	Compressed Air (Middle Gauge)	4450			Compressed Air (Bottom Gauge)	4400			Inflate Air (Small Gauge)	4500			Temperature	45°				
	Gauge	Pressure	Checked	Date																							
	Oxygen (Top Gauge)	4250		12-16-09																							
	Compressed Air (Middle Gauge)	4450																									
	Compressed Air (Bottom Gauge)	4400																									
Inflate Air (Small Gauge)	4500																										
Temperature	45°																										
Physical Conditions	Examine outside of skid for any damage	<input checked="" type="checkbox"/>	Inspector <i>[Signature]</i>																								
Doors and Seals	Visually check for damage	<input checked="" type="checkbox"/>																									
Tamper Proof Seals	Must be intact	<input checked="" type="checkbox"/>																									
Gas Monitor	Check gas monitor for damage	<input checked="" type="checkbox"/>																									
<b><u>COMMENTS</u></b>																											



**WEEKLY (By operator's certified person)**

Skid and Fresh Air Bay Inspection check list				
Weekly and before and after moving unit				
Item	Maintenance	Pass	Fail	Inspector
Oxygen/Air Cylinders	Check maintenance panel gauges for proper pressure			
	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4200	/	12-31-08
	Compressed Air (Middle Gauge)	4400	/	
	Compressed Air (Bottom Gauge)	4400	/	
	Inflate Air (Small Gauge)	4500	/	
	Temperature	50	/	
Physical Conditions	Examine outside of skid for any damage	/	/	J m
Doors and Seals	Visually check for damage	/		12-31-08
Tamper Proof Seals	Must be intact	/		/
Gas Monitor	Check gas monitor for damage	/		
<b><u>COMMENTS</u></b>				



*Spade  
22822*

*#3 Section*

WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list				
<u>Weekly and before and after moving unit</u>				
Item <i>452191-01</i>	Maintenance	Check maintenance panel gauges for proper pressure		
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	<i>4100</i>	<input checked="" type="checkbox"/>	<i>12-8-08</i>
	Compressed Air (Middle Gauge)	<i>4300</i>	<input checked="" type="checkbox"/>	<i>1</i>
	Compressed Air (Bottom Gauge)	<i>4350</i>	<input checked="" type="checkbox"/>	<i>1</i>
	Inflate Air (Small Gauge)	<i>4400</i>	<input checked="" type="checkbox"/>	<i>1</i>
	Temperature	<i>40</i>	<input checked="" type="checkbox"/>	<i>12-8-08</i>
			Pass	Fail
Physical Conditions	Examine outside of skid for any damage	<input checked="" type="checkbox"/>		<i>Joe Cellini</i>
Doors and Seals	Visually check for damage	<input checked="" type="checkbox"/>		
Tamper Proof Seals	Must be intact	<input checked="" type="checkbox"/>		
Gas Monitor	Check gas monitor for damage	<i>N/A</i>		
<u>COMMENTS</u>				
<i>Unit Activated this Date 12-8-08 By: Joe Cellini - Strata</i>				





#3 Section

WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list				
Weekly and before and after moving unit				
Item	452191-01	Maintenance		
Oxygen/Air Cylinders		Check maintenance panel gauges for proper pressure		
Gauge	Pressure	Checked	Date	
Oxygen (Top Gauge)	4200	✓	12-12-8	
Compressed Air (Middle Gauge)	4300	✓		
Compressed Air (Bottom Gauge)	4500	✓		
Inflate Air (Small Gauge)	4350	✓		
Temperature	47	✓	12-12-8	
		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		Brad Bond 12-12-8
Doors and Seals	Visually check for damage	✓		
Tamper Proof Seals	Must be intact	✓		
Gas Monitor	Check gas monitor for damage	N/A		
<u>COMMENTS</u>				



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay Inspection check list				
<u>Weekly and before and after moving unit</u>				
Item <b>452191-01</b>	Maintenance			
	Check maintenance panel gauges for proper pressure			
Oxygen/Air Cylinders	Gauge	Pressure	Checked	Date
	Oxygen (Top Gauge)	4300	✓	11-30-09
	Compressed Air (Middle Gauge)	4400	✓	11-30-09
	Compressed Air (Bottom Gauge)	4400	✓	11-30-09
	Inflate Air (Small Gauge)	41000	✓	11-30-09
	Temperature	50°	✓	11/30/09
			Pass	Fail
Physical Conditions	Examine outside of skid for any damage		✓	
Doors and Seals	Visually check for damage		✓	
Tamper Proof Seats	Must be intact		✓	
Gas Monitor	Check gas monitor for damage		✓	
				Inspector
				<i>[Signature]</i>
				<i>[Signature]</i>
				<i>[Signature]</i>
				<i>[Signature]</i>
<b>COMMENTS</b>				
Solans last calibration Date 11-13-09				



WEEKLY (By operator's certified person)

Skid and Fresh Air Bay  
Inspection check list

12-15-9

Weekly and before and after moving unit

Item

Maintenance  
Check maintenance panel gauges for proper pressure

Oxygen/Air Cylinders

Gauge	Pressure	Checked	Date
Oxygen (Top Gauge)	4200	✓	12-15-9
Compressed Air (Middle Gauge)	4400	✓	12-15-9
Compressed Air (Bottom Gauge)	4400	✓	12-15-9
Inflate Air (Small Gauge)	4500	✓	12-15-9
Temperature	50°	✓	12-15-9

		Pass	Fail	Inspector
Physical Conditions	Examine outside of skid for any damage	✓		<i>[Signature]</i>
Doors and Seals	Visually check for damage	✓		<i>[Signature]</i>
Tamper Proof Seals	Must be intact	✓		<i>[Signature]</i>
Gas Monitor	Check gas monitor for damage	✓		<i>[Signature]</i>

COMMENTS