

South Fan
Started 2-27-10

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Company Performance Coal

Mine UBB

Location Nooma Raleigh WV
Post Office County State

Reorder from
Chapman Printing
(800) 999-2471
Form # MS-021

Form 6-1491
(March 1970)

Budget Bureau No. 42-R1589
Approval expires 9-30-71

When this book is completed it shall be retained at the mine for a period of one year after the date of the last entry in the book, regardless of change of ownership. When a mine is temporarily closed or abandoned, the operator shall retain this book in a safe place during the period of closure or for a period of one year after the mine is abandoned. **Do not** mail this book to the Bureau of Mines.

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 2/27/10

Time 10:10 AM

Fan South FAN

Location South Portal

Fan Operating Properly YES

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 2/19/10

Previous Check Made 1/17/10

Automatic Closing Doors (monthly) 2/19/10

Previous Examination Made 1/17/10

Remarks or changes none

Signed Paul Myron
(examiner)
8-4031

Rick Fata
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 2/28/10

Time 4:30AM

Fan WBB SOUTH FAN

Location South Portal

Fan Operating Properly YES

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 2/19/10

Previous Check Made 1/17/10

Automatic Closing Doors (monthly) 2/19/10

Previous Examination Made 1/17/10

Remarks or changes

Signed Paul Hym
(examiner) 8-4031

Rick Foster
Mine Foreman Mine Manager

28732
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 9-1-10

Time 5:40 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0''

Fan Signal Check (monthly) 2-19-10

Previous Check Made 1-17-10

Automatic Closing Doors (monthly) 2-19-10

Previous Examination Made 1-17-10

Remarks or changes

Signed V. E. Sheets 8-11
(examiner)

Rich Foster
Mine Foreman Mine Manager

28234
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-2-10

Time 4:35AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 2-19-10

Previous Check Made 1-17-10

Automatic Closing Doors (monthly) 2-19-10

Previous Examination Made 1-17-10

Remarks or changes _____

Signed T. C. Shute 8-11
(examiner)

Rick Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-3-16

Time 5:45 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 2-19-16

Previous Check Made 1-19-16

Automatic Closing Doors (monthly) 2-19-16

Previous Examination Made 1-19-16

Remarks or changes Changed chart, wound clock, greased fan bearings,

inboard 95° outboard 124°

Signed J. E. Shute 8-11
(examiner)

Reed J. [Signature]
Mine Foreman Mine Manager

28750
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-4-10

Time 5:00 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0¹⁰

Fan Signal Check (monthly) 2-19-10

Previous Check Made 1-19-10

Automatic Closing Doors (monthly) 2-19-10

Previous Examination Made 1-19-10

Remarks or changes

Signed TE Sheets 8-11
(examiner)

Rick Fister
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-5-10

Time 5:25 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 20''

Fan Signal Check (monthly) 2-19-10

Previous Check Made 1-17-10

Automatic Closing Doors (monthly) 2-19-10

Previous Examination Made 1-17-10

Remarks or changes

Signed TE Sheets 8-15
(examiner)

Rick Fata
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 2-6-10

Time 5:10 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 2-19-10

Previous Check Made 1-17-10

Automatic Closing Doors (monthly) 2-19-10

Previous Examination Made 1-17-10

Remarks or changes

Signed TC Sheets 8-58
(examiner)

Reid Foster
Mine Foreman Mine Manager

2873L
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 03-07-10

Time 6:20 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.6"

Fan Signal Check (monthly) 2/19/10

Previous Check Made 1/17/10

Automatic Closing Doors (monthly) 2/19/10

Previous Examination Made 1/17/10

Remarks or changes

Signed D. Lavery NR-2882
(examiner)

Rich Festa
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-8-10

Time 5:25 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 2-19-10

Previous Check Made 1-17-10

Automatic Closing Doors (monthly) 2-19-10

Previous Examination Made 1-17-10

Remarks or changes

Signed J E [Signature] 8-35
(examiner)

[Signature]
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 8-9-10

Time 5:00 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 2-19-10

Previous Check Made 1-19-10

Automatic Closing Doors (monthly) 2-19-10

Previous Examination Made 1-19-10

Remarks or changes

Signed V E Grate 8-9-10
(examiner)

Rick Zetter
Mine Foreman Mine Manager

28731
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 9-30-10
Time 5:30 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0

Fan Signal Check (monthly) 2-19-10

Previous Check Made 1-17-10

Automatic Closing Doors (monthly) 2-19-10

Previous Examination Made 1-17-10

Remarks or changes Changed chart, wound clock, greased fan bearings,
12 bearings 120° 12 bearings 124°

Signed [Signature] 8-11
(examiner)

[Signature]
Mine Foreman Mine Manager

28734
Certificate Number

[Signature]
Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-11-10

Time 5:40 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 2-19-10

Previous Check Made 1-17-10

Automatic Closing Doors (monthly) 2-19-10

Previous Examination Made 1-17-10

Remarks or changes _____

Signed V. E. Shasta 3-11
(examiner)

Rich Foster
Mine Foreman / Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 8-12-10

Time 5:20 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 2-19-10

Previous Check Made 1-17-10

Automatic Closing Doors (monthly) 2-19-10

Previous Examination Made 1-17-10

Remarks or changes

Signed T. L. Sheth 8-13
(examiner)

Rich Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-13-10

Time _____

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes Greased motor bearing's checked fan belt's and replaced steel rope on automatic closing door's Did fan signal check and automatic door check

Signed [Signature] 3-15-10
(examiner)

[Signature]
Mine Foreman Mine Manager

28231
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-15-10

Time 5:40 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes

Signed TE Shatt 3-15
(examiner)

Rich Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-16-10

Time 5:35AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes

Signed J.C. Sheets 8-11
(examiner)

Beck Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-17-10
Time 7:20 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 20"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes Changed Chart and greased bearings

Signed Vincent Berman
(examiner)
4-249

Bob Foster
Mine Foreman Mine Manager

08982
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-18-10

Time 6:35 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.7"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes Fan down changed fan motor

Signed JL Shute 8-11
(examiner)

Paul Fortin
Mine Foreman Mine Manager

28736
Certificate Number

[Signature]
Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-19-10

Time 6:05 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes

Signed V.E. Sheets 8-31
(examiner)

Rich Fort
Mine Foreman Mine Manager

28226
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-20-10

Time 6:20 Am

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes

Signed Virgil Boeman
(examiner)
4-249

Rick Foster
Mine Foreman Mine Manager

28234
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 03-21-10

Time 6:50 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 03-13-10

Previous Check Made 02-19-10

Automatic Closing Doors (monthly) 03-13-10

Previous Examination Made 02-19-10

Remarks or changes

Signed D. Lavery NR-2882
(examiner)

Rick Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-22-10

Time 6:40 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes

Signed W E Hester 8-11
(examiner)

Rick Foster
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY-EXAMINATION OF VENTILATION EQUIPMENT

Date 3-23-10

Time 5:20 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes

Signed T. Sheets 3-11
(examiner)

Rock Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-24-10
Time 6:50 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes Changed chart, greased fan bearings, in by 96° out by 122°

wound clock

Signed V E Shute 8-11
(examiner)

Rob Jahn
Mine Foreman Mine Manager

29736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-25-10
Time 5:25 AM

Fan: South

Location 50

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes _____

Signed [Signature]
(examiner)

[Signature]
Mine Foreman Mine Manager

29232
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-26-10

Time 5:00 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure ~~2-19-10~~ 20^{psi}

Fan Signal Check (monthly) ~~2-19-10~~ 3-13-10

Previous Check Made ~~3-19-10~~ 2-19-10

Automatic Closing Doors (monthly) ~~2-19-10~~ 3-13-10

Previous Examination Made 2-19-10

Remarks or changes

Signed J. E. Shultz 8-11
(examiner)

Rich Felt
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-27-10
Time 1:03 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes _____

Signed William J. Smith 3152
(examiner)

Rich Zota
Mine Foreman Mine Manager

28232
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 03-28-10
Time 7:00 Am

Fan South

Location South portal

Fan Operating Properly yes

Water Gage Pressure 1.5"

Fan Signal Check (monthly) 03-13-10

Previous Check Made 02-19-10

Automatic Closing Doors (monthly) 03-13-10

Previous Examination Made 02-19-10

Remarks or changes Enter on chart recorder looks like its

getting weak, Don't know where they're kept. please change

Signed D. Zandy NR-2892
(examiner)

Rick Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-29-10

Time 5:10AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0''

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-14-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes Changed chart

Signed T E Sheets 3-11
(examiner)

Rick Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-30-10

Time 5:40 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes _____

Signed J E Sheets 8-13
(examiner)

Reck Foster
Mine Foreman Mine Manager

29731
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 3-31-10

Time 5:45 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes Changed chart, wound clock, greased fan bearings
in 95° out 127

Signed [Signature]
(examiner)

Rick Jata
Mine Foreman Mine Manager

2872
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 4-1-10

Time 5:30 Am

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 20"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes

Signed Vincent Bonner
(examiner)
4-249

Rick Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 4-2-10
Time 10:37 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.2"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes _____

Signed *Billie B...* 3-152
(examiner)

Buck Foster
Mine Foreman Mine Manager

28236
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 4-3-10
Time 6:58 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.5"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes _____

Signed Willie Smith 3-152
(examiner)

Rick Foster
Mine Foreman Mine Manager

58232
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 4-4-10

Time 11:35 Pm

Fan SOUTH

Location SOUTH PORTAL

Fan Operating Properly Yes

Water Gage Pressure 1.6

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes

Signed G Shrewsbury
(examiner)
8-4018

Rick Foster

Mine Foreman Mine Manager

29732

Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 4-5-10

Time 6:00 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.8

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes

Signed [Signature] 8-11
(examiner)

[Signature] 28734
Mine Foreman Mine Manager

Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 4-6-10

Time 3:10AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.6"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes

Signed T.L. Sheets 8-11
(examiner)

Rich Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 4-7-10
Time 7:50 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.4"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes Greased Bearings and Changed FAN Chert

With Fed and State inspt

Signed Virgil Boruma
(examiner)
4-249

Rick Foster
Mine Foreman Mine Manager

29736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 4-8-10
Time 5:10 PM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.3"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes _____

Signed Will D. Dred 3-152
(examiner)

Mine Foreman Mine Manager Certificate Number Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 4-9-10
Time 7:59 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.2"

Fan Signal Check (monthly) 3-13-10

Previous Check Made 2-19-10

Automatic Closing Doors (monthly) 3-13-10

Previous Examination Made 2-19-10

Remarks or changes _____

Signed *Wally Smith* 3-152
(examiner)

Mine Foreman Mine Manager

Certificate Number Superintendent or Assistant