

Started 9-29-09
North side fan

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Full

Company Performance Coal Co.

Mine UBB

Location Naoma Raleigh WV
Post Office County State

Reorder from
Chapman Printing
(800) 999-2471
Form # MS-021

Form 6-1491
(March 1970)

Budget Bureau No. 42-R1589
Approval expires 9-30-71

When this book is completed it shall be retained at the mine for a period of one year after the date of the last entry in the book, regardless of change of ownership. When a mine is temporarily closed or abandoned, the operator shall retain this book in a safe place during the period of closure or for a period of one year after the mine is abandoned. **Do not** mail this book to the Bureau of Mines.

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 9-29-09

Time 12:10 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.4

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes

Signed D Shrawbery 8-408
(examiner)

[Signature]
Mine Foreman Mine Manager

3306004
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 9-30-09
Time 12:15 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.4"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes Replaced chart, ink cartidge and greased fan

bearing's

In board 96.4°

Out board 94.2°

Signed William J. Embarras 3-152
(examiner)

[Signature]
Mine Foreman Mine Manager

3900000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-31-09

Time 12:30 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes In board 90.5

OUT Board 88.0

Signed William C. [Signature] 4-1387
(examiner)

[Signature]
Mine Foreman Mine Manager

321111
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-2-09

Time 1205

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.4

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes Inboard 98.4
Outboard 99.9

Signed [Signature]
(examiner)

[Signature] Mine Foreman Mine Manager

Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-3-09

Time 6:15 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.4

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes

Signed J. Shewsbury
(examiner)
8-4018

[Signature]
Mine Foreman Mine Manager

3744
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-4-09

Time 4:30 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.5

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes

Signed A. Shewsbury
(examiner)
8-4018

[Signature]
Mine Foreman Mine Manager

3906000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-5-07

Time 10:49 PM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.4"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes _____

Signed William Drake 3152
(examiner)

[Signature]
Mine Foreman Mine Manager

3906000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-6-09
Time 12:27 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.4"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes _____

Signed W. J. Durham 3-152
(examiner)

Carl Lee
Mine Foreman Mine Manager

352000
Certificate Number Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-7-09

Time 12:50 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.0"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes Replaced chart, greased fan bearing's

In board 115.5°

Out board 95.9°

Signed William J. Drah - 3152
(examiner)

John Cook
Mine Foreman Mine Manager

380000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-8-09

Time 12:35

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes

Signed J. Chad Brewer #4691
(examiner)

Charles Cook
Mine Foreman Mine Manager

3906008
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-9-09

Time 12:45 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes _____

Signed Bl Well 4-535
(examiner)

Charles Cook
Mine Foreman Mine Manager

3311000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-10-09

Time 12:55 AM

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.3"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes

Signed Adam Trisley 3-363
(examiner)

[Signature]
Mine Foreman Mine Manager

[Signature]
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-11-09

Time 7:38 AM

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 09-06-09

Automatic Closing Doors (monthly) 09-27-09

Previous Examination Made 09-06-09

Remarks or changes

Signed D. Lavett NR-2882
(examiner)

[Signature]
Mine Foreman Mine Manager

350122
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-12-09

Time 1:00 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 9-27-09

Previous Check Made ~~10-1~~ 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes

Signed William J. Druhan 3-152
(examiner)

[Signature]
Mine Foreman Mine Manager

3542
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-13-09

Time 12:19 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes

Signed W. J. Smith 3-152
(examiner)

[Signature]
Mine Foreman Mine Manager

3902000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-14-09
Time 12:33 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 7-27-09

Previous Examination Made 9-6-09

Remarks or changes Replaced chart & greased fan bearings

In board 102.1°

Out board 90.6°

Signed Willard Smith 3-152
(examiner)

[Signature] [Signature]
Mine Foreman Mine Manager

3500000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-15-07
Time 11:59 PM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.6 "

Fan Signal Check (monthly) 9-27-07

Previous Check Made 9-6-07

Automatic Closing Doors (monthly) 9-27-07

Previous Examination Made 9-6-07

Remarks or changes _____

Signed William D. [Signature] 3-153
(examiner)

[Signature]
Mine Foreman Mine Manager

250600
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-16-09
Time 12:16 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes _____

Signed William J. Disher 3-152
(examiner)

[Signature]
Mine Foreman Mine Manager

3506000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-17-09
Time 8:03 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes

Signed William J. Graham 3-152
(examiner)

[Signature]
Mine Foreman Mine Manager

[Signature]
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-18-09

Time 7:20 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 09-27-09

Previous Check Made 09-06-09

Automatic Closing Doors (monthly) 09-27-09

Previous Examination Made 09-06-09

Remarks or changes

Signed D. Kavets NR-2882
(examiner)

[Signature]
Mine Foreman Mine Manager

[Signature]
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-19-09

Time 11:55 PM

Fan North

Location North Portal

Fan Operating Properly ~~5.6~~ Yes

Water Gage Pressure 5.6

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes

Signed S Shrewsbury
(examiner) 8-4018

Paul Zetter
Mine Foreman Mine Manager

2873C
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-20-09
Time 10:40 PM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes _____

Signed William J. Deak 3-152
(examiner)

Rick J. [Signature]
Mine Foreman Mine Manager

2872
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-21-09
Time 12:17 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes Replaced chart, Greased bearings & Adjusted
chart

In board 106.9°

Out board 92.6°

Signed [Signature] - 3-157
(examiner)

[Signature]
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-22-09

Time 12:15 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.6

Fan Signal Check (monthly) yes

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 9-6-09

Previous Examination Made 9-27-09

Remarks or changes 9-6-09

Signed *D Shrewsbury*
(examiner)
8-4018

Rick Faith
Mine Foreman Mine Manager

20726
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-23-09
Time 12:50 M

Fan North 1

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.4

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes Replaced area light in fan house

Signed [Signature] 3-152
(examiner)

[Signature]
Mine Foreman Mine Manager

28732
Certificate Number Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-24-09

Time 11:38 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.4"

Fan Signal Check (monthly) 9-27-09

Previous Check Made 9-6-09

Automatic Closing Doors (monthly) 9-27-09

Previous Examination Made 9-6-09

Remarks or changes [Signature]

Signed [Signature] 3-152
(examiner)

[Signature]
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-25-09
Time 5:40 AM

Fan North

Location North Portal

Fan Operating Properly 5.4" Yes

Water Gage Pressure 5.4"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-28-09

Previous Examination Made 9-27-09

Remarks or changes Fan Signal check / Automatic closing door check
and greased motor bearing's
Kevin Lyall was here for check

Signed [Signature] 3152
(examiner)

[Signature]
Mine Foreman / Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-26-09
Time 10:38 PM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes _____

Signed William J. Drachman 3-152
(examiner)

Resh Zela
Mine Foreman Mine Manager

28736
Certificate Number Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-27-09
Time 12:16 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes _____

Signed Willie J. Smith 3-152
(examiner)

Reik J. Jota
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-28-09
Time 12:26 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.1

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes Greased Fan Bearing's, Replaced Chart

Inboard 107.2°

Outboard 103.9°

Signed William J. Graham 3-152
(examiner)

Reid Tate
Mine Foreman Mine Manager

2873
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-29-09

Time 12:39 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes

Signed [Signature] 3-152
(examiner)

[Signature]
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-30-09

Time 12:15 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.3"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes _____

Signed J. Shrewsbury
(examiner)
8-4018

Rick Fitch
Mine Foreman Mine Manager

28232
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10/31/09

Time 11:05 pm

Fan NORTH

Location NORTH Portal

Fan Operating Properly YES

Water Gage Pressure 5.3"

Fan Signal Check (monthly) 10/25/09

Previous Check Made 9/27/09

Automatic Closing Doors (monthly) 10/25/09

Previous Examination Made 9/27/09

Remarks or changes none

Signed Paul Thym
(examiner)
8-4031

Rich Foster
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-01-09

Time 6:25 AM

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes

Signed D. Laverty
(Examiner)
NR-2882

Reik Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-2-09

Time 12:20 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.6

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes

Signed D Shrewsbury
(examiner)

8-4018

Rick Foster
Mine Foreman Mine Manager

2823L
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-3-09
Time 12:51 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 10-25-07

Previous Check Made 9-27-07

Automatic Closing Doors (monthly) 10-25-07

Previous Examination Made 9-27-07

Remarks or changes

Signed William S. ... 3-152
(examiner)

Rich Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-4-09

Time 1:35 AM

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.8"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes replaced chart

greased fan

Signed G Shrewsbury
(examiner)
8-4018

Rick Fortin
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-5-09

Time 10:40 Pm

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes

Signed D Shrewsbury
(examiner)

8-4018

Rock Ester
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-6-09
Time 12:38 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes

Signed William B. Baker 3-152
(examiner)

Rick Foster
Mine Foreman Mine Manager

28732
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10-7-09

Time 12:10 am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes _____

Signed John Price
(examiner)
4432

Rich Foster
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-08-09

Time 6:25 AM

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes _____

Signed D. Zaverty NR2882
(examiner)

Reik Foster
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-9-09
Time 6:13 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes _____

Signed Walter Decker 3-152
(examiner)

Resk Foster
Mine Foreman Mine Manager

28232
Certificate Number Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-10-09
Time 12:33 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes _____

Signed Walter D. ... 3152
(examiner)

Rick Foster
Mine Foreman Mine Manager

28234
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-11-09
Time 12:35 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes Replaced Chart, greased fan bearings

IN board 96.7

Out board 103.5

Signed Willie Dorn - 3-152
(examiner)

Rick Foster
Mine Foreman Mine Manager

28236
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-12-09
Time 12:28^{AM}

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.6

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes _____

Signed William Jack Drah 3-12
(examiner)

Rick Foster
Mine Foreman Mine Manager

28731
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-13-09

Time 11:30 Pm

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes

Signed D Shrewsbury
(examiner)
8-4018

Red Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-14-09

Time 11:45 Pm

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 55

Fan Signal Check (monthly) 10-25-09

Previous Check Made 9-27-09

Automatic Closing Doors (monthly) 10-25-09

Previous Examination Made 9-27-09

Remarks or changes

Signed D. Shrewsbury
(examiner)

8-4018

Paul Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-15-09

Time 5:45 AM

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.5

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Shut fan down to check alarm
+ auto closing doors.
Lubricated fan motor.

Signed William J. Foster 3.152
(examiner)

Rick Foster
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant