

South Side Fan

Started 11-30-09

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Full 1-13-10

Company PERFORMANCE COAL CO.

Mine UBB

Location NAOMA RALeigh W.VA
Post Office County State

Reorder from
Chapman Printing
(800) 999-2471
Form # MS-021

Form 6-1491
(March 1970)

Budget Bureau No. 42-R1589
Approval expires 9-30-71

When this book is completed it shall be retained at the mine for a period of one year after the date of the last entry in the book, regardless of change of ownership. When a mine is temporarily closed or abandoned, the operator shall retain this book in a safe place during the period of closure or for a period of one year after the mine is abandoned. **Do not** mail this book to the Bureau of Mines.

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-30-09

Time 12:20 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed J Shewsbury
(examiner)
8-408

Rick Foster
Mine Foreman Mine Manager

28726
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-1-09

Time 12:15 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed D Shrewsbury
(examiner)

Rick Fata
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-2-09

Time 12:25 AM

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes changed chart

greased fan

LOST Power @ 1:31 PM FAN alarm did not work

properly. FAN check.

Signed S Shrewsbury
(EXAMINER)
8-9018

Rich Foster
Mine Foreman Mine Manager

28732
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-4-09

Time 12:35 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed D. Shrewsbury
(examiner)
8-4018

Resh Bata
Mine Foreman Mine Manager

28784
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-5-09

Time 12:09 am

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed [Signature]
(examiner)

[Signature]
Mine Foreman Mine Manager

28236
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-6-09

Time 12:08 AM

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed [Signature] 4-469
(examiner)

[Signature]
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-06-09

Time 5:45 AM

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.6"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed D. Zavitz NR-2882
(examiner)

Rich Porter
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-7-09

Time 1:30 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed G. Shrewsbury
(examiner)
8-4018

Reed Foster
Mine Foreman Mine Mnnager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-8-09

Time 12:25 AM

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed D Shrewsbury
(examiner)
8-4018

Rich Foster
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-9-09

Time 12:20 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed J Shrewsbury
(examiner)
8-4018

Rick Foster
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-10-09
Time 12:35 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.2"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed W. J. Smith 3-152
(examiner)

Rich Foster
Mine Foreman Mine Manager

29736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-11-09

Time 12:05 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.2

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed G Shrewsbury
(EXAMINER)
8-4018

Rick Foster
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-12-09

Time 12:45 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.0"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed *William J. D...* 3-152
(examiner)

Rick Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-13-09
Time 6:11 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.9"


Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes Tightened belt's & greased motor bearing's

Signed  3452
(examiner)


Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-14-09

Time 2:30 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes

Signed S Shrewsbury
(examiner)
8-4018

Rich Foster
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-15-09

Time 1:03 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.9"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes Filled U-tube up with Mintafreeze

Signed Willie D. [Signature] 3-152
(examiner)

Rich Foster
Mine Foreman Mine Manager

28234
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-16-09

Time 12:45 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes changed chart

greased fan

Signed A Shrewsbury
(examiner)

8-4018

Rick Foster
Mine Foreman Mine Manager

23736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-17-09

Time 12:30 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes

Signed S Shrewsbury
(examiner)

8-4018

Rick Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-18-09

Time 12:10 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes

Signed S Shrewsbury
(examiner)
8-4018

Reck Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-19-09

Time 4:03 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.5"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes

Signed Wally Drah 3-152
(examiner)

Resh Fata
Mine Foreman Mine Manager

2836
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-19-09
Time 11:00 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 0.0"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes lost all power pulled all under ground
visable disconnect's

Signed [Signature] 3-152
(examiner)

[Signature]
Mine Foreman Mine Manager

29736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-20-09
Time 11:16 PM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed [Signature] 3-152
(examiner)

[Signature]
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-21-09
Time 3:57 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed *with [Signature]* 3-152
(examiner)

Rick [Signature]
Mine Foreman Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-22-09

Time 4:05 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed D. Shrewsbury
EXAMINER
8-4018

Reik Foster
Mine Foreman Mine Manager

28732
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-23-09

Time 12:50 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes changed chart

greased fan

Signed D Shrewsbury
(examiner)
8-4018

Rick Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-24-09

Time 12:10 AM

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-14-09

Previous Examination Made 12-13-09

Remarks or changes

Signed John Haliva NRW63540
(examiner)

Rick Fater
Mine Foreman Mine Manager

28786
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12/25/09

Time 10:10 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12/19/09

Previous Check Made 12/13/09

Automatic Closing Doors (monthly) 12/19/09

Previous Examination Made 12/13/09

Remarks or changes NONE

Signed Paul Th...
(examiner)
8-4031

Rick Foster
Mine Foreman Mine Manager

2873C
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12/26/09
Time 2:15 PM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12/19/09

Previous Check Made 12/13/09

Automatic Closing Doors (monthly) 12/19/09

Previous Examination Made 12/13/09

Remarks or changes _____

Signed Albert Bartley
(examiner)
NR3278

Rick Fata

Mine Foreman Mine Manager

28731

Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 10/27/09

Time 11:35 AM

Fan South

Location South Portal

Fan Operating Properly YES

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12/19/09

Previous Check Made 12/13/09

Automatic Closing Doors (monthly) 12/19/09

Previous Examination Made 12/13/09

Remarks or changes None

Signed Paul Myers
(examiner)
8-2403)

Rick Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-27-09

Time 6:10 AM

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.7"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed D. Kavaty NR-2882
(examiner)

Reed Zeta
Mine Foreman Mine Manager

28236
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-28-09
Time 10:47 PM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed Willie Smith 3-152
(examiner)

Rich Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-29-09

Time 12:45 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed D Shrewsbury
(examiner)
8-4018

Rick Foster
Mine Foreman Mine Manager

28236
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-30-09

Time 12:40 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed D. Shrewsbury
(examiner)
8-4018

Perk Foster

Mine Foreman Mine Manager

28236

Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-31-09

Time 6:10 AM

Fan South

Location South portal

Fan Operating Properly Yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed Virgil Beeman
(examiner)
4249

Trey Mance
Mine Foreman Mine Manager

33359
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-1-10

Time 6:00 AM

Fan South

Location South portal

Fan Operating Properly Yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed Vinyl Bowmer
(examiner)
4-249

Trey Moore
Mine Foreman Mine Manager

35359
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-2-10

Time 12:40 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed G Shrewsbury
(examiner)
8-4018

Rich Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 01-03-10

Time 6:10 AM

Fan South Fan

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.9"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed D. Laverie NR-2882
(examiner)

Rick Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-4-10

Time 12:25 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed A Shrewsbury
(examiner)
8-4018

Reik Foster
Mine Foreman Mine Manager

25732
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-5-10

Time 12:40 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed D. Shrewsbury
(examiner)
8-4018

Resh. Peter
Mine Foreman Mine Manager

25236
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-6-10

Time 12:53 AM

Fan South

Location South Portal

Fan Operating Properly Yes

Water Gage Pressure 2.1"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes Replaced Chart & Greased bearings "fan"

Inboard 98°

Outboard 125°

Signed Walter D. Brock - 3-152
(examiner)

Rick Foster
Mine Foreman Mine Manager

29736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-7-10

Time 12:20 AM

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed B Shrewsbury
(examiner)
8-4018

Rick Foster

Mine Foreman Mine Manager

29734

Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-8-10

Time 12:40 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed B Shrewsbury
(examiner)
8-4018

Rick Foster
Mine Foreman Mine Manager

29236
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-9-10

Time 12:25 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 1.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed S Shrewsbury
(examiner)

8-4018

Rich Foster
Mine Foreman Mine Manager

29736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 01-10-10

Time 6:00 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 2.0"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed Danny Toney NR-2882
(examiner)

Rick Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-11-10

Time 11:40 Pm

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 2

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed S Shrewsbury
(examiner)
8-4018

Rick Foster
Mine Foreman Mine Manager

28236
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-12-10

Time 12:30 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 2

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed S Shrewsbury
(examiner)
8-4018

Rick Foster
Mine Foreman Mine Manager

2873L
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-13-10

Time 12:30 Am

Fan South

Location South Portal

Fan Operating Properly yes

Water Gage Pressure 2.0

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed G. Shrewsbury
(examiner)
8-4018

Rich. Pate
Mine Foreman Mine Manager

2824
Certificate Number

Superintendent or Assistant