

Main side fan
Started 11-16-09
Ended 01-02-10

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Company Performance Coal Co.
Mine VRB
Location Naoma Raleigh WV
Post Office County State

Full

TO RE-ORDER
This is Form 6-1491

Quality Forms Printing
P.O. Box 861
Sophia, WV 25921
(304) 252-1363

Form 6-1491
(March 1970)

Budget Bureau No. 42-R1589
Approval expires 9-30-71

When this book is completed it shall be retained at the mine for a period of one year after the date of the last entry in the book, regardless of change of ownership. When a mine is temporarily closed or abandoned, the operator shall retain this book in a safe place during the period of closure or for a period of one year after the mine is abandoned. **Do not** mail this book to the West Virginia Department of Mines or to The Bureau of Mines. This book is approved by the Director of The West Virginia Department of Mines and The U. S. Bureau of Mines.

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-16-09

Time 2:27 AM

Fan North Fan

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed Willie G. Smith - 3-152
(examiner)

Rick Foster
Mine Foreman—Mine Manager

28732
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-17-09

Time 1:00 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.5

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed D Shrewsbury
(examiner)

8-4018

Rick Foster
Mine Foreman—Mine Manager

28236
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-18-09

Time 12:11 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.2"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes Replaced Chart & Greased Fan Bearings

Inboard 135.6

Outboard 106.4

Signed Willie Smith 3152
(examiner)

Reck Foster
Mine Foreman—Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-19-09

Time 12:32 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.3"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed William J. Ducha 3-152
(examiner)

Rick Foster
Mine Foreman—Mine Manager

28236
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date

Time

Fan

Location

Fan Operating Properly

Water Gage Pressure

Fan Signal Check (monthly)

Previous Check Made

Automatic Closing Doors (monthly)

Previous Examination Made

Remarks or changes

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signed

(examiner)

Mine Foreman Mine Manager

Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-20-09
Time 12:48 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.3"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed Willie D. Smith 3-152
(examiner)

Carl Cook
Mine Foreman Mine Manager

2586
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11/24/09

Time 10:20am

Fan NORTH

Location NORTH PORTAL

Fan Operating Properly YES

Water Gage Pressure 5.3"

Fan Signal Check (monthly) OK on 11/15/09

Previous Check Made 10/25/09

Automatic Closing Doors (monthly) 11/15/09

Previous Examination Made 10/25/09

Remarks or changes _____

Signed Paul Shym
(examiner)
8-4037

Arthur Cook
Mine Foreman—Mine Manager

390000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11/22/09

Time 3:20 Am

Fan NORTH

Location NORTH Portal

Fan Operating Properly YES

Water Gage Pressure 5.3"

Fan Signal Check (monthly) 11/15/09

Previous Check Made 10/25/09

Automatic Closing Doors (monthly) 11/15/09

Previous Examination Made 10/25/09

Remarks or changes _____

Signed Paul Hym
(examiner)

8-4031

[Signature]
Mine Foreman—Mine Manager

5506
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-23-09

Time 7:10 AM

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.4"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed D. Zawatzky NR-2882
(examiner)

[Signature]
Mine Foreman—Mine Manager

390000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-24-09

Time 5:55 AM

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.3"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed D. Lavett NR-2882
(examiner)

[Signature]
Mine Foreman—Mine Manager

39000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-25-09

Time 9:35 AM

Fan North

Location North of mine house

Fan Operating Properly yes

Water Gage Pressure 5.3"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15

Previous Examination Made 10-25-09

Remarks or changes

Signed [Signature]
(examiner) 4-25-09

[Signature]
Mine Foreman—Mine Manager

350000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-26-09

Time 5:30 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed D. Harvey NR-2882
(examiner)

[Signature]
Mine Foreman—Mine Manager

3906009
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-28-09

Time 7:30 AM

Fan North

Location North of Mine House

Fan Operating Properly yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed Phil Nicks
(examiner) 4-250

Bob John
Mine Foreman—Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-29-09

Time 5:50 AM

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed Danny Laverty NR-2882
(examiner)

Rich Foster
Mine Foreman—Mine Manager

24736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-30-09

Time _____

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.4"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes Adjusted chart to match water gage

Signed Walter D. Brock - 3-152
(examiner)

Reed Foster
Mine Foreman—Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-1-09

Time 12:16 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.7"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed Mike J. Smith 3-152
(examiner)

Rich Foster
Mine Foreman—Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-2-09

Time 12:10 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes changed chart

greased fan

lost power @ 11:31 pm FAN alarm and doors worked

properly FAN check

Signed G Shrewsbury
(examiner)
8-4018

Paul Foster
Mine Foreman—Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-3-09

Time 12:50 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.4"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed S Shrewsbury
(examiner)
8-4018

Resh Ester
Mine Foreman—Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-4-07
Time 12:39 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-07

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-07

Remarks or changes

Signed Walter J. ... 3-152
(examiner)

Reed Foster
Mine Foreman—Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-5-09

Time 12:05 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed J Shensberg
(examiner)
8-4018

Rick Foster
Mine Foreman—Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-6-09

Time 12:02 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.7"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed P.K.P. Jones 4-469 (examiner)

Rich Foster Mine Foreman - Mine Manager

28236 Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-06-09

Time 5:35 AM

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.8"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed D. Lantry NR-2882
(examiner)

Rick Bester
Mine Foreman—Mine Manager

2873
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-7-09

Time 1:20 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.7

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed S Shrewsbury
(examiner)
8-4018

Rich Jeter
Mine Foreman—Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-8-09

Time 12:32 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.6"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed William G. Graham 3-152
(examiner)

Rick Foster
Mine Foreman—Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-9-09

Time 12:05 AM

Fan North Fan

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.3"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes Replaced fan chart & Grease fan bearings

Inboard 74.7°

Outboard 78.0°

Signed Willie Dink 3-152
(examiner)

Reed J. J. J.
Mine Foreman—Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-10-09

Time 12:21 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed W. J. Graham 3-152
(examiner)

Rick Foster
Mine Foreman—Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-11-09

Time 12:07-AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.7"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed William D. Smith 3-152
(examiner)

Rick Foster
Mine Foreman—Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-12-09
Time 12:37 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.7"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed Will G. Graham 3-152
(examiner)

Buck Foster
Mine Foreman—Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-13-09

Time 6:11 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.7"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes Changed Rope for counter weight OK

Greased motor bearing's w/G.

Signed [Signature] 8-13
(examiner)

[Signature]
Mine Foreman—Mine Manager

28236
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-14-09
Time 2:45 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes Cleaned some Penve's out of the fence & moved some crib block's that were to close to the fan housing.

Signed W. D. ... 3-152
(examiner)

Rick Foster
Mine Foreman—Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-15-09

Time 12:52 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.4"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes

Signed William J. ... 3-152
(examiner)

Rick Foster
Mine Foreman—Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-16-09
Time 12:30 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.811

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes Replaced Chart & Greased Fan Bearings

Inboard 125.2

Outboard 74.1

Signed [Signature] 3752
(examiner)

Rick Jester
Mine Foreman—Mine Manager

28736
Certificate Number

[Signature]
Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-17-09

Time 12:40 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 6.0"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes

Signed S Shrewsbury
(examiner)

8-4018

Rick J. ...
Mine Foreman—Mine Manager

28236
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-18-09
Time 12:08 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.9"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes

Signed William J. Smith 3252
(examiner)

Rich Zota
Mine Foreman—Mine Manager

23234
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-19-09

Time 4:07 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes

Signed [Signature] 3-152
(examiner)

[Signature]
Mine Foreman—Mine Manager

260401
Certificate Number

Superintendent or Assistant

Rich Foster 28734

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-19-09

Time 11:14 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 0.0"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes Lost all power pulled all under ground
visible disconnects

Signed Willie D. ... 3-152
(examiner)

E. Staper
Mine Foreman—Mine Manager

260211
Certificate Number

Superintendent or Assistant

Puck Footn 28736

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-20-09

Time 11:10 PM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed Walter J. Smith 3-75 Z
(examiner)

Rick Foster
Mine Foreman—Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-20-09

Time 3:38 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5,7"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed William J. Duda 3-152
(examiner)

Rick Foster
Mine Foreman—Mine Manager

28236
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-22-09

Time 4:15 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 58"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed D Shrewsbury
(examiner)
8-4018

Rick Foster
Mine Foreman—Mine Manager

28733
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-23-09

Time 12:50 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.7"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes Replaced chart of Greased bearing's

Inboard 74.4°

Outboard 78.5°

Signed Willie Drake 3-152
(examiner)

Rick Foster
Mine Foreman—Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-24-09

Time 12:05 AM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed John Harlow NR1063540
(examiner)

Rick Foster
Mine Foreman—Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12/25/09

Time 10:15 AM

Fan NORTH

Location NORTH Portal

Fan Operating Properly Yes 5.8"

Water Gage Pressure 5.8" 12/19/09

Fan Signal Check (monthly) 12/19/09 ~~12/13/09~~

Previous Check Made 12/13/09 ~~12/19/09~~

Automatic Closing Doors (monthly) 12/19/09 ~~12/13/09~~

Previous Examination Made 12/13/09

Remarks or changes none

Signed Paul Stymon
(examiner)

8-4031

Paul Foster
Mine Foreman—Mine Manager

28732
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12/26/09

Time 2:45PM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.8

Fan Signal Check (monthly) 12/19/09

Previous Check Made 12/13/09

Automatic Closing Doors (monthly) 12/19/09

Previous Examination Made 12/13/09

Remarks or changes _____

Signed Robert Bailey
(examiner)
NR3278

Rick Foster
Mine Foreman—Mine Manager

28734
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12/27/09

Time 1:30 AM

Fan NORTH

Location NORTH Portal

Fan Operating Properly YES

Water Gage Pressure 5.8"

Fan Signal Check (monthly) 12/19/09

Previous Check Made 12/13/09

Automatic Closing Doors (monthly) 12/19/09

Previous Examination Made 12/13/09

Remarks or changes none

Signed Paul Hym
(examiner)
8-4031

Rick Foster
Mine Foreman—Mine Manager

28738
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-27-09

Time 6:00 AM

Fan North

Location North portal

Fan Operating Properly yes

Water Gage Pressure 5.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed *D. Zavitz* NR-2882
(Examiner)

Resk Zeta
Mine Foreman—Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-28-09
Time 10:45 PM

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 5.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed W. J. Brook - 3-152
(examiner)

Reik Foster
Mine Foreman Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-29-09

Time 12:35 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed D Shrewsbury
(examiner)
8-4018

Rick Foster
Mine Foreman Mine Manager

29736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-30-09

Time 12:30 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 6.0"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes greased fan
changed chart

Signed G Shrewsbury
(examiner)
8-4018

Rick Foster
Mine Foreman—Mine Manager

28736
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-31-09

Time 6:00 Am

Fan North

Location North Portal

Fan Operating Properly Yes

Water Gage Pressure 6.0"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed Vincent Berman
(examiner)
4-249

Tony Moore
Mine Foreman—Mine Manager

33359
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-1-10

Time 5:50 Am

Fan North

Location North portal

Fan Operating Properly Yes

Water Gage Pressure 5.2"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed King R. Bower
(examiner)
4-249

Troy Moore
Mine Foreman—Mine Manager

33359
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-2-10

Time 12:30 Am

Fan North

Location North Portal

Fan Operating Properly yes

Water Gage Pressure 5.8

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed S Shrewsbury
(examiner)
8-4018

Rick
Mine Foreman - Mine Manager

Certificate Number

Superintendent or Assistant