

UBB #1 BARDY TOWN FAN

STARTED 11-30-09 - 1/17/10

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

FALL

Company PERFORMANCE COAL CO

Mine UPPER BIG BRANCH

Location BARDY TOWN BLEEDEN FAN
Post Office County State

Reorder from
Chapman Printing
(800) 999-2471
Form # MS-021

Form 6-1491
(March 1970)

Budget Bureau No. 42-R1589
Approval expires 9-30-71

When this book is completed it shall be retained at the mine for a period of one year after the date of the last entry in the book, regardless of change of ownership. When a mine is temporarily closed or abandoned, the operator shall retain this book in a safe place during the period of closure or for a period of one year after the mine is abandoned. **Do not** mail this book to the Bureau of Mines.

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 11-30-09

Time 4:30 PM

Fan UBB # 1 Bleeder Fan

Location Brady Town

Fan Operating Properly YES

Water Gage Pressure 10.8"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed Neil Muder
(Examiner) 4-250

Carl Coal
Mine Foreman Mine Manager

3206000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-1-09

Time 11:00 Am

Fan UBB #1 Fan

Location Bandy town

Fan Operating Properly Yes

Water Gage Pressure 9.9

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes Greased Fan

Signed Al Fenby
(examiner) 4-431

[Signature]
Mine Foreman Mine Manager

3560-08
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-2-09

Time 12:30 Am

Fan UBB #1 Fan

Location Bandy town

Fan Operating Properly Yes

Water Gage Pressure 7.3

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed Paul Myer
Carl Foubly
(examiner) 4-431

Paul Myer
Mine Foreman Mine Manager

39060-02
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12/3/09
Time 11:30 AM

Fan UBB #1 FAN

Location BANDYTOWN

Fan Operating Properly YES

Water Gage Pressure 5.2"

Fan Signal Check (monthly) 11/15/09

Previous Check Made 10/25/09

Automatic Closing Doors (monthly) 11/15/09

Previous Examination Made 10/25/09

Remarks or changes _____

Signed Paul Thompson
(examiner)
8-4031

[Signature]
Mine Foreman Mine Manager

396000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-4-09

Time 12:00 PM

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 4.0"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes Greased Fan + Motor

Signed Al Family
(examiner) 4-431

Al Family
Mine Foreman Mine Manager

5110
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-5-09

Time 11:10 AM

Fan UBB # 1 Bleeder Fan

Location Branby town

Fan Operating Properly yes

Water Gage Pressure 4.0"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed Neil Donaldson
(examiner)

4-250

Cash Cook
Mine Foreman Mine Manager

3906074
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-06-09

Time 12:00 Pm

Fan VBB #1 Bleeder Fan

Location Bandy town

Fan Operating Properly yes

Water Gage Pressure 5.0"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Signed D. K. [Signature] NR-2882
(examiner)

[Signature]
Mine Foreman Mine Manager

3966000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-7-09

Time 1:25 Am

Fan UBB #1 Bleeder FAN

Location BANDY TOWN

Fan Operating Properly YES

Water Gage Pressure 4.5"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes

Called in By P Thompson

S Shrewsbury 8-4018

Signed [Signature]
(Examiner)

[Signature]
Mine Foreman Mine Manager

39000
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-8-09

Time 10:30 AM

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 3.6

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes Greased Fan

Signed Cale Farley
(examiner) 4431

Wager
Mine Foreman Mine Manager

26241
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-9-09

Time 10:30 Am

Fan USB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 3.8"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed C. E. Farley
(examiner) 4-431

[Signature]
Mine Foreman Mine Manager

260411
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-10-09

Time 10:15 Am

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 4.0'

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed Ch Farley
(examiner) 4-431

E. Wagner
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-11-09
Time 10:00 AM

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 4.0'

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes Greased Fan

Signed Cal Fealy
(examiner) 4-431

E Hagan
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-12-09

Time 9:15 AM

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 4.1"

Fan Signal Check (monthly) 11-15-09

Previous Check Made 10-25-09

Automatic Closing Doors (monthly) 11-15-09

Previous Examination Made 10-25-09

Remarks or changes _____

Signed Cal Faulk 4431
(examiner)

Stager
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-13-09

Time 5:30 AM

Fan UBO # 1 Fan

Location BARDY TOWN

Fan Operating Properly yes

Water Gage Pressure 4.0"

Fan Signal Check (monthly) 12-13-09 (TODAY)

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes _____

Signed nat mick
(examiner) 4-25

E. Agan
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-14-09
Time 4:38 AM

Fan UBB #1 Fan

Location Bundy Town

Fan Operating Properly Yes

Water Gage Pressure 3.9"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes _____

Signed [Signature] 3-952
(examiner)

[Signature]
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-15-09
Time 10:00 AM

Fan UBB #1 Fan
Location Bandytown
Fan Operating Properly Yes
Water Gage Pressure 4.2"
Fan Signal Check (monthly) 12-13-09
Previous Check Made 11-15-09
Automatic Closing Doors (monthly) 12-13-09
Previous Examination Made 11-15-09
Remarks or changes Greased Fan

[Signature]
Mine Hoeman Mine Manager

26041
Certificate Number

Signed [Signature]
(examiner) 4-4/31
Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-16-09

Time 10:00 Am

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 4.1"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes _____

[Signature]
Mine Foreman Mine Manager

26041
Certificate Number

Signed [Signature]
(examiner)
4-431

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-17-09
Time 1:00 Am

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 4.2"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes _____

Signed Ch. Fealy
(examiner)
4-431

E. Hagan
Mine Foreman Mine Manager

25044
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-18-09

Time 11:00 AM

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 4.0"

Fan Signal Check (monthly) 12-13-09

Previous Check Made 11-15-09

Automatic Closing Doors (monthly) 12-13-09

Previous Examination Made 11-15-09

Remarks or changes Greased Fan & Motor

Signed Cal Feunly
(examiner)
4-431

Eltagan
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-19-09

Time 5:16 AM

Fan UBB #1 Fan

Location Bandy town

Fan Operating Properly Yes

Water Gage Pressure 0.0

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes lost all power pulled all under ground
Visible disconnect's

Signed [Signature]
(examiner)

[Signature]
Mine Foreman Mine Manager

26021
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-20-09

Time 11:55 PM

Fan UBB #1 FAN

Location Bandy town

Fan Operating Properly yes

Water Gage Pressure 5.5"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

E. Hagan
Mine Foreman Mine Manager

26041

Certificate Number

Signed J. Shewberry
(examiner)
8-4018

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-21-09

Time 1:15 Am

Fan UBB #1 FAN

Location Bandy Town

Fan Operating Properly yes

Water Gage Pressure 5.5

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed J Shewsbury
(examiner)
8-4018

Chase
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12/22/09

Time 2:00 AM

Fan UBB #1 FAN

Location BANDYTOWN

Fan Operating Properly YES

Water Gage Pressure 4.5"

Fan Signal Check (monthly) OK ON 12/19/09

Previous Check Made 12/13/09

Automatic Closing Doors (monthly) 12/19/09

Previous Examination Made 12/13/09

Remarks or changes none

Signed Paul Myers
(examiner)
8-41031

E. Hagan
Mine Foreman Mine Manager

26044
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-23-09

Time 10:08 AM

Fan UQB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 5.0'

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed Cal Fark
(examiner)
4-431

E. Stagn
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-24-09
Time 12:45 Am

Fan UBB #1 Fan

Location Barkytown

Fan Operating Properly Yes

Water Gage Pressure 5.1"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes Greased Fan

Signed Cal Farley 4931
(examiner)

Chagan
Mine Foreman Mine Manager

26044
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12/25/09
Time 8:14 AM

Fan UBB #1 FAN

Location BANDYTOWN

Fan Operating Properly YES

Water Gage Pressure 4.8" - 5.2"

Fan Signal Check (monthly) 12/19/09

Previous Check Made 12/13/09

Automatic Closing Doors (monthly) 12/19/09

Previous Examination Made 12/13/09

Remarks or changes none

Signed Paul Johnson
(examiner)
8-4034

CHagan
Mine Foreman Mine Manager

26001
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12/20/09

Time 11:50 pm

Fan UB8 #1 FAN

Location BANDYTOWN

Fan Operating Properly YES

Water Gage Pressure 5.2"

Fan Signal Check (monthly) 12/19/09

Previous Check Made 12/13/09

Automatic Closing Doors (monthly) 12/19/09

Previous Examination Made 12/13/09

Remarks or changes none

Signed Paul Hym
(examiner)

8-4031

Chagn
Mine Foreman Mine Manager

2604
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date ~~12:10 AM~~ 12/27/09

Time 12:10 AM

Fan WBB #1 FAN

Location BANTOWN

Fan Operating Properly yes

Water Gage Pressure 5.2"

Fan Signal Check (monthly) 12/19/09

Previous Check Made 12/13/09

Automatic Closing Doors (monthly) 12/19/09

Previous Examination Made 12/13/09

Remarks or changes none

Signed *Paul Hager*
(examined)
8-4031

Hager
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-28-09
Time 9:00 AM

Fan WBB # 1 Fan

Location Bandy town

Fan Operating Properly Yes

Water Gage Pressure 5.0"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes CHANGED CHART @ 4:20pm,

FAN Pressure DROPPED TO ABOUT 4" AROUND

11:00AM Reported to ERICK LILLY, P.T.

Signed Col. Fultz
(examiner) 4431

Fred Moore
Mine Foreman Mine Manager

33359
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-29-09
Time 11:30 AM

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 3.9"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes Greased Fan

Signed Cal Farley
(examiner) 4-431

Tony Moore
Mine Foreman Mine Manager

33357
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 12-30-09
Time 9:00 AM

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 3.6"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed Calvin Taylor
(examiner) 4-431

Troy Mann
Mine Foreman Mine Manager

33357
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

10:00 AM
12-31-09

Date 12-31-09

Time 10:00 AM

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 3.7"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes Greased Fan & Motor

Signed *Cal Fowls*
(examiner)
4-431

E. Hagan
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-1-10

Time 2:30 AM

Fan UBB # 1 Fan

Location BANDY TOWN

Fan Operating Properly yes

Water Gage Pressure 3.7"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Called in by
Signed Chad Thompson
(Examiner)
North Western 4-250

[Signature]

Mine Foreman Mine Manager

26041

Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-2-10
Time 8:30 AM

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 3.7"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed Cale Family
(examiner)
4-431

Chagn
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-3-10

Time 3:10 AM

Fan UBB # 1 Fan

Location BARRY TOWN

Fan Operating Properly YES

Water Gage Pressure 3.7"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes FAN TUBE FOR RECORDER

WAS FROZE UP.

Called in by Paul Hanson

Signed Paul Hanson 4-250
(examiner)

Chagn

Mine Foreman Mine Manager

26041

Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-4-10
Time 11:45 AM

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 3.7"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed *C. E. Farley*
(examiner)
4-431

T. Moore
Mine Foreman Mine Manager

33359
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-5-10
Time 11:00 AM

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 3.5"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes Greased Fan

Signed Cal Faulk
(examiner) 4-431

T. Moore
Mine Foreman Mine Manager

33359
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-6-10
Time 2:00 Pm

Fan UTB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 3.9"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed Carl Faulk
(examiner)
4-431

Troy Moore
Mine Foreman Mine Manager

35389
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-7-10
Time 11:00 Am

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 3.9"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed [Signature]
(examiner) 4-431

[Signature]
Mine Foreman Mine Manager

33389
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-8-10
Time 10:45 Am

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 4.0"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes Greased Fan

Signed Ch. Family
(examiner)
4-431

E. Hager
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-9-10
Time 9:45 Am

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 4.0"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed [Signature]
(examiner) 4431

[Signature]
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1/10/09

Time 12:20 AM

Fan WBB #1 FAN

Location BANDYTOWN

Fan Operating Properly YES

Water Gage Pressure 4.0"

Fan Signal Check (monthly) 12/19/09

Previous Check Made 12/13/09

Automatic Closing Doors (monthly) 12/19/09

Previous Examination Made 12/13/09

Remarks or changes none

Signed Paul Hym
(examiner) 8-4031

E. Hagan
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-11-10

Time 12:00 Pm

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 4.1"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed C. H. Furbush
(examiner)
4-431

[Signature]
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-12-10
Time 10:45 AM

Fan UBB # 1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 4.0"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes Greased Fan

Signed Cal Foubly
(examiner) 4-431

Chaga
Mine Foreman Mine Manager

26041
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-13-10
Time 11:00 Am

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 3.9"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-19

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

E. Hagan
Mine Foreman Mine Manager

26041
Certificate Number

Signed Ch. Fowley
(examiner) 4-451
Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-14-10
Time 11:00 Am

Fan UBB #1 Fan

Location Bandy town

Fan Operating Properly Yes

Water Gage Pressure 3.9"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes

Signed C. H. Family
(examiner)
4-431

J. Moore
Mine Foreman Mine Manager

3559
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-15-10

Time 11:00 AM

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 4.0"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes Greased Fan & Motor

Signed [Signature]
(examiner)
4-431

[Signature]
Mine Foreman Mine Manager

33359
Certificate Number

Superintendent or Assistant

DAILY AND MONTHLY EXAMINATION OF VENTILATION EQUIPMENT

Date 1-16-10
Time 9:00 AM

Fan UBB #1 Fan

Location Bandytown

Fan Operating Properly Yes

Water Gage Pressure 3.8"

Fan Signal Check (monthly) 12-19-09

Previous Check Made 12-13-09

Automatic Closing Doors (monthly) 12-19-09

Previous Examination Made 12-13-09

Remarks or changes _____

Signed *Christy*
(examiner) 4-431

T. Mame
Mine Foreman Mine Manager

33359
Certificate Number

Superintendent or Assistant

1/17/10

1:30 AM

UBB #1 FAN

BANDY TOWN

FAN OPER. CORRECTLY

4.2" WATER

~~OK~~ FAN SIGNAL CHECK ON 1/17/10

PREVIOUS CHECK MADE 12/19/09

AUTO DOORS OK 1/17/10

PREVIOUS CHECK 12/19/09

Paul Myer

PERFORMED FAN SIGNAL CHECK, WORKED
ON BRANCH POWER LINE.

T. Moore 33359

