

References

(* – Available on Manual DVD)

Adler, L. and M.C. Sun, 1968, *Ground Control in Bedded Formations*, Bulletin 28, Virginia Polytechnic Institute Research Division, Blacksburg, VA.

Albuquerque, A.J.J., 1994, *Geoenvironmental Aspects of Coal Refuse-Fly Ash Blends*, M.S. Thesis, Virginia Polytechnic Institute and State University, Blacksburg, VA.

* Almes, R.G. and A. Butail, 1976, "Coal Refuse: Its Behavior Related to the Design and Construction of Coal Refuse Disposal Facilities," *Proceedings of the Seventh Ohio Valley Soils Seminar on Shales and Mine Wastes*, Lexington, KY.

American Association of State Highway and Transportation Officials (AASHTO), 2008, *Standard Specifications for Transportation Materials and Methods of Sampling and Testing, Part I – Specifications*, 28th Ed., and *Provisional Standards*, 2008 Ed., AASHTO, Washington, DC.

American Concrete Institute (ACI), 2008, *Building Code Requirements for Masonry Structures* (ACI 530-95), Farmington Hills, MI.

American Concrete Institute (ACI), 2007, *ACI Manual of Concrete Practice*, Parts 1, 2, and 3, Farmington Hills, MI.

American Concrete Institute (ACI), 2005a, *Guide to Mass Concrete*, ACI 207.1R-05, Farmington Hills, MI.

American Concrete Institute (ACI), 2005b, *Building Code Requirements for Structural Concrete* (ACI 318-05) and *Commentary* (ACI 318R-05), Farmington Hills, MI.

American Concrete Pipe Association (ACPA), 2007, *Concrete Pipe Design Manual*, ACPA, Irving, TX.

American Concrete Pipe Association (ACPA), 1987, *Concrete Pipe Design Manual*, ACPA, Vienna, VA.

American Water Works Association (AWWA), 2007, *Design of Prestressed Concrete Cylinder Pipe*, Standard C304-07, AWWA, Denver, CO.

American Water Works Association (AWWA), 2004, *Steel Water Pipe*, M11, AWWA, Denver, CO.

American Water Works Association (AWWA), 1995, *Concrete Pressure Pipe*, M9, 2nd Ed., AWWA, Denver, CO.

* Andrews, D.E., J.L. Withiam, E.F. Perry and H.L. Crouse, 1980, *Environmental Effects of Slaking of Surface Mine Spoils – Eastern and Central United States*, Final Report, Contract No. J0285024, U.S. Department of the Interior, Bureau of Mines, Denver, CO.

Appalachian Regional Commission, 1969, *Acid Mine Drainage in Appalachia*, Congressional House Document No. 91-180, Vols. I, II, and III, Washington, DC.

Arkell, R.E. and F. Richards, 1986, "Short Duration Rainfall Relations for the Western United States," *Preprint Volume, Conference on Climate and Water Management*, American Meteorological Society, Boston, MA, pp. 136-141.

* Arman, A., N. Samtani, R. Castelli and G. Munfakh, 1997, *Training Course in Geotechnical and Foundation Engineering: Subsurface Investigations – Participants Manual*, Contract No. FHWA-HI-97-021, Federal Highway Administration, National Highway Institute, Arlington, VA.

References

- ASTM International (ASTM), 2008a, *Annual Book of ASTM Standards, Section Five: Petroleum Products, Lubricants, and Fossil Fuels*, Volume 05.06, Gaseous Fuels; Coal and Coke, ASTM, West Conshohocken, PA.
- ASTM International (ASTM), 2008b, *Annual Book of ASTM Standards, Section Four: Construction*, Volume 04.08, Soil and Rock (I): D 420 – D 5611, ASTM, West Conshohocken, PA.
- ASTM International (ASTM), 2008c, *Annual Book of ASTM Standards, Section Four: Construction*, Volume 04.09, Soil and Rock (II): D 5877 – latest, ASTM, West Conshohocken, PA.
- ASTM International (ASTM), 2008d, *Annual Book of ASTM Standards, Section Four: Construction*, Volume 04.13, Geosynthetics, ASTM, West Conshohocken, PA.
- Atkinson, G.M. and D. M. Boore, 2006, "Earthquake Ground-Motion Prediction Equations for Eastern North America," *Bulletin of the Seismological Society of America*, Vol. 96, No. 6, pp. 2181-2205.
- Atkinson, G.M. and D.M. Boore, 1995, "Ground Motion Relations for Eastern North America," *Bulletin of the Seismological Society of America*, Vol. 85, No. 1, pp. 17-30.
- * Atkinson, G.M. and S.I. Kaka, 2006, *Relationships between Felt Intensity and Instrumental Ground Motion for New Madrid Shake Maps*, Report for Award 05HQGR0039, Department of Earth Sciences, Carleton University, Ottawa, QC, Canada.
- Atkinson, G.M. and W. Silva, 1997, "An Empirical Study of Earthquake Source Spectra for California Earthquakes," *Bulletin of the Seismological Society of America*, Vol. 87, No. 1, pp. 97-113.
- * Babcock, C.O and V.E. Hooker, 1977, *Results of Research to Develop Guidelines for Mining Near Surface and Underground Bodies of Water*, Information Circular 8741, U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA.
- Backer, R.R., R.A. Busch and L.A. Atkins, 1977, *Physical Properties of Western Coal Waste Materials*, Report of Investigations 8216, U.S. Department of the Interior, Bureau of Mines, Spokane, WA.
- Baecher, G.B. and J.T. Christian, 2003, *Reliability and Statistics in Geotechnical Engineering*, John Wiley & Sons, Hoboken, NJ.
- Bakun, W.H. and M.G. Hopper, 2004, "Magnitudes and Locations of the 1811-1812 New Madrid, Missouri, and the 1886 Charleston, South Carolina, Earthquakes," *Bulletin of the Seismological Society of America*, Vol. 94, No. 1, pp. 64-75.
- Bardet, J.P., 1997, *Experimental Soil Mechanics*, Prentice Hall, Upper Saddle River, NJ.
- Barfield, B.J., R.C. Warner and C.T. Haan, 1981, *Applied Hydrology and Sedimentology for Disturbed Areas*, Oklahoma Technical Press, Stillwater, OK.
- * Bartholomew, C.L., B.C. Murray and D.L. Goins, 1987, *Embankment Dam Instrumentation Manual*, U.S. Department of the Interior, Bureau of Reclamation, Denver, CO.
- * Bazán-Arias, N.C., S.R. Michalski, P.E. Glogowski and F. Howard, 2002, "In-place Solidification of Coal Tailings for Expressway Subgrade," *Proceedings, Tailings Dams 2002*, Las Vegas, Association of State Dam Safety Officials, Lexington, KY, pp. 129-140.
- Baziar, M.H. and R. Dobry, R., 1995, "Residual Strength and Large Deformation Potential of Loose Silty Sands," *Journal of Geotechnical Engineering*, ASCE, Vol. 121, No. 12, pp. 896-906.
- Becker, E., C.K. Chan and H.B. Seed, 1972, *Strength and Deformation Characteristics of Rockfill Materials in Plane Strain and Triaxial Compression Tests*, Report TE-72-3 to the California Department of Water Resources, University of California, Berkeley, CA.
- Bennett, O.L., E.L. Mathias, W.H. Armiger and J.N. Jones Jr., 1978, "Plant Materials and Their Requirements for Growth in Humid Regions," *Reclamation of Drastically Disturbed Land*, F.W. Schaller and P. Sutton, eds., American Society of Agronomy, Madison, WI, pp. 285-306.

Benson, R.C., R.A. Glaccum and M.R. Noel, 1984, *Geophysical Techniques for Sensing Buried Wastes and Waste Migration*, Report, Contract No. 68-03-3050, U.S. Environmental Protection Agency, Office of Research and Development, Environmental Monitoring Systems Laboratory, Las Vegas, NV.

Beresnev, I.A. and G.M. Atkinson, 1997, "Modeling Finite-Fault Radiation from ω^n Spectrum," *Bulletin of the Seismological Society of America*, Vol. 87, No. 1, pp. 67-84.

Bernreuter, D.L., J.B. Savy, R.W. Mensing and J.C. Chen, 1989, *Seismic Hazard Characterization of 69 Nuclear Plant Sites East of the Rocky Mountains: Methodology, Input Data and Comparisons to Previous Results for Ten Test Sites*, NUREG/CR-5250 (UCID-21517), U.S. Nuclear Regulatory Commission, Vols. 1-8.

Berube, A.P., 2004, *Investigating the Streaming Potential Phenomenon Using Electric Measurements and Numerical Modelling with Special Reference to Seepage Monitoring in Embankment Dams*, Doctoral Thesis, Lulea University of Technology, Department of Civil and Environmental Engineering, Division of Applied Geophysics, Lulea, Sweden.

Betoney, T.P., Jr., 1994, *MSHA Accident Investigation Report (Surface Area of an Underground Coal Mine), Non-Injury Impoundment (Coal Refuse Pile ID No. 1211WV30054-00)*, Arkwright No. 1 Mine, Consolidation Coal Company, Monongalia County, WV.

Bhabdaru, S. and O.P. Arora, 1987, "Vibrations in an Underground Coal Mine Due to Adjacent Surface Mine Blasts," *Proceedings, 2nd International Symposium on Rock Fragmentation by Blasting*, W.L. Fournery and R.D. Dick, eds., Society for Experimental Mechanics, Keystone, CO.

Biarez, J., J.L. Bordes and P. Londe, 1970, "La Fissuration des Noyaux des Barrages en Enrochments ou en Alluvion," *Proceedings, 10th International Congress on Large Dams*, Montreal, Canada, Vol. I, pp. 27-47.

* Bieniawski, Z.T., 1992, "A Method Revisited: Coal Pillar Strength Formula Based on Field Investigations," *Proceedings, Workshop on Coal Pillar Mechanics and Design*, Information Circular 9315, U.S. Department of the Interior, Bureau of Mines, Washington, DC, pp. 158-165.

Bieniawski, Z.T., 1989, *Engineering Rock Mass Classifications*, John Wiley & Sons, New York, NY.

Bieniawski, Z.T., 1987, *Strata Control in Mineral Engineering*, John Wiley & Sons, New York, NY.

Bieniawski, Z.T., 1968, "The Effect of Specimen Size on Compressive Strength of Coal," *International Journal of Rock Mechanics and Mining Sciences*, Vol. 5, pp. 325-335.

* Bigatel, A.J., G.R. Camus, D.W. Caylor, A.D. Dalberto and W.W. Hellier, 1999, *Engineering Manual for Mining Operations, Chapter 3: Sediment Control Impoundments and Coal Refuse Disposal Impoundments*, Pennsylvania Department of Environmental Protection, Bureau of Mining and Reclamation, Harrisburg, PA.

Bignell, V., 1977, "Case Study 2 - The Aberfan Failure," *Catastrophic Failures*, V. Bignell, G. Peters and C. Pym, eds., Open University Press.

Bishop, A.W., 1955, "The Use of the Slip Circle in the Stability Analyses of Slopes," *Géotechnique*, Vol. 5, No. 1, pp. 7-17.

Bishop, A.W. and D.J. Henkel, 1962, *The Measurements of Soil Properties in the Triaxial Test*, Edward Arnold, Ltd., London, England.

* Biswas, K., C. Mark and S.S. Peng, 1999, "A Unique Approach to Determining the Time-Dependent In Situ Strength of Coal Pillars," *Proceedings, 2nd Workshop on Coal Pillar Mechanics and Design*, NIOSH IC 9448, U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Pittsburgh, PA, pp. 5-13.

* Biswas, K., S.S. Peng and P. Tsang, 1995, "Influence of Partings in a Coal Seam on Long Term Pillar Stability," *Proceedings, 14th International Conference on Ground Control in Mining*, West Virginia University, Morgantown, WV, pp. 80-93.

- Bjerrum, L., 1972, "Embankments on Soft Ground," *Proceedings, Specialty Conference on Performance of Earth and Earth-Supported Structures*, American Society of Civil Engineers (ASCE), Reston, VA, Vol. 2, pp. 1-54.
- Blackburn, J.T. and C.H. Dowding, 2004, "Finite-Element Analysis of Time Domain Reflectometry Cable-Grout-Soil Interaction," *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, Vol. 130, No. 3, pp. 231-239.
- Blight, G.E., 1968, "A Note on Field Vane Testing of Silty Soils," *Canadian Geotechnical Journal*, Vol. 5, No. 3, pp. 142-149.
- Bommer, J.J., N.A. Abrahamson, F.O. Strasser, A. Pecker, P.-Y. Bard, H. Bungum, F. Cotton, D. Fäh, F. Sabetta, F. Scherbaum and J. Studer, 2004, "The Challenge of Defining Upper Bounds on Earthquake Ground Motions," *Seismological Research Letters*, Vol. 75, No. 1, pp. 82-95.
- * Boulanger, R.W. and I.M. Idriss, 2004, "Evaluating the Potential for Liquefaction or Cyclic Failure of Silts and Clays," *Report No. UCD/CGM-04/01*, Center for Geotechnical Modeling, Department of Civil and Environmental Engineering, University of California, Davis, CA.
- Bowles, J.E., 1996, *Foundation Analysis and Design*, McGraw-Hill, New York, NY.
- Bradham, W.S. and F.T. Caruccio, 1995, *Sensitivity Analysis of Laboratory Based Mine Overburden Analytical Techniques for the Prediction of Acidic Mine Drainage*, U.S. Department of the Interior, Office of Surface Mining, Pittsburgh, PA.
- Brady, B.H.G. and E.T. Brown, 2004, *Rock Mechanics for Underground Mining*, Springer Publishing Company, New York, NY.
- Brady, K.B.C., M.W. Smith and J. Schueck, eds., 1998, *Coal Mine Drainage Prediction and Pollution Prevention in Pennsylvania*, Pennsylvania Department of Environmental Protection, Harrisburg, PA.
- Brady, K.B.C. and R.H. Hornberger, 1990, "The Prediction of Mine Drainage Quality in Pennsylvania," *Water Pollution Control Association of Pennsylvania Magazine*, Vol. 23, No. 5, pp. 8-15.
- Brater, E.F., H.W. King, J.E. Lindell and C.Y. Wei, 1996, *Handbook of Hydraulics*, 7th Ed., McGraw-Hill, New York, NY.
- British Columbia Acid Mine Drainage Task Force, 1989, *Draft Acid Rock Drainage Guide*, BiTech Publishers, Richmond, BC, Canada.
- * Brown, B.S. and G. Greenaway, 1999, "Field Experience in the Use of Wick Drains to Consolidate Soft Tailings," *Proceedings, Workshop on Stabilization of Soft Tailings, Part 2: Practice and Experience*, Chemnitz, Germany.
- * Brunner, D.J. and J.J. Schwoebel, 1999, "Directional Drilling for Methane Drainage and Exploration in Advance of Mining: Recent Advances and Applications," REI Drilling, Salt Lake City, UT.
- * Busch, R.A., R.R. Backer and L.A. Atkins, 1975, "Physical Property Data on Fine Coal Refuse," Report of Investigations 8062, U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA.
- * Busch, R.A., R.R. Backer and L.A. Atkins, 1974, "Physical Property Data on Coal Waste Embankment Materials," Report of Investigations 7964, U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA.
- Butler, D.K., J.L. Llopis, T.L. Dobecki, M.J. Wilt, R.F. Corwin and G. Olhoeft, 1990, "Comprehensive Geophysics Investigation of an Existing Dam Foundation: Engineering Geophysics Research and Development, Part 2," *Geophysics: The Leading Edge of Exploration*, Vol. 9, No. 9, pp. 44-53.
- Butler, D.K., J.L. Llopis and C.M. Deaver, 1989, "Comprehensive Geophysical Investigation of an Existing Dam Foundation," *Geophysics: The Leading Edge of Exploration*, Vol. 8, No. 8, pp. 10-18.

- Byrne, P.M., S.-S. Park, M. Beaty, M.K. Sharp, L. Gonzalez and T. Abdoun, 2004, "Numerical Modeling of Liquefaction and Comparison with Centrifuge Tests," *Canadian Geotechnical Journal*, Vol. 41, No. 2, pp. 193-211.
- Cai, S., 1983, "A Simple and Convenient Method for Design of Strength of Cemented Hydraulic Fill," *Proceedings, International Symposium on Mining with Backfill*, Lulea, Sweden, S. Granholm, ed., pp. 405-412.
- Campbell, K.W., 2003, "Prediction of Strong Ground Motion Using the Hybrid Empirical Method and Its Use in the Development of Ground-Motion (Attenuation) Relations in Eastern North America," *Bulletin of the Seismological Society of America*, Vol. 93, No. 3, pp. 1012-1033.
- Cannon, W.C., 1981, *MSHA Report of Investigation, Impoundment Accident (Failure of Refuse Pile), Preparation Plant, Island Creek Coal Company, Boone County, WV.*
- * Carlson, C.L. and D.C. Adriano, 1993, "Environmental Impacts of Coal Combustion Residues," *Journal of Environmental Quality*, Vol. 22, pp. 227-247.
- Carroll, R.G., Jr., 1983, "Geotextile Filter Criteria," *Engineering Fabrics in Transportation Construction*, Transportation Research Record 916, Transportation Research Board, Washington, DC, pp. 46-53.
- Carter, M. and S.P. Bentley, 1991, *Correlations of Soil Properties*, Pentech Press, London, U.K.
- Casagrande, A., 1971, "On Liquefaction Phenomena," *Géotechnique*, London, U.K., Vol. 21, No. 3, pp. 197-202.
- Castro, G., 2003, "Evaluation of Seismic Stability of Tailings Dams," *Proceedings, 12th Pan American Conference on Soil Mechanics and Geotechnical Engineering and 39th U.S. Rock Mechanics Symposium*, Cambridge, MA, pp. 2229-2234.
- Castro, G., 1995, "Empirical Methods in Liquefaction Evaluation," *Proceedings, First International Leonardo Zeevaert Conference*, Mexico City, Mexico, Vol. 1, pp. 1-41.
- Castro, G., 1994, "Seismically Induced Triggering of Liquefaction Failures," Performance of Ground and Soil Structures During Earthquakes, *Proceedings, Thirteenth International Conference on Soil Mechanics and Foundation Engineering*, New Delhi, India.
- Castro, G., 1975, "Liquefaction and Cyclic Mobility of Saturated Sands," *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 101, No. GT6, pp. 551-569.
- Castro, G. and J.T. Christian, 1976, "Shear Strength of Soils and Cyclic Loading," *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 102, No. GT9, pp. 887-894.
- Castro, G., R.B. Seed, T.O. Keller and H.B. Seed, 1992, "Steady State Strength Analysis of Lower San Fernando Slide," *Journal of Geotechnical Engineering*, ASCE, Vol. 118, No. 3, pp. 406-427.
- Caterpillar Tractor Company (Caterpillar), 2008, *Caterpillar Performance Handbook*, 38th Ed., Peoria, IL.
- Cedergren, H.R., 1989, *Seepage, Drainage and Flow Nets*, 3rd Ed., John Wiley & Sons, New York, NY.
- Canadian Geotechnical Society (CGS), 2007, *Canadian Foundation Engineering Manual*, 4th Ed., BiTech Publishers, Richmond, BC, Canada.
- Chamberlain, E.A.C. and D.A. Hall, 1973, "The Ambient Temperature Oxidation of Coal in Relation to the Early Detection of Spontaneous Heating – Part 2," *The Mining Engineer*, Vol. 132, No. 152, pp. 387-399.
- Chamberlain, E.A.C., D.A. Hall and J.T. Thirlaway, 1970, "The Ambient Temperature Oxidation of Coal in Relation to the Early Detection of Spontaneous Heating – Part 1," *The Mining Engineer*, Vol. 130, No. 121, pp. 1-16.
- Chandler, R.J., 1988, "The In-situ Measurement of the Undrained Shear Strength of Clays Using the Field Vane," *Vane Shear Strength Testing in Soils: Field and Laboratory Studies*, ASTM STP 1014, A.F. Richards, ed., American Society for Testing and Materials, West Conshohocken, PA, pp. 13-44.

- Chapman, M.C., J.W. Munsey, S.C. Whisner and J. Whisner, 2002, "The Eastern Tennessee Seismic Zone: Small Earthquakes Illuminating Major Basement Faults?" *Proceedings, GSA Joint Annual Meeting, North-Central Section (36th) and Southeastern Section (51st)*, Lexington, KY, Session 21, Paper 21-9.
- * Chekan, G.J., 1985, *Design of Bulkheads for Controlling Water in Underground Mines*, Information Circular 9020, U.S. Department of the Interior, Bureau of Mines, Washington, DC.
- Chen, C.Y., 1979, "Engineering Properties of Coal Refuse," *Proceedings of the First International Symposium on Stability in Coal Mining*, C.O. Brawner and I.P.F. Dorling, eds., Miller Freeman Publications, San Francisco, CA, pp. 328-347.
- Chen, Z.Y. and N.R. Morgenstern, 1983, "Extensions to the Generalized Method of Slices for Stability Analysis," *Canadian Geotechnical Journal*, Vol. 20, No. 1, pp. 104-119.
- Choquet, P., M. Quirion and F. Juneau, 2000, "Advances in Fabry-Perot Fiber Optic Sensors and Instruments for Geotechnical Monitoring," *Geotechnical News*, BiTech Publishers, Richmond, BC, Canada, Vol. 18, No. 1, pp. 35-40.
- Chow, V.T., ed., 1964, *Handbook of Applied Hydrology*, McGraw-Hill, New York, NY.
- Chow, V.T., 1959, *Open-Channel Hydraulics*, McGraw-Hill, New York, NY.
- * Chugh, Y.P., R. Nath and S. Shankar, 1987, "Time-Dependent Behavior of Weak Floor Strata from an Illinois Coal Mine," *Proceedings, 6th International Conference on Ground Control in Mining*, West Virginia University, Morgantown, WV, pp. 204-218.
- Church, H.K., 1981, *Excavation Handbook*, McGraw-Hill, New York, NY.
- Clark, J.C., W.J. Johnson and W.A. Miller, 1994, "The Application of High Resolution Shear Wave Seismic Reflection Surveying to Hydrogeological and Geotechnical Investigations," *Proceedings, SAGEEP '94*, Environmental & Engineering Geophysical Society, Boston, MA.
- Clough, R.H., G.A. Sears and S.K. Sears, 2008, *Construction Project Management*, 5th Ed., John Wiley & Sons, New York, NY.
- Coalgate, J.L., D.J. Akers and R.W. Frum, 1973, *Gob Pile Stabilization, Reclamation, and Utilization*, U.S. Office of Coal Research, Research and Development Report No. 75, Interim Report No. 1, West Virginia University, Morgantown, WV.
- Coates, D., 1981, "Caving, Subsidence, and Ground Control," *Rock Mechanics Principles, Chapter 5*, Monograph No. 874, Canadian Centre for Mineral and Energy Technology, (CANMET), Canadian Government Publishing Centre, Ottawa, QC, Canada.
- Coates, D.F. and Y.S. Yu, 1977, *Pit Slope Manual, Chapter 9 – Waste Embankments*, Report No. 77-9, Canadian Centre for Mineral and Energy Technology (CANMET), Canadian Government Publishing Centre, Ottawa, QC, Canada.
- * Colorado School of Mines (CSM), 2007, *Void Detection Demonstrations at the Colorado School of Mines, Edgar Experimental Mine*, prepared for MSHA by the Western Mining Resource Center, CSM, Golden, CO.
- Contreras, I.A., A.T. Grosser and R.H. VerStrate, 2007, "The Use of the Fully-Grouted Method for Piezometer Installation," *Proceedings, Seventh International Symposium on Field Measurements in Geomechanics (FMGM 2007)*, Boston, J. DiMaggio and P. Osborn, eds., ASCE Special Publication 175, pp. 67-86.
- Cornell, C.A., 1968, "Engineering Seismic Risk Analysis," *Bulletin of the Seismological Society of America*, Vol. 58, No. 5, pp. 1583-1606.
- * Cowherd, D.C. and I.J. Corda, 1998, "Seismic Considerations for Upstream Construction of Coal Refuse Dams," *Proceedings, 1998 Annual Conference*, Las Vegas, Association of State Dam Safety Officials, Lexington, KY., pp. 523-534.

- * Cowherd, D.C., M.J. Carlson and M.T. Hardert, 2002, "A Method for Evaluation and Mitigation of the Potential for Mine Breakthrough in Fine Coal Refuse Tailings Dam Pool Areas," *Proceedings, Tailings Dams 2002*, Las Vegas, Association of State Dam Safety Officials, Lexington, KY, pp. 277-287.
- Cravotta, C.A. III, K.B.C. Brady, M.W. Smith, and R.L. Beam, 1990, "Effectiveness of Alkaline Addition at Surface Mines in Preventing or Abating Acid Mine Drainage: Part 1, Geochemical Considerations," *Proceedings, 1990 Mining and Reclamation Conference*, West Virginia University, Morgantown, WV, Vol. 1, pp. 221-226.
- * Crone, A.J. and R.L. Wheeler, 2000, *Data for Quaternary Faults, Liquefaction Features, and Possible Tectonic Features in the Central and Eastern United States, East of the Rocky Mountain Front*, USGS Open File Report 00-260, U.S. Department of the Interior, U.S. Geological Survey, Denver, CO.
- Cudworth, A.G., 1989, *Flood Hydrology Manual*, U.S. Department of the Interior, Bureau of Reclamation, Denver, CO.
- Daniel, D.E. and R.M. Koerner, 1995, *Quality Assurance and Quality Control For Waste Containment Facilities*, EPA/600/SR-93/182, U.S. Environmental Protection Agency, National Risk Management Research Laboratory, Cincinnati, OH.
- Daniels, W.L., 2005, "Effects of Cover Soil Thickness on Revegetation of Acidic Appalachian Coal Refuse," *Proceedings, 2005 National Meeting of the American Society of Mining and Reclamation*, Breckenridge, CO, ASMR, Lexington, KY, pp. 842-861.
- Daniels, W.L. and B.R. Stewart, 1993, "Reclamation and Closure of Coal Refuse Disposal Facilities in the Appalachians," *SME Preprint 93-169, Society of Mining, Metallurgy, and Exploration (SME) 1993 Annual Meeting*, Denver, CO.
- Daniels, W.L., B.R. Stewart, K. Haering and C. Zipper, 2002, "The Potential for Beneficial Reuse of Coal Fly Ash in Southwest Virginia Mining Environments," *Reclamation Guidelines for Surface Mined Land in Southwest Virginia*, Publication 460-134, Virginia Cooperative Extension, Powell River Project, Blacksburg, VA.
- Daniels, W.L., B.R. Stewart and D.C. Dove, 1996, *Reclamation of Coal Refuse Disposal Areas*, Publication 460-131, Virginia Cooperative Extension, Blacksburg, VA.
- * D'Appolonia, 2006, *Final Report, Demonstration Project – Mine Void Detection, DC Resistivity Surface Geophysical Method, Lots Branch Tailings Impoundment Site, Prenter, West Virginia*, Contract No. J53R/011, Mine Safety and Health Administration (MSHA), Arlington, VA.
- D'Appolonia, 1988, *Minimization of Coal Refuse Disposal Facility Related Water Quality Deterioration*, report prepared for U.S. Department of the Interior, Office of Surface Mining, Washington, DC.
- D'Appolonia, 1982, *Improved Resource Characterization for Coal Mining, Geophysics and Drilling Technology*, report prepared for U.S. Department of Energy, Office of Coal Mining, Contract No. USDOE AC22-80PC30114, DOE/PC/3011-4 (DE82016931).
- * D'Appolonia, 1980, *Environmental Effects of Slaking of Surface Mine Spoils, Eastern and Central U.S.*, report prepared for the U.S. Bureau of Mines, Contract No. J0285024, Pittsburgh, PA.
- D'Appolonia, 1973, *State-of-the-Art Study, Coal Waste Embankments in the United States*, Draft Report, Contract No. 50133042, U.S. Department of the Interior, Mining Enforcement and Safety Administration, Washington, DC.
- * Davies, M., E.C. McRoberts and T.I. Martin, 2002, "Static Liquefaction of Tailings – Fundamentals and Case Histories," *Proceedings, Tailings Dams 2002*, Las Vegas, ASDSO/USCOLD, pp. 233-255.
- Davies, W.E., J.F. Bailey and D.B. Kelly, 1972, *West Virginia's Buffalo Creek Flood: A Study of the Hydrology and Engineering Geology*, Circular 667, U.S. Department of the Interior, Geological Survey, Reston, VA.

- Davis, C.A. and J.P. Bardet, 1998, "Seismic Analysis of Large-Diameter Flexible Underground Pipes," *Journal of Geotechnical Engineering*, ASCE, Vol. 104, No. 10, pp. 1001-1015.
- Davis, G., 1973, "Comparison of Fall and Spring Plantings on Strip-Mine Spoils in the Bituminous Region of Pennsylvania," *Ecology and Reclamation of Devastated Land*, R.J. Hutnik and G. Davis, eds., Cordon and Breach, New York, NY, Vol. 1, pp. 525-538.
- Davis, A.P., G. Castro and S.J. Poulos, 1988, "Strengths Back-Figured from Liquefaction Case Histories," *Proceedings, Second International Conference on Case Histories in Geotechnical Engineering*, University of Missouri-Rolla, Rolla, MO, Vol. 3, pp. 1693-1701.
- Day, D.A. and N.B.H. Benjamin, 1991, *Construction Equipment Guide*, 2nd Ed., Wiley-Interscience, New York, NY.
- Dean, K.C. and R. Havens, 1972, "Comparative Costs and Methods for Stabilization of Tailings," *Tailings Disposal Today, Proceedings of the 1st International Tailing Symposium*, Tucson, AR, C.L. Aplin and G.O. George, eds., pp. 450-477.
- Degoutte, G. and J.J. Fry, 2002, "Geotextiles in Dams, Feedback," *Proceedings, Technical Symposium on Geotextiles and Geomembranes in Dams*, CFG and FCOLD.
- DiGioia, A.M., Jr. and R.E. Gray, 1979, "Power Plant Solid Wastes, Geotechnical Aspects of Disposal Site Selection and Design," *Current Geotechnical Practice in Mine Waste Disposal*, ASCE, pp. 113-180.
- DiGioia, A.M., Jr., G.G. Brendel, D.J. Spaeder, N.J. Balsamo and L.C. Shumway, 1995, *Coal Fly Ash Design Manual*, 3rd Ed., EPRI-TR-104137, Electric Power Research Institute, Palo Alto, CA.
- * Department of Defense (DOD), 2005, *Unified Facilities Criteria: Geotechnical Engineering Procedures for Foundation Design of Buildings and Structures*, UFC 3-220-01N, U.S. Government Printing Office, Washington, DC.
- Dove, D.C., W.L. Daniels and J. Bell, 1987, "Reclamation of Coal Wastes with Reduced Soil Depth and Other Amendments," *Proceedings, 4th Biennial Symposium on Surface Mining and Reclamation on the Great Plains*, Billings, MT, American Society of Mining and Reclamation, Lexington, KY, pp. 1-9.
- * Dowding, C.H., 2002, "Geo-Measurements with Metallic TDR Cable Technology for Infrastructure Surveillance," *TRB 2002 Annual Meeting CD-ROM*, Washington, DC.
- Dowding, C.H. and K.M. O'Connor, 2000, "Comparison of TDR and Inclinometers for Slope Monitoring," *Geotechnical Measurements: Lab and Field*, Geotechnical Special Publication No. 106, W.A. Marr, ed., ASCE, Reston, VA, pp. 80-90.
- DuMontelle, P.B., S.C. Bradford, R.A. Bauer and M.M. Killey, 1981, "Mine Subsidence in Illinois: Facts for the Homeowner Considering Insurance," *Environmental Geology Notes*, Illinois State Geological Survey, Champaign, IL.
- Duncan, J.M., 1996, "State of the Art: Limit Equilibrium and Finite Element Analysis of Slopes," *Journal of Geotechnical Engineering*, ASCE, Vol. 122, No. 7, pp. 577-596.
- Duncan, J.M. and S.G. Wright, 2005, *Soil Strength and Slope Stability*, John Wiley & Sons, Hoboken, NJ.
- Duncan, J.M. and S.G. Wright, 1980, "The Accuracy of Equilibrium Methods of Slope Stability Analysis," *Engineering Geology*, Vol. 16, No. 1, pp. 5-17.
- Dunnicliff, J., 1997, "Systematic Approach to Planning Monitoring Programs Using Geotechnical Instrumentation – An Update," *Geotechnical News*, BiTech Publishers, Richmond, BC, Canada, Vol. 15, No. 3, pp. 36-46.
- Dunnicliff, J., 1993, *Geotechnical Instrumentation for Monitoring Field Performance*, John Wiley & Sons, New York, NY.

Dunncliff, J., 1981, "Long-Term Performance of Embankment Dam Instrumentation," *Recent Development in Geotechnical Engineering for Hydro Projects*, F.H. Kulhawy, ed., ASCE, New York, NY, pp. 1-22.

* Dunrud, C. and F. Osterwald, 1980, *Effects of Coal Mine Subsidence in the Sheridan, Wyoming, Area*, Professional Paper No. 1164, U.S. Geological Survey, Denver, CO.

Eger, P., 1994, "Wetland Treatment for Trace Metal Removal from Mine Drainage: The Importance of Aerobic and Anaerobic Processes," *Water Science and Technology*, Vol. 29, No. 4, pp. 249-256.

Eigenbrod, W.F., 1971, "Use of Stabilizers and Binders for Conditioning Surface-Mined Land and Coal Mine Refuse for Revegetation," *Proceedings, Revegetation and Economic Use of Surface-Mined Land and Mine Refuse Symposium*, West Virginia University, Morgantown, WV, pp. 46-47.

* Ellefsen, K.J., G.J. Tuttle, J.M. Williams and J.E. Lucius, 2005, *S-Wave Refraction Survey of Alluvial Aggregate*, Scientific Investigations Report 2005-5012, U. S. Geological Survey, Denver, CO.

* Ellison, R.D. and Y.Y. Cho, 1976, "Liquefaction Considerations for Fine Coal Refuse," Ohio River Valley Soils Seminar, Lexington, KY.

Electric Power Research Institute (EPRI), 1989, *Seismic Hazard Methodology for the Central and Eastern United States*, Report NP-4726.

El-Ramly, H., N.R. Morgenstern and D.M. Cruden, 2003, "Probabilistic Stability Analysis of a Tailings Dyke on Presheared Clay-Shale," *Canadian Geotechnical Journal*, Vol. 40, pp. 192-208.

Federal Emergency Management Agency (FEMA), pending publication (2009), "Geotextiles in Embankment Dams, Status Report on the Use of Geotextiles in Embankment Dam Construction and Rehabilitation."

* Federal Emergency Management Agency (FEMA), 2007, *Technical Manual: Plastic Pipe Used in Embankment Dams (Best Practices for Design, Construction, Problem Identification, and Evaluation, Inspection, Maintenance, Renovation, and Repair)*, FEMA P-675, U.S. Department of Homeland Security, FEMA, Washington, DC.

* Federal Emergency Management Agency (FEMA), 2005a, *Technical Manual: Conduits through Embankment Dams (Best Practices for Design, Construction, Problem Identification and Evaluation, Inspection, Maintenance, Renovation, and Repair)*, FEMA 484, U.S. Department of Homeland Security, FEMA, Washington, DC.

* Federal Emergency Management Agency (FEMA), 2005b, *Federal Guidelines for Dam Safety, Earthquake Analyses and Design of Dams*, FEMA 65, U.S. Department of Homeland Security, FEMA, Washington, DC.

* Federal Emergency Management Agency (FEMA), 2004a, *Federal Guidelines for Dam Safety: Hazard Potential Classification System for Dams*, FEMA 333, Interagency Committee on Dam Safety (ICODS), Washington, DC.

* Federal Emergency Management Agency (FEMA), 2004b, *Federal Guidelines for Dam Safety: Emergency Action Planning for Dam Owners*, FEMA 64, U.S. Department of Homeland Security, FEMA, Washington, DC.

* Federal Emergency Management Agency (FEMA), 2004c, *Federal Guidelines for Dam Safety: Selecting and Accommodating Inflow Design Floods for Dams*, FEMA 94, U.S. Department of Homeland Security, FEMA, Washington, DC.

* Federal Highway Administration (FHWA), 2006, *Hydraulic Design of Energy Dissipators for Culverts and Channels*, Hydraulic Engineering Circular No. 14, 3rd Ed., FHWA-NHI-06-086, U.S. Department of Transportation, FHWA, National Highway Institute, Arlington, VA.

* Federal Highway Administration (FHWA), 2005a, *Design of Roadside Channels with Flexible Linings*, Hydraulic Engineering Circular No. 15 (HEC-15), FHWA-NHI-05-114, U.S. Department of Transportation, FHWA, National Highway Institute, Arlington, VA.

References

- * Federal Highway Administration (FHWA), 2005b, *Hydraulic Design of Highway Culverts*, Hydraulic Design Series No. 5 (HDS-5), FHWA-NHI-01-020, U.S. Department of Transportation, FHWA, National Highway Institute, Arlington, VA.
- * Federal Highway Administration (FHWA), 2002, *Subsurface Investigations: Geotechnical Site Characterization*, Reference Manual for NHI Course No. 132031, FHWA-NHI-01-031, U.S. Department of Transportation, FHWA, Washington, DC.
- * Federal Highway Administration (FHWA), 2001, *Introduction to Highway Hydraulics*, Hydraulic Design Series No. 4 (HDS-4), FHWA-NHI-01-019, U.S. Department of Transportation, FHWA, Washington, DC.
- * Federal Highway Administration (FHWA), 1992, *The Cone Penetrometer Test*, FHWA-SA-91-043, U.S. Department of Transportation, FHWA, Washington, DC.
- * Federal Highway Administration (FHWA), 1989, *Design of Riprap Revetment*, Hydraulic Engineering Circular No. 11, FHWA-IP-89-016, U.S. Department of Transportation, FHWA, Washington, DC.
- * Federal Highway Administration (FHWA), 1961, *Design Charts for Open-Channel Flow*, Hydraulic Design Series No. 3 (HDS-3), FHWA-EPD-86-102, U.S. Department of Transportation, FHWA, Washington, DC.
- * Federal Energy Regulatory Commission (FERC), 2001, "Chapter VIII, Determination of the Probable Maximum Flood," *Engineering Guidelines for the Evaluation of Hydropower Projects*, U.S. Department of Energy, FERC, Washington, DC.
- * Federal Energy Regulatory Commission (FERC), 1993, "Chapter II, Selecting and Accommodating Inflow Design Floods for Dams," *Engineering Guidelines for the Evaluation of Hydropower Projects*, U.S. Department of Energy, FERC, Washington, DC.
- Fell, R., P. MacGregor, D. Stapledon and G. Bell, 2005, *Geotechnical Engineering of Dams*, A.A. Balkema Publishers, London, UK.
- Fellenius, W., 1922, *Bulletin 2*, Swedish State Railway Geotechnical Commission, Stockholm, Sweden.
- Ferguson, K.D. and K.A. Morin, 1991, "The Prediction of Acid Rock Drainage – Lessons from the Database," *Proceedings, 2nd International Conference on Abatement of Acidic Drainage*, Montreal, Canada, Vol. 3, pp. 85-106.
- Ferguson, K.D. and J.D. Robertson, 1994, "Assessing the Risk of ARD," *Proceedings, 3rd International Conference on Abatement of Acidic Drainage*, Pittsburgh, PA, U.S. Bureau of Mines Special Publication SP 06A-94, Vol. 1, pp. 2-11.
- Fernandez, L.M. and P.K. Van Der Heever, 1996, "Ground Movement and Damage Accompanying a Large Seismic Event in the Klerksdorp District," *Proceedings, 1st International Congress on Rockbursts and Seismicity in Mines*, N.C. Gay and E.H. Wainwright, eds., Johannesburg, South Africa, pp. 193-198.
- Filipek, L.H., J. T. Gormley, R. Ewing and D. Ellsworth, 1991, "Kinetic Acid-Prediction Studies as Aids to Waste Rock and Water Management during Advanced Exploration of a Massive Sulfide Deposit," *Proceedings, 2nd International Conference on Abatement of Acidic Drainage*, Montreal, Canada, CANMET, Ottawa, Vol. 3, pp. 191-208.
- Finn, W.D.L., K.W. Lee and G.R. Martin, 1977, "An Effective Stress Model for Liquefaction," *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 103, No. GT6, pp. 517-533.
- Fiscor, S., 2002, "Design Alternatives for Refuse Disposal," *Coal Age*, Vol. 107, No. 5, pp. 34-36.
- Fourie, A.B. and R.W. Green, 1993, "Damage to Underground Coal Mines Caused by Surface Blasting," *International Journal of Surface Mining, Reclamation and Environment*, Vol. 7, No. 1, pp. 11-16.

Forrester, P.J. and B.H. Whitaker, 1976, "Effects of Mining Subsidence on Colliery Spoil Heaps – I and II," *International Journal of Rock Mechanics, Mining Sciences and Geomechanics Abstracts*, No. 13, pp. 113-133.

* France, J.W., 2004, "Seepage Collection and Control Systems: The Devil is in the Details," *Proceedings, 2004 ASDSO Annual Conference*, Phoenix, Association of State Dam Safety Officials, Lexington, KY.

Frankel, A., 1995, "Mapping Seismic Hazard in the Central and Eastern United States," *Seismological Research Letters*, Vol. 66, No. 4, pp. 8-21.

* Frankel, A.D., M.D. Petersen, C.S. Mueller, K.M. Haller, R.L. Wheeler, E.V. Leyendecker, R.L. Wesson, S.C. Harmsen, C.H. Cramer, D.M. Perkins and K.S. Rukstales, 2002, *Documentation for the 2002 Update of the National Seismic Hazard Maps*, USGS Open-File Report 02-420, Denver, CO.

Frankel, A.D., C. Mueller, T. Barnhard, D. Perkins, E.V. Leyendecker, N. Dickman, S. Hanson and M. Hopper, 1996, *National Seismic-Hazard Maps: Documentation - June 1996*, USGS Open-File Report 96-532, U.S. Department of the Interior, Geological Survey, Denver, CO.

Franklin, J.A. and R. Chandra, 1972, "The Slake Durability Test," *International Journal of Rock Mechanics and Mining Sciences*, Vol. 9, pp. 325-341.

Fread, D.L., 1988, *The NWS DAMBRK Model: Theoretical Background and User Documentation*, Report No. HRL-258, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Weather Service, Hydrological Research Laboratory, Silver Spring, MD.

Frederick, R.H. and J.F. Miller, 1979, "Short Duration Rainfall Frequency Relations for California," *Preprint Volume, Third Conference on Hydrometeorology*, American Meteorological Society, Boston, MA, pp. 67-73.

* Frederick, R.H., V.A. Myers and E.P. Auciello, 1977, *Five- to 60-Minute Precipitation Frequency for the Eastern and Central United States*, NOAA Technical Memo NWS HYDRO-35, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.

Fredland, J.W., 2008, personal communication concerning MSHA's position of hydrologic design criteria for temporary mining operations.

* Frischknecht, F.C. and P.V. Raab, 1984, *Location of Abandoned Wells with Geophysical Methods*, Report No. 600/4-84-085, U.S. Department of the Environment, USEPA, Washington, DC.

Frischknecht, F.C., R. Grette, P.V. Raab, and J. Meredith, 1985, *Location of Abandoned Wells by Magnetic Surveys – Acquisition and Interpretation of Aeromagnetic Data for Five Test Areas*, Open-File Report 85-614-A, U.S. Department of the Interior, Geological Survey, Denver, CO.

Gamble, J.C., 1971, *Durability-Plasticity Classification of Shales and Other Argillaceous Rocks*, Ph.D. Thesis, University of Illinois, Champaign, IL.

Gan, Y., 2005, RES3DINV, *Rapid 3D Resistivity and IP Inversion Using the Least-Squares Method*, Geotomo Software, available from Geotomo web site.

Gan, Y., 2004, RES2DINV, *Rapid 2D Resistivity and IP Inversion Using the Least-Squares Method*, Geotomo Software, available from Geotomo web site.

Ganow, H., 1975, *A Geotechnical Study of the Squeeze Problem Associated with the Underground Mining of Coal*, Doctoral Thesis, University of Illinois, Urbana-Champaign, IL.

* Gardner, G.H. and K.K. Wu, 2002, "Challenges Associated with Evaluating the Liquefaction Potential of Coal Waste Impoundments Subject to Seismic Loading," *Proceedings, Tailings Dams 2002*, Las Vegas, Association of State Dam Safety Officials, Lexington, KY, pp. 207-218.

Garret, W.S. and L.T. Campbell Pitt, 1961, "Design and Construction of Underground Bulkheads and Water Barriers," *Transactions, 7th Commonwealth Mining and Metallurgical Congress*, South African Institute of Mining and Metallurgy, pp. 1283-1301.

- GEI Consultants, 2007, personal communication regarding experience with testing coal refuse.
- * Genes, B.E., T.O. Keller, and J.P. Laird, 2000, "Steady State Liquefaction Susceptibility of High Hazard Upstream-Constructed Coal Refuse Disposal Facilities," *Proceedings, Tailings Dams 2000*, Las Vegas, ASDSO/USCOLD, pp. 47-58.
- Gentile, L.F., K.W. Cargill, and S.D. McGarvie, 1997, "Enhanced Cover Methods for Surface Coal Refuse Reclamation," *Proceedings, 14th Annual Meeting, American Society for Surface Mining and Reclamation*, Austin, TX, pp. 299-308.
- Giroud, J.P., 1997, "Geotextile Filters: Reliable Design and Installation," *Proceedings, Recontres 97*, Reims, France, Vol.1, pp. 170-196.
- Graf, J.B., G. Garklavs and K.A. Oberg, 1982, *Time of Concentration and Storage Coefficient Values for Illinois Streams*, Water Resources Investigation Report 82-13, U.S. Department of the Interior, U.S. Geological Survey, Water Resources Division, Urbana, IL.
- Gray, D.H. and Y Lin, 1972, "Engineering Properties of Compacted Fly Ash," *Journal of the Soil Mechanics and Foundations Division*, ASCE, Vol. 98, No. 4, pp. 361-380.
- * Gray, R.E., R.W. Bruhn and R.J. Turka, 1977, *Study and Analysis of Surface Subsidence over the Mined Pittsburgh Coalbed*, Report No. PB-281511, Contract No. J0366047, U.S. Department of the Interior, Bureau of Mines, Denver, CO.
- * Geosynthetic Research Institute (GRI), 2005, *Test Methods, Required Properties, and Testing Frequencies of Geosynthetic Clay Liners (GCLs)*, Standard Specification GRI-GCL3, Folsom, PA.
- Griffiths, D.V. and P.A. Lane, 1999, "Slope Stability Analysis by Finite Elements," *Géotechnique*, Vol. 49, No. 3, pp. 387-403.
- * Gritto, R., 2003, "Subsurface Void Detection Using Seismic Tomographic Imaging," presented at Geophysical Technologies for Detecting Underground Coal Mines Interactive Forum, Lexington, KY, Paper LBNL-53227, Lawrence Berkeley National Laboratory, University of California, Berkeley, CA.
- Guang-Xu, T. and H. Mao-Yuan, 1983, "Assessment of Support Ability of the Fill Mass," *Proceedings, International Symposium on Mining and Backfill*, Lulea, Sweden, S. Granholm, ed., pp. 433-442.
- Guney, M., 1968, "Oxidation and Spontaneous Combustion of Coal: A Review of Individual Factors," *Colliery Guardian*, Vol. 216, pp. 105-110.
- Gupta, B.K., R. Gross and P. Bethell, 2008, "Replacement of Belt Presses with a Deep Cone Thickener at Lone Mountain Processing," *Proceedings, Coal Prep Annual Coal Processing Exhibition and Conference*, Coal Preparation Society of America, Lexington, KY.
- Haan, C.T. and B.J. Barfield, 1978, *Hydrology and Sedimentology of Surface Mined Lands*, Institute for Mining and Minerals Research, Kentucky Center for Energy Research Laboratory, College of Engineering, University of Kentucky Press, Lexington, KY.
- * Haeni, F.P., 1988, "Application of Seismic-Refraction Techniques to Hydrologic Studies," *Techniques of Water-Resources Investigations of the United States Geological Survey*, TWRI 2-D2, U.S. Department of the Interior, Geological Survey, Denver, CO.
- Hanks, T.C. and H. Kanamori, 1979, "A Moment Magnitude Scale," *Journal of Geophysical Research*, Vol. 84, No. B5, pp. 2348-2350.
- Hanks, T.C. and R.K. McGuire, 1981, "The Character of High Frequency Strong Ground Motion," *Bulletin of the Seismological Society of America*, Vol. 71, No. 6, pp. 2071-2095.
- Hanna, T.H., 1985, *Field Instrumentation In Geotechnical Engineering*, Trans Tech Publications, Rockford, MA.

Harder, L.F. Jr., 1991, "Performance of Earth Dams During the Loma Prieta Earthquake," *Proceedings of the Second International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, University of Missouri-Rolla, Vol. II, pp. 1613-1629.

Harder, L.F., Jr. and R.W. Boulanger, 1997, "Application of K_o and K_a Correction Factors," *Proceedings, NCEER Workshop on Evaluation of Liquefaction Resistance of Soils*, T.L. Youd and I.M. Idriss, eds., NCEER-97-0022, National Center for Earthquake Engineering Research, SUNY, Buffalo, pp. 167-190.

Harmsen, S., D. Perkins, and A. Frankel, 1999, "Deaggregation of Probabilistic Ground Motions in the Central and Eastern United States," *Bulletin of the Seismological Society of America*, Vol. 89, No. 1, pp. 1-13.

Harr, M.E., 1962, *Groundwater and Seepage*, McGraw-Hill, New York, NY.

Harteis, S.P. and D.R. Dolinar, 2006, "Water and Slurry Bulkheads in Underground Coal Mines: Design, Monitoring and Safety Concerns," *Mining Engineering*, Vol. 58, No. 12, pp. 41-47.

* Harteis, S.P., D.R. Dolinar and T.M. Taylor, 2008, *Guidelines for Permitting Construction, and Monitoring of Retention Bulkheads for Underground Coal Mines*, Information Circular 9506, U.S. Department of the Interior, National Institute for Occupational Health and Safety, Pittsburgh, PA.

Hartman, H.L., ed., 1992, *Mining Engineering Handbook*, 2nd Ed., Society for Mining, Metallurgy, and Exploration (SME), Littleton, CO.

Haxo, H.E., Jr., "Quality Assurance of Geomembranes Used as Linings for Hazardous Waste Containment," *Geotextiles and Geomembranes*, International Geosynthetics Society, Vol. 3, No. 4, pp. 225-247.

Head, K.H., 1986, *Manual of Soil Laboratory Testing, Volume 3: Effective Stress Tests*, Pentech Press, London, UK.

Head, K.H., 1982, *Manual of Soil Laboratory Testing, Volume 2: Permeability, Shear Strength and Compressibility Tests*, Pentech Press, London, UK.

Head, K.H., 1980, *Manual of Soil Laboratory Testing, Volume 1: Soil Classification and Compaction Tests*, Pentech Press, London, UK.

* Hedin, R.S., G.R. Watzlaf and R.W. Naim, 1994, "Passive Treatment of Acid Mine Drainage with Limestone," *Journal of Environmental Quality*, Vol. 23, No. 6, pp. 1338-1345.

* Hedin, R.S., R.W. Naim and R.L.P. Kleinmann, 1993, *Passive Treatment of Coal Mine Drainage*, Information Circular 9389, U.S. Department of the Interior, Bureau of Mines, Pittsburgh Research Center, Pittsburgh, PA.

* Hegazy, Y.A., A.G. Cushing and C.J. Lewis, 2004, "Physical, Mechanical, and Hydraulic Properties of Coal Refuse for Slurry Impoundment Design," *Proceedings, 2nd International Site Characterization Conference*, Porto, Portugal.

Henderson, F.M., 1966, *Open Channel Flow*, The Macmillan Company, New York, NY.

Henry, C.D., 2007, "Fine Coal Recovery Plant Installation: Smith Branch Impoundment – Pinnacle Mining," *Proceedings, Coal Prep Annual Coal Processing Exhibition and Conference*, Coal Preparation Society of America, Lexington, KY.

* Hershfield, D.M., 1961, *Rainfall Frequency Atlas of the United States for Durations from 30 Minutes to 24 Hours and Return Periods from 1 to 100 Years*, Technical Paper No. 40, U.S. Department of Commerce, Weather Bureau, Washington, DC.

Herzog B.L., 1994, "Slug Tests for Determining Hydraulic Conductivity of Natural Geologic Deposits," *Hydraulic Conductivity and Waste Contaminant Transport In Soil: ASTM STP 1142*, D.E. Daniel and S.J. Trautwein, eds., ASTM, Philadelphia, PA, pp. 95-110.

Himelick, E.B., 1981, *Tree and Shrub Transplanting Manual*, 2nd Ed., International Society of Arboriculture, Champaign, IL.

- Hoek, E., 2000, *Practical Rock Engineering*, Rocscience, Toronto, Ontario, Canada.
- Holtz, R.D. and W.D. Kovacs, 1981, *Introduction to Geotechnical Engineering*, Prentice-Hall, Englewood Cliffs, NJ.
- * Holtz, R.D., B.R. Christopher and R.R. Berg, 1998, *Geosynthetic Design and Construction Guidelines*, DTFH61-93-C-00120, Federal Highway Administration (FHWA), National Highway Institute, Washington, DC.
- Houlsby, A.C., 1990, *Construction and Design of Cement Grouting – A Guide To Grouting In Rock Foundations*, John Wiley & Sons, New York, NY.
- Howard, A.K., 1977, "Modulus of Soil Reaction for Buried Flexible Pipe," *Journal of Geotechnical Engineering*, ASCE, Vol. 103, No. GT1, pp. 33-43.
- Howard, A.K. and J.L. Hitch, eds., 1998, *The Design and Application of Controlled Low-Strength Materials (Flowable Fill)*, ASTM STP 1331, American Society for Testing and Materials. West Conshohocken, PA.
- * Huang, Y.H., J. Li and G. Weeratunga, 1987, "Strength and Consolidation Characteristic of Fine Coal Refuse," University of Kentucky, Lexington, KY.
- Hunt, R.E., 1986, *Geotechnical Engineering Practices*, McGraw-Hill, New York, NY.
- Hustrulid, W.A., 1976, "A Review of Coal Pillar Strength Formulas," *Rock Mechanics*, Vol. 8, No. 2, pp. 115-145.
- Hutchison, I.P.G. and R.D. Ellison, eds., 1992, *Mine Waste Management: A Resource for Mining Industry Professionals, Regulators and Consulting Engineers*, Lewis Publishers, Chelsea, MI.
- Hvorslev, J., 1948, *Subsurface Exploration and Sampling of Soils for Civil Engineering Purposes*, U.S. Department of the Army, Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- * Hynes-Griffin, M.E. and A.G. Franklin, A.G., 1984, *Rationalizing the Seismic Coefficient Method*, Miscellaneous Paper GL-84-13, U.S. Department of the Army, Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- * Idriss, I.M. and R.W. Boulanger, 2007, "Residual Shear Strength of Liquified Soil," *Proceedings, Modernization and Optimization of Existing Dams and Reservoirs*, 27th Annual USSD Conference, Denver, CO, pp. 621-634.
- Indraratna, B. and S. Radampola, 2002, "Analysis of Critical Hydraulic Gradient for Particle Movement in Filtration," *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, Vol. 128, No. 4, pp. 337-350.
- Jaeger, J.C., N.G.W. Cook and R. Zimmerman, 2007, *Fundamentals of Rock Mechanics*, 4th Ed., John Wiley & Sons (Blackwell Publishing), Hoboken, NJ.
- Jáky, J., 1944, "The Coefficient of Earth Pressure at Rest," *Journal for Society of Hungarian Architects and Engineers*, Budapest, Hungary, pp. 355-358.
- Janbu, N., 1973, "Slope Stability Computations," *Embankment-Dam Engineering: Casagrande Volume*, R.C. Hirschfeld and S.J. Poulos, eds., John Wiley & Sons, Hoboken, NJ, pp. 47-86.
- * Johnson, W.J., 2003, "Applications of the Electrical Resistivity Method for Detection of Underground Mine Workings," *Proceedings, Workshop on Geophysical Technologies for Detecting Underground Coal Mine Voids*, Lexington, KY.
- * Johnson, W.J. and J.C. Clark, 1992, *High Resolution Shear Wave Surveying for Hydrogeological Investigations*, Report No. DOE/CH-9211 (Contract No. 02112405 with Argonne National Laboratory), U.S. Department of Energy, Washington, DC.
- * Johnson, W.J., R.E. Snow and J.C. Clark, 2002, "Surface Geophysical Methods for the Detection of Underground Mine Workings," *Proceedings, Symposium on Geotechnical Methods for Mine Mapping Verifications*, Charleston, WV.

* Jolley, T.R. and H.W. Russell, 1959, *Control of Fires in Inactive Coal Deposits in Western U.S. Including Alaska*, 1948-1958, Report No. BM-IC-7932, U.S. Department of the Interior, Bureau of Mines, Washington, DC.

Jones, C.L., J.D. Higgins and R.D. Andrew, 2000, *Colorado Rockfall Simulation Program, Version 4.0*, Colorado Department of Transportation, Colorado Geological Survey, Denver, CO.

* Kalamaras, G.S. and Z.T. Bieniawski, 1993, "A Rock Mass Strength Concept for Coal Seams," *Proceedings, 12th International Conference on Ground Control in Mining*, West Virginia University, Morgantown, WV, pp. 274-283.

Kalinski, M.E. and J.L. Phillips, 2008, "Development of Methods to Predict Dynamic Behavior of Fine Tailings: Preliminary Results from Two Sites in Appalachia," *Geotechnical Special Publication No. 181*, Geotechnical Earthquake Engineering and Soil Dynamics IV, D. Zeng, M.T. Manzari and D.R. Hiltunen, eds., American Society of Civil Engineers (ASCE), Reston, VA.

Kanamori, H., 1977, "The Energy Release in Great Earthquakes," *Journal of Geophysical Research*, Vol. 82, No. B20, pp. 2981-2987.

Karmis, M., 2003, "Milos Statement – Sustainable Development Conference Held in Greece," *Mining Engineering*, Society of Mining, Metallurgy, and Exploration (SME), Littleton, CO, Vol. 55, No. 8, pp. 31-32.

Karmis, M. and Z. Agioutantis, 2004, "A Risk Analysis Subsidence Approach for the Design of Coal Refuse Impoundments Overlying Mine Workings," *Proceedings, 8th International Symposium on Environmental Issues and Waste Management in Energy and Mineral Production (SWEMP)*, Antalya, Turkey, pp. 205-210.

Kashef, A.I., 1986, *Groundwater Engineering*, McGraw-Hill, New York, NY,

* Kaufman, W.W. and J.C. Ault, 1977, *Design of Surface Mine Haulage Roads – A Manual*, BM-IC-8758, U.S. Department of the Interior, Bureau of Mines, Washington, DC.

* Kendorski, F. S., 2006, "Effect of Full-Extraction Underground Mining on Ground and Surface Waters: A 25-Year Retrospective," *Proceedings, 25th International Conference on Ground Control in Mining*, West Virginia University, Morgantown, WV, pp. 425-430.

* Kendorski, F. S., 1993, "Effect of High-Extraction Coal Mining on Surface and Ground Water," *Proceedings, 12th International Conference on Ground Control in Mining*, West Virginia University, Morgantown, WV, pp. 412-425.

* Kendorski, F.S., I. Khosla and M.M. Singh, 1979, *Criteria for Determining When a Body of Surface Water Constitutes a Hazard to Mining*, Final Report, Contract J0285011, U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA.

* Kepler, D.A. and E.C. McCleary, 1994, "Successive Alkalinity-Producing Systems (SAPS) for Treatment of Acid Mine Drainage," *Proceedings, International Land Reclamation and Mine Drainage Conference*, SP06A-94, U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA, pp. 196-204.

Keys, W.S., 1997, *A Practical Guide to Borehole Geophysics in Environmental Investigations*, CRC Press, Boca Raton, FL.

* Kim, A.G. and R.F. Chaiken, 1993, *Fires in Abandoned Coal Mines and Waste Banks*, Information Circular No. 9352, U.S. Department of the Interior, Bureau of Mines, Washington, DC.

Kim, A.G. and R.F. Chaiken, 1990, "Relative Self-Heating Tendencies of Coal, Carbonaceous Shales and Coal Refuse," *Proceedings, 1990 Mining and Reclamation Conference and Exhibition*, J. Skousen and J. Sencindiver, eds., West Virginia University, Morgantown, WV.

* Kim, A.G. and A.M. Kociban, 1994, "Cryogenic Slurry Method to Extinguish Waste Bank Fires," *Proceedings, International Land Reclamation and Mine Drainage Conference*, U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA, pp. 129-138.

- Kirkwood, D.T. and K.K. Wu, 1995, "Technical Considerations for the Design and Construction of Mine Seals to Withstand Hydraulic Heads in Underground Mines," *SME Preprint No. 95-100*, Society for Mining, Metallurgy, and Exploration (SME) Annual Meeting, Denver, CO.
- * Kleinmann, R.L.P., ed., 2000, *Prediction of Water Quality at Surface Coal Mines*, National Mine Reclamation Center, West Virginia University, Morgantown, WV.
- Koerner, R.M., 2006, *Designing with Geosynthetics*, 5th Ed., Prentice Hall, Upper Saddle River, NJ.
- * Koerner, R.M. and G.R. Koerner, 2005, "GSI White Paper #4, Reduction Factors Used in Geosynthetic Design," *GFR Magazine*, Vol. 23, No. 2 (February 2005). Revised version (2007) available from the Geosynthetic Institute, Folsom, PA.
- * Kohli, K. and F. Block, 2007, *Guidance Manual: Outcrop Barrier Design for Above Drainage Coal Mines*, U.S. Department of the Interior, Office of Surface Mining, Washington, DC.
- Kravits, S.J. and J.J. Schwoebel, 1994, Directional Drilling Techniques for Exploration in Advance of Mining," *World Mining Equipment*, Vol. 18, No. 1, pp. 24-28.
- Krinitzsky, E.L., 2002, "How to Obtain Earthquake Ground Motions for Engineering Design," *Engineering Geology*, Vol. 65, No. 1, pp.1-16.
- * Krinitzsky, E. L., 1995, *State-of-the-Art for Assessing Earthquake Hazards in the United States: Selection of Earthquake Ground Motions for Engineering*, Miscellaneous Paper S-73-1, Report 29, U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- Kulhawy, F.H. and P.W. Mayne, 1990, *Manual on Estimating Soil Properties for Foundation Design*, Report EL-6800, Research Project No. 1493-6, Electric Power Research Institute (EPRI), Palo Alto, CA.
- Kumar, S., V.K. Puri, B.M. Das, B.C. Devkota, 2001, "Geotechnical Properties of Fly Ash and Lime-Fly Ash Stabilized Coal Mine Refuse," *Electronic Journal of Geotechnical Engineering*, Vol. 6 (2001).
- Ladd, C.C., 1991, "Stability Evaluation During Staged Construction," *Journal of Geotechnical Engineering*, ASCE, Vol. 117, No. 4, pp. 540-615.
- Ladd, C.C. and R. Foott, 1994, "A New Design Procedure for Stability of Soft Clay," *Journal of Geotechnical Engineering*, ASCE, Vol. 100, No. 7, pp. 763-786.
- Lambe, T.W., 1967, "The Stress Path Method" *Journal of the Soil Mechanics and Foundation Division*, ASCE, Vol. 93, No. 6, pp. 309-331.
- Lambe, T.W., 1951, *Soil Testing for Engineers*, John Wiley & Sons, New York, NY.
- Lambe, T.W. and A.M. Marr, 1979, "Stress Path Method: Second Edition," *Journal of Geotechnical Engineering*, ASCE, Vol. 105, No. 6, pp. 727-738.
- * LaVassar, J.M., 2000, "Two Decades of Dam Safety Office Experience in Applying a Risk Based Approach to Mine Impoundments," *Proceedings, Tailings Dams 2000*, Las Vegas, Association of State Dam Safety Officials (ASDSO), Lexington, KY.
- Legget, R.F., 1962, *Geology and Engineering*, McGraw-Hill, New York, NY.
- Leonards, G.A., ed., 1962, *Foundation Engineering*, McGraw-Hill, New York, NY.
- Leonards, G.A. and J. Narain, 1963, "Flexibility of Clay and Cracking of Dams," *Journal of the Soil Mechanics and Foundations Division*, ASCE, Vol. 89, No. SM2, pp. 47-98.
- Leps, T. M., 1973, "Flow Through Rockfill," *Embankment-Dam Engineering: Casagrande Volume*, R.C. Hirschfeld and S.J. Poulos, eds., John Wiley & Sons, New York, NY, pp. 87-107.
- Linsley, R.K. and J.B. Franzini, 1972, *Water Resources Engineering*, McGraw-Hill, New York, NY.
- Linsley, R.K., M.A. Kohler and J.L. Paulhus, 1982, *Hydrology for Engineers*, 3rd Ed., McGraw-Hill, New York, NY.

- Lo, K-Y and Y.N. Lee, 1990, "Hydraulic Fracture in Earth- and Rock-fill Dams," *Canadian Geotechnical Journal*, Vol. 27, No. 4, pp. 496-506.
- Londe, P., 1970, "La Fissuration des Noyaux," *Proceedings, 10th International Conference on Large Dams*, Vol. VI, pp. 384-387.
- Love, E. R., W.H. Hammack, J. Sams, G. Veloski and T. Ackman, 2005, "Case History – Using Airborne Thermal Infrared Imagery and Helicopter EM Conductivity to Locate Mine Pools and Discharges in the Kettle Creek Watershed, North-Central Pennsylvania," *Geophysics*, Vol. 70, No. 6, pp. B73–B81.
- Lowe, J. and L. Karafiath, 1960, "Effect of Anisotropic Consolidation on the Undrained Strength of Compacted Clays," *Proceedings of the ASCE Research Conference on Shear Strength on Cohesive Soils*, New York, American Society of Civil Engineers, Reston, VA, pp. 837-858.
- Luettich, S.M., J.P. Giroud and R.C. Bachus, 1992, "Geotextile Filter Design Guide," *Journal of Geotextiles and Geomembranes*, Vol. 11, Nos. 4-6, pp. 355-370.
- Lunne, T., P.K. Robertson and J.J.M. Powell, 1997, *Cone Penetration Testing in Geotechnical Practice*, Spon Press, London, UK.
- Luo, Y., S.S. Peng and H.J. Chen, 1996, "Identification of Factors Affecting Horizontal Displacement in Subsidence Process," *Proceedings, 15th International Conference on Ground Control in Mining*, Colorado School of Mines, Golden, CO, pp. 155-165.
- Mackey, R.E. and G.R. Koerner, 1999, "Biological Clogging of Geotextile Filters – A Five Year Study," *Proceedings, Geosynthetics '99*, Boston, Geosynthetics Research Institute, Folsom, PA, Vol. 2, pp. 783-798.
- * Magnuson, M.O. and E.C. Baker, 1974, "State-of-the-Art in Extinguishing Refuse Pile Fires," *Proceedings, First Symposium on Mine and Preparation Plant Refuse Disposal*, Louisville, KY, National Coal Association, Washington, DC, pp. 165-182.
- Mainali, G., 2006, *Monitoring of Tailings Dams with Geophysical Methods*, Licentiate Thesis, Lulea University of Technology, Department of Civil and Environmental Engineering, Division of Applied Geophysics, Lulea, Sweden.
- Makdisi, F.I. and H.B. Seed, 1978, "Simplified Procedure for Estimating Dam and Embankment Earthquake-Induced Deformations," *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 104, No. GT7, pp. 849-867.
- * Makdisi, F.I. and H.B. Seed, 1977, *A Simplified Procedure for Computing Maximum Crest Acceleration and Natural Period for Embankments*, Report No. UCB/EERC-77/19, Earthquake Engineering Research Center, University of California, Berkeley, CA.
- Malvick, E.J., B.L. Kutter, R.W. Boulanger and R. Kulasingam, 2006, "Shear Localization Due to Liquefaction-Induced Void-Redistribution in a Layered Infinite Slope," *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, Vol. 132, No. 10, pp. 1293-1303.
- Maneval, D.R., 1969, "Recent Advances in Extinguishment of Burning Coal Refuse Banks for Air Pollution Reduction," *Proceedings, Symposium on Pollution Control in Fuel Combustion, Processing and Mining*, Minneapolis, MN, pp. 27-41.
- Marcuson, W.F., III, M.E. Hynes and A.G. Franklin, 1992, "Seismic Stability and Permanent Deformation Analyses: The Last Twenty-Five Years," *Proceedings, Stability Performance of Slopes and Embankments II*, R.B. Seed and R.W. Boulanger, eds., University of California, Berkeley, American Society of Civil Engineers (ASCE), Reston, VA, pp. 552-592.
- * Mark, C., 2006, "The Evolution of Intelligent Coal Pillar Design: 1981-2006," *Proceedings, 25th International Conference on Ground Control in Mining*, University of West Virginia, Morgantown, WV, pp. 325-334.

- * Marks, B.D. and B.A. Tschantz, 2002, *A Technical Manual on the Effects of Tree and Woody Vegetation Root Penetrations on the Safety of Earthen Dams*, ASDSO/FEMA Workshop, compiled by Marks Enterprises of NC, PLLC, Arden, NC.
- * Marshall Miller & Associates (MM&A), 2006, *An Analysis of In-Seam Seismic Reflection Techniques to Identify and Locate Abandoned Underground Mine Voids in Advance of Mining*, Geophysical Void Detection Demonstration Project, prepared for MSHA by MM&A and Virginia Tech, Bluefield, WV.
- Martin, J.F., 1974, "Quality of Effluents from Coal Refuse Piles," *Proceedings, First Symposium on Mine and Preparation Plant Refuse Disposal*, Louisville, KY, National Coal Association, Washington, DC, pp. 26-37.
- * Martin, T.E. and M. P. Davies, 2000, "Development and Review of Surveillance Programs for Tailings Dams," *Proceedings, Tailings Dams 2000*, Las Vegas, Association of State Dam Safety Officials (ASDSO), Lexington, KY, pp. 367-380.
- Mayne, P.W. and F.H. Kulhawy, 1982, " K_o -OCR Relationships in Soil," *Journal of Geotechnical Engineering*, ASCE, Vol. 108, No. GT6, pp. 851-872.
- * Mayne, P.W., B.R. Christopher and J. DeJong, 2002, *Subsurface Investigations (Geotechnical Site Characterization)*, FHWA-NHI-01-031, U.S. Department of Transportation, Federal Highway Administration (FHWA), National Highway Institute, Washington, DC.
- Maynard, S.T., 1978, *Practical Riprap Design*, Miscellaneous Paper H-78-7, U.S. Department of the Army, Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- * McCook, D.K., 2006, "Pipes in Drain Systems – Are They a Necessary Evil?" *2006 Annual Conference Proceedings*, Boston, Association of State Dam Safety Officials (ASDSO), Lexington, KY.
- * McCook, D.K., 2002, "Things Your Mother Never Told You about Earth Dam Design," *2002 Annual Conference Proceedings*, Tampa, Association of State Dam Safety Officials (ASDSO), Lexington, KY.
- * McCook, D.K., and J.R. Talbot, 2008, "A Comprehensive Sand and Gravel Filter Design Approach with Examples, Flow Charts, and Step by Step Process," *2008 Annual Conference Proceedings*, Indian Wells, Association of State Dam Safety Officials (ASDSO), Lexington, KY.
- McCutcheon, H.P., 1983, *Liquefaction and Cyclic Mobility of Coal Refuse Material*, M.S. Thesis, Carnegie Mellon University, Pittsburgh, PA.
- McGrath, T.J. and R.J. Hoopes, 1998, "Bedding Factors and E' Values for Buried Pipe Installations Backfilled with Air-Modified CLSM," *The Design and Application of Controlled Low-Strength Materials (Flowable Fill)*, ASTM STP 1331-EB, A.K. Howard and J.L. Hitch, eds., American Society for Testing and Materials (ASTM), West Conshohocken, PA.
- * McGuire, R.K., 1978, *FRISK: Computer Program for Seismic Risk Analysis Using Faults as Earthquake Sources*, Open File Report 78-1007, U.S. Department of the Interior, U.S. Geological Survey, Denver, CO.
- * McGuire, R.K., 1976, *FORTTRAN Computer Program for Seismic Risk Analysis*, Open-File Report 76-67, U.S. Department of the Interior, U.S. Geological Survey, Denver, CO.
- McGuire, R.K., 1974, *Seismic Structural Response Risk Analysis Incorporating Peak Response Regressions on Earthquake Magnitude and Distance*, Research Report R74-51, Massachusetts Institute of Technology, Department of Civil Engineering, Cambridge, MA.
- McKenna, G., 2006, "Rules of Thumb for Geotechnical Instrumentation Costs," *Geotechnical News*, BiTech Publishers, Richmond, BC, Canada, Vol. 24, No. 2, pp. 46-47.
- McLaren, R.J. and A.M. DiGioia, Jr., 1987, "The Typical Engineering Properties of Fly Ash," *Proceedings, Geotechnical Practice for Waste Disposal '87*, R.D. Woods, ed., New York, American Society of Civil Engineers (ASCE), Reston, VA, pp. 683-697.

- * McNay, L.M., 1971, *Coal Refuse Fires, an Environmental Hazard*, Report No. BM-IC-8515, U.S. Department of the Interior, Bureau of Mines, Washington, DC.
- McNeill, J.D., 1990, "Use of Electromagnetic Methods for Groundwater Studies," *Investigations in Geophysics No. 5: Geotechnical and Environmental Geophysics*, S.H. Ward, ed., Society of Exploration Geophysicists, Tulsa, OK, Vol. I, pp. 191–218.
- * Meek, F.A., 1994, "Evaluation of Acid Prevention Techniques Used in Surface Mining," *Proceedings, International Land Reclamation and Mine Drainage Conference*, SP 06B-94, U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA, pp. 41-48.
- Mesri, G. and M.E.M. Abdel-Ghaffar, 1993, "Cohesion Intercept in Effective Stress Stability Analysis," *Journal of Geotechnical Engineering*, Vol. 119, No. 8, pp. 1229-1249.
- Michael, P. and M. Superfesky, 2007, "Excess Spoil Minimization and Fill Stability," *Proceedings, 2007 Annual Meeting*, Society for Mining, Metallurgy and Exploration (SME), Denver, CO.
- * Michael, P., R. Murguia and L. Kosareo, 2005, *The Flowability of Impounded Coal Refuse: A Review of Recent Work and Current Ideas in the Engineering Profession*, OSM Final Report, U.S. Department of the Interior, Office of Surface Mining, Washington, DC.
- Michalek, S.J., G.H. Gardner and K.K. Wu, 1996, *Accidental Releases of Slurry and Water from Coal Impoundments through Abandoned Underground Mines*, U.S. Department of Labor, MSHA, Safety and Health Technology Center, Pittsburgh, PA.
- Mihok, E.A. and C.E. Chamberlain, 1968, "Factors in Neutralizing Acid Mine Water with Limestone," *Proceedings, 2nd Symposium on Coal Mine Drainage Research*, Mellon Institute, Pittsburgh, PA, pp. 165-173.
- Mikkelsen, P.E., 2002, "Cement-Bentonite Grout Backfill for Borehole Instruments," *Geotechnical News*, Vol. 20, No. 4, pp. 38-42.
- * Mine Safety and Health Administration (MSHA), 2008, *Final Reports on Geophysical Void Detection Demonstration Projects*, U.S. Department of Labor, MSHA, Arlington, VA.
- * Mine Safety and Health Administration (MSHA), 2007, *MSHA Coal Mine Impoundment Inspection and Plan Review Handbook*, Handbook No. PH07-01, U.S. Department of Labor, MSHA, Arlington, VA.
- * Mine Safety and Health Administration (MSHA), 2003, *Report to Congress: Responses to Recommendations in the National Research Council's Report, "Coal Waste Impoundments: Risks, Responses and Alternatives"*, U.S. Department of Labor, MSHA, Arlington, VA.
- * Mine Safety and Health Administration (MSHA), 1999, *Haul Road Inspection Handbook*, PH99-I-4, U.S. Department of Labor, MSHA, Arlington, VA.
- Mine Safety and Health Administration (MSHA), 1993, *Coal Impoundment Inspection Procedures Handbook*, PH89-V-4, U.S. Department of Labor, MSHA, Arlington, VA.
- Mine Safety and Health Administration (MSHA), 1983, *Design Guidelines for Coal Refuse Piles and Water, Sediment, or Slurry Impoundments, and Impounding Structures*, Amendment to Informational Report 1109, Technical Support Center, Denver, CO and Pittsburgh, PA.
- * Mining Enforcement and Safety Administration (MESA), 1975, *Engineering and Design Manual, Coal Refuse Disposal Facilities*, U.S. Department of the Interior, MESA, Washington, DC.
- Mishra, G.C. and A.K. Singh, 2005, "Seepage through a Levee," *International Journal of Geomechanics*, ASCE, Vol. 5, No. 1, pp. 74-79.
- Mitchell, R.J., 1983, *Earth Structures Engineering*, Allen and Unwin, Boston MA.
- Molinda, G.M., C. Mark and D. Debasis, 2001, "Using the Coal Mine Roof Rating (CMRR) to Assess Roof Stability in U.S. Coal Mines," *Journal of Mines, Metals & Fuels*, Vol. 49, No. 8-9, pp. 314-321.

- Morgenstern, N.R. and V.E. Price, 1965, "The Analysis of the Stability of General Slip Surfaces," *Géotechnique*, Vol. 15, No. 1, pp. 79-93.
- Morris, P.H. and D.J. Williams, 2000, "A Revision of Blight's Model of Field Vane Testing," *Canadian Geotechnical Journal*, Vol. 37, No. 5, 1089-1098.
- Moser, A.P., 2001, *Buried Pipe Design*, 2nd Ed., McGraw-Hill, New York, NY.
- * Myers, J.W., J.J. Pfeiffer, E.M. Murphy and F.E. Griffith, 1966, *Ignition and Control of Burning of Coal Mine Refuse*, Report No. BM-RI-6758, U.S. Department of the Interior, Bureau of Mines, Washington, DC.
- Naesgaard, E., P.M. Byrne, M. Seid-Karbasi and S.S. Park, 2005, "Modeling Flow Liquefaction, Its Mitigation, and Comparison with Centrifuge Tests," *Proceedings, Geotechnical Earthquake Engineering Satellite Conference*, Osaka, Japan.
- National Academy of Sciences, 1975, *Underground Disposal of Coal Mine Wastes*, Washington, DC.
- National Coal Board (NCB), 1975, *Subsidence Engineers' Handbook*, Mining Department of the NCB, London, UK.
- National Coal Board (NCB), 1972, *Review of Research on Properties of Spoil Tip Materials*, NCB, London, UK.
- National Coal Board (NCB), 1970, "Spoil Heaps and Lagoons," *Technical Handbook*, NCB, London, UK.
- National Research Council (NRC), 2002, *Coal Waste Impoundments: Risks, Responses, and Alternatives*, Committee on Coal Waste Impoundments, Committee on Earth Resources, Board on Earth Sciences and Resources, Division on Earth and Life Studies, National Academy Press, Washington, DC.
- National Stone, Sand & Gravel Association (NSSGA – formerly National Stone Association), 1989, *Quarried Stone for Erosion and Sediment Control*, Alexandria, VA.
- National Weather Service (NWS), 2006a, *NOAA Atlas 14, Precipitation Atlas of the United States, Volume 1, The Semi-Arid Southwest*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS (available on-line only).
- National Weather Service (NWS), 2006b, *NOAA Atlas 14, Precipitation Atlas of the United States, Volume 2, The Ohio River Basin and Surrounding States*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS (available on-line only).
- * National Weather Service (NWS), 1999, *Hydrometeorological Report No. 59, Probable Maximum Precipitation for California*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.
- * National Weather Service (NWS), 1998, *Hydrometeorological Report No. 58, Probable Maximum Precipitation for California – Calculation Procedures*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.
- * National Weather Service (NWS), 1994, *Hydrometeorological Report No. 57, Probable Maximum Precipitation – Pacific Northwest States*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.
- * National Weather Service (NWS), 1988, *Hydrometeorological Report No. 55A, Probable Maximum Precipitation Estimates, United States between the Continental Divide and the 105th Meridian*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.
- * National Weather Service (NWS), 1986, *Hydrometeorological Report No. 56, Probable Maximum Precipitation Estimates with Areal Distribution for Tennessee River Drainages Less than 3000 Square Miles in Area*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.
- * National Weather Service (NWS), 1982, *Hydrometeorological Report No. 52, Application of Probable Maximum Precipitation Estimates, United States East of the 105th Meridian*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.

- * National Weather Service (NWS), 1980, *Hydrometeorological Report No. 53, Seasonal Variation of 10-Square-Mile Probable Maximum Precipitation Estimates, United States East of the 105th Meridian*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.
- * National Weather Service (NWS), 1978, *Hydrometeorological Report No. 51, Probable Maximum Precipitation Estimates, United States East of the 105th Meridian*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.
- * National Weather Service (NWS), 1977, *Hydrometeorological Report No. 49, Probable Maximum Precipitation Estimates, Colorado River and Great Basin Drainages*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.
- National Weather Service (NWS), 1973, *NOAA Atlas 2, Precipitation Frequency Atlas of the Western United States*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.
- * National Weather Service (NWS), 1965, *Technical Paper No. 52, Two- to 10-Day Precipitation for Return Periods from 1 to 100 Years in Alaska*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.
- * National Weather Service (NWS), 1964, *Technical Paper No. 49, Two- to 10-Day Precipitation for Return Periods from 2 to 100 Years for the Contiguous United States*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.
- * National Weather Service (NWS), 1963, *Technical Paper No. 47, Probable Maximum Precipitation and Rainfall Frequency Data for Alaska for Areas to 400 Square Miles, Durations to 24 Hours, and Return Periods from 1 to 100 Years*, U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NWS, Washington, DC.
- * Natural Resources Conservation Service (NRCS), 2007a, *National Engineering Handbook, Chapter 7: Hydrologic Soil Groups*, 210-VI-NEH, U.S. Department of Agriculture, NRCS, Washington, DC.
- * Natural Resources Conservation Service (NRCS), 2007b, *National Engineering Handbook, Chapter 45: Filter Diaphragms*, 210-VI-NEH, U.S. Department of Agriculture, NRCS, Washington, DC.
- * Natural Resources Conservation Service (NRCS), 2007c, *NRCS Fillable Form Template*, U.S. Department of Agriculture, NRCS, Washington, DC.
- * Natural Resources Conservation Service, 2005a, *National Engineering Handbook, Chapter 52: Structural Design of Flexible Conduits*, 210-VI-NEH, U.S. Department of Agriculture, NRCS, Washington, DC.
- * Natural Resources Conservation Service (NRCS), 2005b, *Earth Dams and Reservoirs*, TR-60, 210-VI-TR60, U.S. Department of Agriculture, NRCS, Washington, DC.
- * Natural Resources Conservation Service (NRCS), 2004a, *National Engineering Handbook, Chapter 9: Hydrologic Soil Cover Complexes*, 210-VI-NEH, U.S. Department of Agriculture, NRCS, Washington, DC.
- * Natural Resources Conservation Service (NRCS), 2004b, *National Engineering Handbook, Chapter 10: Estimation of Direct Runoff from Storm Rainfall*, 210-VI-NEH, U.S. Department of Agriculture, NRCS, Washington, DC.
- * Natural Resources Conservation Service (NRCS), 2004c, *National Engineering Handbook, Chapter 11: Snowmelt*, 210-VI-NEH, U.S. Department of Agriculture, NRCS, Washington, DC.
- * Natural Resources Conservation Service (NRCS), 2002, *Pond*, Conservation Practice Standard No. 378, U.S. Department of Agriculture, NRCS, Washington, DC.
- * Natural Resources Conservation Service (NRCS), 1994, *National Engineering Handbook, Chapter 26: Gradation Design of Sand and Gravel Filters*, U.S. Department of Agriculture, NRCS, Washington, DC.

- * Natural Resources Conservation Service (NRCS), 1986, *Urban Hydrology for Small Watersheds*, TR-55, 210-VI-TR55, U.S. Department of Agriculture, NRCS, Washington, DC.
- * Newman, D.A., 2003, "Rock Mechanics and the Analysis of Underground Mine Stability Adjacent to Coal Refuse Impoundments," *Proceedings, 22nd International Conference on Ground Control in Mining*, West Virginia University, Morgantown, WV.
- Newmark, N.M., 1965, "Effects of Earthquakes on Dams and Embankments," *Géotechnique*, Vol. 15, No. 2, pp. 139-160.
- Nicholas, A.K. and R.J. Hutnik, 1971, *Ectomycorrhizal Establishment and Seedling Response on Various Treated Deep-Mine Coal Refuse*, Special Report SR-89, School of Forest Resources, Pennsylvania State University, University Park, PA.
- * Nicholls, H.R., C.F. Johnson and W.I. Duvall, 1971, *Blasting Vibrations and Their Effects on Structures*, Bulletin 656, U.S. Department of the Interior, Bureau of Mines, Washington, DC.
- * Nieto, A.S., 1979, "Evaluation of Damage Potential to Earth Dams by Subsurface Coal Mining at Rend Lake, Illinois," *Proceedings, Geotechnics of Mining: 10th Ohio River Valley Seminar*, Lexington, KY, pp. 9-18.
- Nilson, A.H., D. Darwin and C.W. Dolan, 2002, *Design of Concrete Structures*, 13th Ed., McGraw-Hill, New York, NY.
- Nuttli, O.W., 1973, "Seismic Wave Attenuation and Magnitude Relations for Eastern North America," *Journal of Geophysical Research*, Vol. 78, No. 5, pp. 876-885.
- O'Brien, J.J., J.A. Havers and F.W. Stubbs, eds., 1996, *Standard Handbook of Heavy Construction*, 3rd Ed., McGraw-Hill, New York, NY.
- O'Connor, K.M. and C.H. Dowding, 1999, *GeoMeasurements by Pulsing TDR Cables and Probes*, CRC Press, Boca Raton, FL.
- Oglesby, C.H. and R.G. Hicks, 1982, *Highway Engineering*, 4th Ed., John Wiley & Sons, New York, NY.
- * Ohio Department of Transportation (ODOT), 2006, *Geotechnical Bulletin GB3: Rock Cut Slope and Catchment Design*, Division of Production Management, Office of Geotechnical Design, Columbus, OH.
- * Olin, D.A. and J.B. Atkins, 1988, *Estimating Flood Hydrographs and Volumes for Alabama Streams*, Water Resources Investigation Report 88-4041, U.S. Department of the Interior, U.S. Geological Survey, Water Resources Division, Tuscaloosa, AL.
- Olsen, R.S. and J.K. Mitchell, 1995, "CPT Stress Normalization and Prediction of Soil Classification," *Proceedings of the International Symposium on Cone Penetration Testing, CPT '95*, Linköping, Sweden, Swedish Geotechnical Society, Vol. 2, pp. 257-262.
- Olson, S.M. and T.D. Stark, 2003, "Yield Strength Ratio and Liquefaction Analysis of Slopes and Embankments," *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, Vol. 129, No. 8, pp. 727-737.
- Olson, S.M. and T.D. Stark, 2002, "Liquefied Strength Ratio from Liquefaction Flow Failure Case Histories," *Canadian Geotechnical Journal*, National Research Council of Canada, Vol. 39, pp. 629-647.
- Owens, H.L., 2008, personal communication.
- Owens, H.L., 1987, *MSHA Report of Investigation, Impoundment Principal Spillway Pipe Failure*, Montcoal Preparation Plant (ID No. 46-03430), Peabody Coal Company, Raleigh County, WV.
- Owens, H.L., 1977, *MESA Memorandum on Failure of the Fine Coal Refuse Impoundment (ID No. 1211WV40009-02)*, Pond Fork Preparation Plant, Island Creek Coal Company, Boone County, WV.
- Packer, P.E. and E.F. Aldon, 1978, "Revegetation Techniques for Dry Regions," *Reclamation of Drastically Disturbed Land*, F.W. Schaller and P. Sutton, eds., American Society of Agronomy, Madison, WI, pp. 425-450.

Page, A.L., R.H. Miller and D.R. Keeney, eds., 1982, *Methods of Soil Analysis, Part 2: Chemical and Microbiological Properties*, Agronomy Monograph No. 9, 2nd Ed., American Society of Agronomy and Soil Science of America, Madison, WI.

Pariseau, W.G., 2006, *Design Analysis in Rock Mechanics*, CRC Press, Boca Raton, FL.

Pariseau, W.G., 1975, "Limit Design of Mine Pillars under Uncertainty," *Proceedings, 16th U.S. Symposium on Rock Mechanics*, University of Minnesota, Minneapolis, MN, pp. 287-301.

Park, R. and T. Paulay, 1975, *Reinforced Concrete Structures*, John Wiley & Sons, New York, NY.

Patterson, R.J. and K.D. Ferguson, 1994, "The Gibraltar North Project Assessing Acid Rock Drainage," *Proceedings, 3rd International Conference on the Abatement of Acidic Drainage*, Pittsburgh, PA, U.S. Bureau of Mines Special Publication SP 06B-94, Vol. 2, pp. 12-21.

*Pearson, M.L., T. Preber and P.J. Conroy, 1981, *Outcrop Barrier Design Guidelines for Appalachian Coal Mines*, Open File Report 134-81, U.S. Department of the Interior, Bureau of Mines, Washington, DC.

Peck, R.B., 1972, "Observations and Instrumentation: Some Elementary Considerations," *Highway Focus*, U.S. Department of Transportation, Federal Highway Administration, Vol. 4, No. 2, pp. 1-5. Reprinted in *Judgment in Geotechnical Engineering: The Professional Legacy of Ralph B. Peck*, 1984, J. Dunnycliff and D.U. Deere, eds., John Wiley & Sons, New York, NY, pp. 128-130.

Pelton, F., 2000, *Guidelines for Instrumentation and Measurement for Monitoring Dam Performance*, 0-7844-0531-X, ASCE Task Committee on Instrumentation and Monitoring Dam Performance, American Society of Civil Engineers (ASCE), Reston, VA.

Peng, S.S. and H.S. Chiang, 1984, *Longwall Mining*, John Wiley & Sons, New York, NY.

Peng, S.S. and Y. Luo, 1993, "A New Method for Designing Support Area to Protect Surface Structures over Underground Coal Mining Areas," *Transactions, AIME-SME*, Vol. 294, pp. 1927-1932.

* Pennsylvania Department of Environmental Protection (PADEP), 2000, *Erosion and Sediment Pollution Control Program Manual*, Document No. 363-2134-008, PADEP, Office of Water Management, Bureau of Watershed Management, Division of Waterways, Wetlands and Erosion Control, Harrisburg, PA.

Pennsylvania Department of Transportation (PennDOT), 2007, *Specifications Publication 408/2007*, Commonwealth of Pennsylvania, PennDOT, Harrisburg, PA.

* Pennsylvania State University (PSU), 2006, *An In-Seam Seismic (ISS) Method Based Mine Void Detection Technique*, Final Report for Phase I, prepared for MSHA by Maochen Ge, PSU, University Park, PA.

Performance Pipe, 2003, *The Performance Pipe Engineering Manual*, Performance Pipe Division of Chevron Phillips Chemical Company, LP, Plano, TX.

* Perin, R.J., 2000, "Foundation Treatment of Stress Relief Fractures 'Hillseams' in a Tailings Embankment Cutoff Trench," *Proceedings, Tailings Dams 2000*, Las Vegas, ASDSO/USCOLD, pp. 197-209.

Perlea, V.G., M.E. Rothford and D.C. Serafini, 2009, "Use of Seismic Deformation Analysis in Remediation Design," *Proceedings, 29th Annual USSD Conference*, Nashville, United States Society on Dams, Denver, CO.

Phelps, L.B., W.B. Wells and L.W. Saperstein, 1981, "An Analysis of Surface Coal Mine Spoil Bulk Density," Society of Mining Engineering Annual Meeting, SME Preprint No. 81-53, Chicago, IL.

Poulos, S.J., 1988, "Chapter 9 – Liquefaction and Related Phenomena," *Advanced Dam Engineering for Design, Construction, and Rehabilitation*, R.B. Jansen, ed., Van Nostrand Reinhold, New York, NY.

Poulos, S.J., 1981, "The Steady State of Deformation," *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 107, No. GT5, pp. 553-562.

- Poulos, H.G. and E.H. Davis, 1974, *Elastic Solutions for Soil and Rock Mechanics*, John Wiley & Sons, New York, NY.
- Poulos, S.J., G. Castro and J.W. France, 1985, "Liquefaction Evaluation Procedure," *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 111, No. GT6, pp. 772-792.
- Pratt, H.K., R.C. McMordie and R.M. Dundas, 1972, "Foundations and Abutment - Bennett and Mica Dams," *Journal of the Soil Mechanics and Foundations Division*, ASCE, Vol. 98, SM10, pp. 1053-1072.
- Price, W.A., K.A. Morin and N.M. Hutt, 1997, "Guidelines for the Prediction of Acid Rock Drainage and Metal Leaching for Mines in British Columbia: Part II, Recommended Procedures for Static and Kinetic Tests," *Proceedings, 4th International Conference on Acid Rock Drainage*, Vancouver, BC, Canada, American Society of Surface Mining and Reclamation, Vol. I, pp. 15-30.
- Qiu, Y.J., and D.C. Sego, 2001, "Laboratory Properties of Mine Tailings," *Canadian Geotechnical Journal*, Vol. 38, No. 1, pp. 183-190.
- Quaranta, J.D., L.D. Banta, and J.A. Altobello, 2008, "Remote Monitoring of a High Hazard Coal Waste Impoundment in Mountainous Terrain Case Study," *Proceedings, Tailings and Mine Waste '08*, Vail, CO, pp. 125-136.
- Reddi, L.N., 2003, *Seepage in Soils – Principles and Applications*, John Wiley & Sons, Hoboken, NJ.
- Rellensmann, O. and E. Wagner, 1957, "The Effect on Railways of the Ground Movements Due to Mining," *Proceedings, First European Congress on Ground Movement*, University of Leeds, Leeds, UK, pp. 74-82.
- Rich, D.H. and K.R. Hutchinson, 1990, "Neutralization and Stabilization of Combined Refuse Using Lime Kiln Dust at High Power Mountain," *Proceedings, 1990 Mining and Reclamation Conference and Exhibition*, Charleston, WV, Vol. I, pp. 55-60.
- Richter, C., 1958, *Elementary Seismology*, W.H. Freeman and Co., San Francisco, CA.
- Rico, M., G. Benito and A. Diez-Herrero, 2008, Floods from Tailings Dam Failures, *Journal of Hazardous Materials*, Vol. 152, No. 2, pp. 846-852.
- * Rixner, J.J., S.R. Kraemer and A.D. Smith, 1986, *Prefabricated Vertical Drains, Vol. I, Engineering Guidelines*, Report No. FHWA/RD-86/168, Office of Engineering and Highway Operations Research and Development, Federal Highway Administration, McLean, VA.
- * Robbins, C.H., 1986, *Techniques for Simulating Flood Hydrographs and Estimating Flood Volumes for Ungaged Basins in Tennessee*, Water Resources Investigation Report 86-4192, U.S. Department of the Interior, U.S. Geological Survey, Water Resources Division, Nashville, TN.
- Robertson, P.K., 2008, discussion of paper, "Liquefaction Potential of Silts from CPTu," *Canadian Geotechnical Journal*, Vol. 45, pp. 140-141.
- Robertson, P.K., 2004, "Evaluating Soil Liquefaction and Post-Earthquake Deformations Using the CPT," *Proceedings of ISC-2 on Geotechnical and Geophysical Site Characterization*, Porto, Portugal, V. Fonseca and P.W. Mayne, eds., Millpress, Rotterdam, Vol. 1, pp. 233-252.
- Robertson, P.K., 1994, "Suggested Terminology for Liquefaction," *Proceedings of the 47th Canadian Geotechnical Conference*, Halifax, NS, Canadian Geotechnical Society, Alliston, ON, Canada, pp. 277-286.
- Robertson, P.K. and R.G. Campanella, 1983, "Interpretation of Cone Penetration Tests: Part I - Sands; Part II - Clays," *Canadian Geotechnical Journal*, Vol. 20, No. 4, pp. 719-745.
- Robertson, P.K. and C.E. Wride, 1998, "Evaluating Cyclic Liquefaction Potential Using the Cone Penetration Test," *Canadian Geotechnical Journal*, Vol. 35, No. 3, pp. 442-459.
- Rupert, G.B. and G.B. Clark, 1977, "Criteria for the Proximity of Surface Blasting to Underground Coal Mines," *Proceedings, 18th U.S. Symposium on Rock Mechanics*, Colorado School of Mines, Keystone, CO, pp. 3C3-1 to 3C3-10.

- * Rusnak, J. and C. Mark, 2000, "Using the Point Load Test to Determine the Uniaxial Compressive Strength of Coal Measure Rock," *Proceedings, 19th International Conference on Ground Control in Mining*, S.S. Peng and C. Mark, eds., West Virginia University, Morgantown, WV, pp. 362-371.
- Rutledge, P.C. and J.P. Gould, 1973, "Movements of Articulated Conduits under Earth Dams on Compressible Foundations," *Embankment-Dam Engineering: Casagrande Volume*, R.C. Hirschfeld and S.J. Poulos, eds., John Wiley & Sons, New York, NY, pp. 209-237.
- * Sabatini, P.J., R.C. Bachus, P.W. Mayne, J.A. Schneider and T.E. Zettler, 2002, *Geotechnical Engineering Circular No. 5: Evaluation of Soil and Rock Properties*, DTFH61-94-C-00099, U.S. Department of Transportation, Federal Highway Administration (FHWA), Office of Bridge Technology, Washington, DC.
- Saikia, C.K. and P.G. Somerville, 1997, "Simulated Hard-Rock Motions in Saint Louis, Missouri, from Large New Madrid Earthquakes ($M_w \geq 6.5$)," *Bulletin of the Seismological Society of America*, Vol. 87, No. 1, pp. 123-139.
- * Sames, G.P. and N.N. Moebs, 1992, *Roof Control of Stress-Relief Jointing near Outcrops in Central Appalachian Drift Mines*, Information Circular 9313, U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA.
- * Sames, G.P. and N.N. Moebs, 1989, *Hillseam Geology and Roof Instability Near Outcrop in Eastern Kentucky Drift Mines*, Report of Investigations 9267, U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA.
- Sarma, S.K., 1973, "Stability Analysis of Embankments and Slopes," *Géotechnique*, Vol. 23, No. 3, pp. 423-433.
- * Savy, J.B., W. Foxall, N.A. Abrahamson and D.L. Bernreuter, 2002, *Guidance for Performing Probabilistic Seismic Hazard Analysis for a Nuclear Plant Site: Example Application to the Southeastern United States*, NUREG/CR-6607 (UCRL-ID-133494), Office of Nuclear Regulatory Research, U.S. Nuclear Regulatory Commission (USNRC), Washington, DC.
- Saxena, S.K., D.E. Lourie and J.S. Rao, 1984, "Compaction Criteria for Eastern Coal Waste Embankments," *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 110, No. GT2, pp. 262-284.
- * Schaefer, M.G., 1992, *Dam Safety Guidelines - Technical Note 1: Dam Break Inundation Analysis and Downstream Hazard Classification*, Publication 92-55E, Washington State Department of Ecology, Olympia, WA.
- * Schnabel, P.B., J. Lysmer and H.B. Seed, 1972, *SHAKE: A Computer Program for Earthquake Response Analysis of Horizontally Layered Sites*, Report No. EERC 72-12, University of California, Berkeley, CA.
- * Schubert, C.E., W.J. Johnson and B.W. Hassinger, 1982, *Improved Resource Characterization for Coal Mining (Geophysics and Drilling Technology)*, Contract No. USDOE AC22-80PC30114, U.S. Department of Energy, Office of Coal Mining, Washington, DC.
- Schwartz, D.P. and K.J. Coppersmith, 1986, "Seismic Hazards: New Trends in Analysis Using Geologic Data," *Studies in Geophysics-Active Tectonics*, National Academy Press, Washington, DC, pp. 215-230.
- Scovazzo, V.A., 2008, personal communication regarding experience with angle of draw.
- * Scovazzo, V.A., 1995, "Comparison of Empirical, Analytical, and Numerical Methods of Pillar Design and the Development of a Site Specific Pillar Formula," *Proceedings, 14th International Conference on Ground Control in Mining*, West Virginia University, Morgantown, WV, pp. 116-123.
- Seed, H.B., 1987, "Design Problems in Soil Liquefaction," *Journal of Geotechnical Engineering*, ASCE, Vol. 113, No. 8, pp. 827-845.
- Seed, H.B., 1979, "Soil Liquefaction and Cyclic Mobility Evaluation for Level Ground During Earthquakes," *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 105, No. GT2, pp. 201-255.

- Seed, R.B. and L.F. Harder, Jr., 1990, "SPT-Based Analysis of Cyclic Pore Pressure Generation and Undrained Residual Strength," *Proceedings of the H. Bolton Seed Memorial Symposium*, Vol. 2, University of California, Berkeley, CA, BiTech Publishers, Richmond, BC, Canada, pp. 351-376.
- Seed, H.B. and I.M. Idriss, 1982, "Ground Motions and Soil Liquefaction During Earthquakes," Earthquake Engineering Research Institute, Berkeley, CA.
- Seed, H.B. and I.M. Idriss, 1971, Simplified Procedure for Evaluating Soil Liquefaction Potential, *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 97, No. 9, pp. 1249-1273.
- * Seed, R.B., K.O. Cetin, R.E.S. Moss, A.M. Kammerer, J. Wu, J.M. Pestina, M.F. Riemer, R.B. Sancio, J.D. Bray, R.E. Kayen and A. Faris, 2003, *Recent Advances in Soil Liquefaction Engineering: A Unified and Consistent Framework*, Report No. EERC 2003-06, 26th Annual ASCE Los Angeles Geotechnical Spring Seminar, Long Beach CA.
- Serafim, J.L. and J.P. Pereira, 1983, "Considerations on the Geomechanical Classification of Bieniawski," *Proceedings, International Symposium on Engineering Geology and Underground Construction*, Lisbon, Portugal, Theme II, Vol. 1, pp. II.33-II.42.
- Shackelford, R., 2000, "Underground Surveying – A Primer in Coal Mine Surveying and Mapping," *Point of Beginning Electronic Magazine*, Sept. 29, 2000 issue.
- Sherard, J.L., 1973, "Embankment Dam Cracking," *Embankment-Dam Engineering: Casagrande Volume*, R.C. Hirschfeld and S.J. Poulos, eds., John Wiley & Sons, New York, NY, pp. 272-353.
- Sherard, J.L. and L.P. Dunnigan, 1985, "Filters and Leakage Control in Embankment Dams," *Proceedings, Symposium on Seepage and Leakage from Dams and Impoundments*, Denver, American Society of Civil Engineers (ASCE), Reston, VA, pp. 1-31.
- Sherard, J.L., L.P. Dunnigan, R.S. Decker and E.F. Steele, 1976, "Pinhole Test for Identifying Dispersive Clays," *Journal of the Geotechnical Engineering Division*, ASCE, Vol. 102, No. GT1, pp. 69-85.
- Sherard, J.L., R.J. Woodward, S.F. Gizienski, and W.A. Clevenger, 1963, *Earth and Earth-Rock Dams: Engineering Problems of Design and Construction*, John Wiley & Sons New York, NY.
- Shoup, D., 1992, "Protecting Geotechnical Sensors and Cable from Lightning Damage," *Sensors in the Real World*, Slope Indicator Company.
- Singh, M.M., 1992, "Mine Subsidence," *SME Mining Engineering Handbook*, 2nd Ed., H. Hartman, ed., Society for Mining, Metallurgy, & Exploration (SME), Littleton, CO, pp. 938-971.
- Singh, M.M., 1978, "Experience with Subsidence Due to Mining," *Proceedings, International Conference on Evaluation and Prediction of Subsidence*, New York, American Society of Civil Engineers (ASCE), Reston, VA, pp. 92-112.
- * Singh, M.M. and F.S. Kendorski, 1981, "Strata Disturbance Prediction for Mining Beneath Surface Water and Waste Impoundments," *Proceedings, 1st Conference on Ground Control in Mining*, West Virginia University, Morgantown, WV, pp. 76-89.
- * Sirles, P.C., 2006, *Use of Geophysics for Transportation Projects: A Synthesis of Highway Practice*, NCHRP Synthesis 357, Transportation Research Board, National Cooperative Highway Research Program, Washington, DC.
- * Siskind, D.E., M.S. Stagg, J.W. Kopp and C.H. Dowding, 1980, *Structure Response and Damage Produced by Ground Vibration from Surface Mine Blasting*, Report of Investigations 8507, U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA.
- * Skelly and Loy, 1977, *Guidelines for Mining near Surface Waters*, Open File Report 29-77, U.S. Department of the Interior, Bureau of Mines, Washington, DC.
- * Skousen, J.G., A.W. Rose, G. Geidel, R. Foreman, R. Evans, W.W. Hellier and members of the Avoidance and Remediation Working Group of the Acid Drainage Technology Initiative, 1998,

Handbook of Technologies for Avoidance and Remediation of Acid Mine Drainage, National Mine Land Reclamation Center, West Virginia University, Morgantown, WV.

Skousen, J.G., J.C. Sencindiver and R.M. Smith, 1987, *A Review of Procedures for Surface Mining and Reclamation in Areas with Acid-Producing Materials*, West Virginia University Energy and Water Research Center Publication EWRC 871, Morgantown, WV.

Slemmons, D.B. and C.M. Depolo, 1986, "Evaluation of Active Faulting and Associated Hazards," *Studies in Geophysics-Active Tectonics*, National Academy Press, Washington, DC, pp. 45-62.

Smith, R.M., A.A. Sobek, T. Arkle, Jr., J.C. Sencindiver and J.R. Freeman, 1976, *Extensive Overburden Potentials for Soil and Water Quality*, EPA 600/1-76-184, U.S. Department of the Environment, U.S. Environmental Protection Agency, Washington, DC.

Smith, R.M., W.E. Grube, T. Arkle, Jr. and A. Sobek, 1974, *Mine Spoil Potentials for Soil and Water Quality*, EPA 670/2-74-070, U.S. Department of the Environment, U.S. Environmental Protection Agency, Washington, DC.

* Smith, S.A. and D.M. Hosler, 2006, "Current Research in Dam Drain Clogging and Its Prevention," *Proceedings, 2006 ASDSO Annual Conference*, Boston, Association of State Dam Safety Officials, Lexington, KY.

Snow, R.E., J.L. Olson and W. Schultz, 2000, "Slurry Impoundment Internal Drain Design and Construction," *Proceedings of the 7th Conference on Tailings and Mine Waste '00*, Fort Collins, CO, pp. 65-73.

Sobel, P., 1994, *Revised Livermore Seismic Hazard Estimates for Sixty-Nine Nuclear Power Plant Sites East of the Rocky Mountains*, NUREG 1488, Division of Engineering, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission (USNRC), Washington, DC.

Somerville, P.G., N.F. Collins, N.A. Abrahamson, R.W. Graves and C.K. Saikia, 2001, *Ground Motion Attenuation Relations for the Central and Eastern United States*, Final Report to U.S. Geological Survey, URS Group, Inc., Pasadena, CA.

Song, S-H., Y. Song and B-D. Kwon, 2005, "Application of Hydrogeological and Geophysical Methods to Delineate Leakage Pathways in an Earth Fill Dam," *Exploration Geophysics*, Vol. 36, No. 1, pp. 92-96.

Sowers, G.F. and G.B. Sowers, 1970, *Introductory Soil Mechanics and Foundations*, 4th Ed., Macmillan Publishing Company, New York, NY.

Spencer, E., 1967, "A Method of Analysis of the Stability of Embankments Assuming Parallel Inter-slice Forces," *Géotechnique*, Vol. 17, No. 1, pp. 11-26.

Stewart, B.M. and G. Robinson, 1994, *MSHA Accident Investigation Report, Non-Injury Inundation Report, Martin County Coal Corporation, 1-C Mine (ID No. 15-03752)*, Martin County, KY.

* Stewart, B.M. and L.A. Atkins, 1983, *Physical Property Data on Coarse Anthracite Waste*, Report of Investigations 8782, U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA.

* Stewart, B.M. and L.A. Atkins, 1982, *Engineering Properties of Combined Coarse and Fine Coal Wastes*, Report of Investigations 8623, U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA.

* Stewart, B.R., W.L. Daniels, L.W. Zelazny and M.L. Jackson, 2001, "Evaluation of Leachates from Coal Refuse Blended with Fly Ash at Different Rates," *Journal of Environmental Quality*, Vol. 30, No. 5, pp. 1382-1391.

* Stewart, B.R., W.L. Daniels, and M.L. Jackson, 1997, "Evaluation of Leachate Quality from the Co-Disposal of Coal Fly Ash and Coal Refuse," *Journal of Environmental Quality*, Vol. 26, No. 5, pp. 1412-1424.

Szymanski, M.B., 1999, *Evaluation of Safety of Tailings Dams*, BiTech Publishers, Richmond, BC, Canada.

- * Talbot, J.R., S.J. Poulos, and R.C. Hirschfeld, 2000, "Remediation of Seepage Problems through Cutoff or Reduction of Flow and through Collection and Control of Seepage Including the Use of Geosynthetics," *The National Dam Safety Program, Research Needs Workshop: Seepage through Embankment Dams*, White Paper No. 5, Attachment 8, Denver, U.S. Department of Homeland Security, Federal Emergency Management Agency (FEMA), Washington, DC.
- Talwani, P. and W.T. Schaeffer, 2001, "Recurrence Rates of Large Earthquakes in the South Carolina Coastal Plain Based on Paleoliquefaction Data," *Journal of Geophysical Research*, Vol. 106, No. B4, pp. 6621-6642.
- Terzaghi, K. and R.B. Peck, 1967, *Soil Mechanics in Engineering Practice*, 2nd Ed., John Wiley & Sons, New York, NY.
- Terzaghi, K., R.B. Peck and G. Mesri, 1996, *Soil Mechanics in Engineering Practice*, 3rd Ed., Wiley-Interscience, New York, NY.
- * Thacker, B.K., 2000, "Perimeter Embankments to Increase Capacity, Mitigate Subsidence Impacts, and Abandon Coal Refuse Disposal Impoundments," *Proceedings, Tailing Dams 2000*, Las Vegas, ASDSO/USCOLD, pp. 143-154.
- Thacker, B.K., 1997, "Liquefaction Mitigation Procedures for Coal Refuse Dams Built by the Modified Upstream Method," *Proceedings, XXVIII Ohio River Valley Soils Seminar*, Lexington, KY.
- Thacker, B.K., C.R. Ulrich, J.C. Athanaskes and G. Smith, 1988, "Evaluation of Coal Refuse Impoundment Built by the Upstream Method," *Geotechnical Special Publication No. 21, Hydraulic Fill Structures*, American Society of Civil Engineers (ASCE), New York, NY, pp. 730-749.
- Thiers, G.R. and H.B. Seed, 1968, "Cyclic Stress-Strain Characteristics of Clays," *Journal of the Soil Mechanics and Foundations Division*, ASCE, Vol. 94, No. SM2, pp. 555-569.
- Timoshenko, S. and S. Woinowsky-Krieger, 1959, *Theory of Plates and Shells*, 2nd Ed., McGraw-Hill, New York, NY.
- Toro, G.R. and R.K. McGuire, 1987, "An Investigation into Earthquake Ground Motion Characteristics in Eastern North America," *Bulletin of the Seismological Society of America*, Vol. 77, No. 2, pp. 468-489.
- Toro, G.R., N.A. Abrahamson and J.F. Schneider, 1997, "Model of Strong Ground Motions from Earthquakes in Central and Eastern North America: Best Estimates and Uncertainties," *Seismological Research Letters*, Vol. 68, No. 1, pp. 41-57.
- Tuttle, M.P., E.S. Schweig, J.D. Sims, R.H. Lafferty, L.W. Wolf and M.L. Haynes, 2002, "The Earthquake Potential of the New Madrid Seismic Zone," *Bulletin of the Seismological Society of America*, Vol. 92, No. 6, pp. 2080-2089.
- Ullrich, C.R., B.R. Thacker and N.R. Roberts, 1991, "Dynamic Properties of Fine-Grained Coal Refuse," *Proceedings, Second International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, St. Louis, MO, pp. 393-397.
- University of British Columbia-Geophysical Inversion Facility (UBC-GIF), 2005, "Three-Dimensional Modeling of Self-Potentials Caused by Seepage Flows," *Investigation of Geophysical Methods for Assessing Seepage and Internal Erosion in Embankment Dams*, CEA Technologies, Inc. Project No. T992700-0205, Montreal, QC, Canada.
- University of California, 2007a, Pacific Earthquake Engineering Research Center: NGA Database, Coyote Lake – Gilroy #6, 230 (CDMG Station 57383), August 6, 1979, M = 5.7. (<http://peer.berkeley.edu/index.html>)
- University of California, 2007b, Pacific Earthquake Engineering Research Center: NGA Database, Saguenay – W. Chicoutime Nord (Site 16 T), November 25, 1988, M = 5.9. (<http://peer.berkeley.edu/index.html>)

University of California, 2007c, Pacific Earthquake Engineering Research Center: NGA Database, Whittier Narrows Station: 24399, Mt. Wilson – CIT Seismic Station October 1, 1987, M = 5.99. (<http://peer.berkeley.edu/index.html>).

- * U.S. Army Corps of Engineers (USACE), 2008, *Hydrologic Modeling System, HEC-HMS, Users Manual, Version 3.3*, CDP-74A, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 2004, *Cathodic Protection for Civil Works Structures*, EM 1110-2-2704, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 2003, *Engineering and Design – Slope Stability*, EM 1110-2-1902, U.S. Department of the Army, USACE, Washington, DC.
- U.S. Army Corps of Engineers (USACE), 2002, *Coastal Engineering Manual – Part II*, EM 1110-2-1100, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 2000, *Hydrologic Modeling System HEC-HMS: Technical Reference Manual*, Report No. CPD-74B, U.S. Department of the Army, USACE, Hydrologic Engineering Center, Davis, CA.
- * U.S. Army Corps of Engineers (USACE), 1999, *Engineering and Design – Response Spectra and Seismic Analysis for Concrete Hydraulic Structures*, Engineer Manual 1110-2-6050, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 1998a, *Engineering and Design – Conduits, Culverts and Pipes*, EM 1110-2-2902, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 1998b, *HEC-1 Flood Hydrograph Package: User's Manual*, U.S. Department of the Army, USACE, Hydrologic Engineering Center, Davis, CA.
- * U.S. Army Corps of Engineers (USACE), 1995a, *Geophysical Exploration for Engineering and Environmental Investigations*, EM 1110-1-1802, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 1995b, *Construction Control for Earth and Rock-Fill Dams*, EM 1110-2-1911, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 1995c, *Instrumentation of Embankment Dams and Levees*, EM 1110-2-1908, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 1994, *Hydraulic Design of Flood Control Channels*, EM 1110-2-1601, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 1993, *Engineering and Design – Seepage Analysis and Control for Dams*, EM 1110-2-1901, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 1990a, *Construction with Large Stone*, EM 1110-2-2302, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 1990b, (Revised April 1992), *Hydraulic Design of Spillways*, EM 1110-2-1603, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 1986, *Laboratory Soils Testing*, EM-1110-2-1906, U.S. Department of the Army, USACE, Washington, DC.
- U.S. Army Corps of Engineers (USACE), 1985, *Electrical Protection – Cathodic Protection*, EM-1110-2-1922, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 1984a, *Grouting Technology*, EM 1110-2-3506, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Army Corps of Engineers (USACE), 1984b, *User's Manual, HMR52, Probable Maximum Storm (Eastern United States)*, U.S. Department of the Army, USACE, Hydrologic Engineering Center, Davis, CA.

References

- * U.S. Army Corps of Engineers (USACE), 1980, *Hydraulic Design of Reservoir Outlets*, EM-1110-2-1602, U.S. Department of the Army, USACE, Washington, DC.
- * U.S. Bureau of Reclamation (USBR), 2007a, *Design Standards No. 13 for Embankment Dams: Chapter 5, Protective Filters*, U.S. Department of the Interior, USBR, Technical Services Center, Denver, CO.
- * U.S. Bureau of Reclamation (USBR), 2007b, *Uplift and Crack Flow Resulting from High Velocity Discharges over Open Offset Joints: Laboratory Studies*, Report DSO-07-07, USBR, Technical Service Center, Denver, CO.
- * U.S. Bureau of Reclamation (USBR), 2001, *Water Measurement Manual*, 3rd Ed., Revised Reprint, U.S. Government Printing Office, Washington, DC.
- * U.S. Bureau of Reclamation (USBR), 1998, *Earth Manual*, 3rd Ed., U.S. Department of the Interior, USBR, Earth Sciences and Research Laboratory, Technical Services Center, Denver, CO.
- * U.S. Bureau of Reclamation (USBR), 1992a, *Design Standards No. 13 – Embankment Dams, Chapter 2, Embankment Design*, U.S. Department of the Interior, USBR, Technical Services Center, Denver, CO.
- U.S. Bureau of Reclamation (USBR), 1992b, *Concrete Manual, Part 2: A Manual for the Control of Concrete Construction*, 9th Ed., Water Resources Technical Publication, U.S. Department of the Interior, Technical Services Center, USBR, Denver, CO.
- * U.S. Bureau of Reclamation (USBR), 1991, *Design Standards No. 13 – Embankment Dams, Chapter 10, Embankment Construction*, U.S. Department of the Interior, USBR, Technical Services Center, Denver, CO.
- * U.S. Bureau of Reclamation (USBR), 1990, *Cavitation in Chutes and Spillways*, Engineering Monograph No. 42, U.S. Department of the Interior, USBR, Denver, CO.
- * U.S. Bureau of Reclamation (USBR), 1988, *Downstream Hazard Classification Guidelines*, ACER Technical Memorandum No. 11, U.S. Department of the Interior, USBR, Denver, CO.
- * U.S. Bureau of Reclamation (USBR), 1987a, *Design of Small Dams*, 3rd Ed., U.S. Department of the Interior, USBR, Washington, DC.
- * U.S. Bureau of Reclamation (USBR), 1989, *Design Standards No. 13 - Embankment Dams, Chapter 13, Seismic Design and Analysis*, U.S. Department of the Interior, USBR, Technical Services Center, Denver, CO.
- * U.S. Bureau of Reclamation (USBR), 1984, *Design Standards No. 13 – Embankment Dams, Chapter 3, Foundation Treatment*, U.S. Department of the Interior, USBR, Technical Services Center, Denver, CO.
- U.S. Bureau of Reclamation (USBR), 1973, *Design of Small Dams*, 2nd Ed., U.S. Department of the Interior, USBR, Washington, DC.
- U.S. Committee on Large Dams (USCOLD), 1999, *Updated Guidelines for Selecting Seismic Parameters for Dam Projects*, USCOLD Committee on Earthquakes, USCOLD, Denver, CO.
- U.S. Department of Agriculture (USDA), 1985, *Dimensioning of Filter-Drainage Diaphragms for Conduits According to TR-60*, Technical Note, Series No. 709, USDA, Soil Conservation Service, South National Technical Center, Forth Worth, TX (see NRCS 2007b for current criteria).
- * U.S. Department of Agriculture (USDA), 1978, *National Engineering Handbook, Section 8, Engineering Geology*, NEH-8 (now Part 631-Geology), USDA, Soil Conservation Service, Washington, DC.
- * U.S. Department of Agriculture (USDA), 1973a, *Flow Net Construction and Use*, Soil Mechanics Note No. 5, 210-VI-SMN-5, USDA, Soil Conservation Service, Washington, DC.
- * U.S. Department of Agriculture (USDA), 1973b, *A Method for Estimating Volume and Rate of Runoff in Small Watersheds*, SCS-TP-149, USDA, Soil Conservation Service, Washington, DC.
- U.S. Department of Agriculture (USDA), 1972, *National Engineering Handbook, Section 4, Hydrology*, NEH-4 (now Part 630-Hydrology), USDA, Soil Conservation Service, Washington, DC.

- * U.S. Department of Agriculture (USDA), 1969, *Computation of Joint Extensibility Requirements*, Technical Release No. 18, 210-VI-TR-18, USDA, Soil Conservation Service, Washington, DC.
- U.S. Department of Agriculture (USDA), 1968, *Hydraulics of Broad-Crested Spillways*, Technical Release 39, USDA, Soil Conservation Service, Washington, DC.
- * U.S. Department of Agriculture (USDA), 1958, *Structural Design of Underground Conduits*, Technical Release No. 5, 210-VI-TR-5, USDA, Soil Conservation Service, Washington, DC.
- U.S. Department of Agriculture (USDA), 1956, *National Engineering Handbook - Chapter 5: Hydraulics*, 210-VI-NEH, USDA, Soil Conservation Service, Washington, DC.
- U.S. Department of Energy (USDOE), 1996, *Guidelines for the Use of Probabilistic Seismic Hazard Curves at Department of Energy Sites for Department of Energy Facilities*, DOE-STD-1024-92, originally published December 1992, incorporating Change Notice #1, January 1996, Washington, DC.
- * U.S. Environmental Protection Agency (USEPA), 2000, *Coal Remining Best Management Practices Guidance Manual*, EPA 821-R-00-007, U.S. Department of the Environment, USEPA, Office of Science and Technology, Washington, DC.
- * U.S. Environmental Protection Agency (USEPA), 1993, *Use of Airborne, Surface, and Borehole Geophysical Techniques at Contaminated Sites – A Reference Guide*, EPA/625/R-92/007, U.S. Department of the Environment, USEPA, Office of Research and Development, Washington, DC.
- U.S. Environmental Protection Agency (USEPA), 1983, *Neutralization of Acid Mine Drainage: Design Manual*, USEPA-600/2-83-001, U.S. Department of the Environment, USEPA, Cincinnati, OH.
- * U.S. Geological Survey (USGS), 2005, *Comparison of Peak Discharge and Runoff Characteristic Estimates from the Rational Method to Field Observations for Small Basins in Central Virginia*, Scientific Investigation Report 2005-5254, U.S. Department of the Interior, Geological Survey, Denver, CO.
- * U.S. Geological Survey (USGS), 1989, *Guide for Selecting Manning’s Roughness Coefficients for Natural Channels and Flood Plains*, Water Supply Paper 2339, USGS, Denver, CO.
- U.S. Nuclear Regulatory Commission (USNRC), 1997, *Recommendations for Probabilistic Seismic Hazard Analysis: Guidance on Uncertainty and Use of Experts*, NUREG/CR-6372, Panel on Seismic Hazard Evaluation, National Research Council, Washington, DC.
- U.S. Nuclear Regulatory Commission (USNRC), 1993, *Revised Livermore Seismic Hazard Estimates for 69 Nuclear Power Plant Sites East of the Rocky Mountains*, NUREG-1488, USNRC, Washington, DC.
- * U.S. Society on Dams (USSD), 2007, “Strength of Materials for Embankment Dams,” USSD Committee on Materials for Embankment Dams, Denver, CO.
- Virginia Department of Mine Land Reclamation (VA DMLR), 2006, “Slurry Injection Permit Requirements,” presented at Underground Injection Workshop sponsored by the Office of Surface Mining (OSM), National Mine Land Reclamation Center, University of West Virginia, Morgantown, WV.
- Van Aller, H.W., 2004, “Piping, Seepage Conduits and Dam Failure,” presented at ASDSO South-eastern Regional Technical Seminar, Jackson, MS.
- * Van Aller, H.W., 1998, “Filter Diaphragm Design Considerations: A Collection of Useful References and Design Guidelines,” originally presented at 1990 ASDSO Mid-Atlantic Regional Technical Seminar, Baltimore, MD.
- van der Veen, R., 2002, “Automatic Data Acquisition Systems and Databases,” *Geotechnical News*, BiTech Publishers, Richmond, BC, Canada, Vol. 20, No. 1, pp. 24-28.
- van Zyl, D. and A.M. Robertson, 1980, “Subsurface Drainage of Tailings Impoundments: Some Design, Construction and Management Considerations,” *Proceedings, Symposium on Uranium Mill Tailings Management*, Fort Collins, CO, pp. 153-177.

- Veneziano, D. and J. Van Dyck, 1985, "Analysis of Earthquake Catalogues for Incompleteness and Recurrence Rates: Seismic Hazard Methodology for Nuclear Facilities in the Eastern United States," Project No. P101-29, Vol. 2, Appendix A-6, Electric Power Research Institute (EPRI), Palo Alto, CA.
- * Vick, S.G., 2000, "Tailings Dam Safety - Implications for the Dam Safety Community," *Proceedings, Tailings Dams 2000*, Las Vegas, ASDSO/USCOLD, pp. 1-19.
- * Vogel, W.G., 1987, *A Manual for Training Reclamation Inspectors in the Fundamentals of Soils and Revegetation*, U.S. Department of the Interior, Office of Surface Mining and Enforcement, Washington, DC.
- Von Thun, J.L., 1996, "Risk Assessment of Nambe Falls Dam," *Geotechnical Special Publication No. 58*, C.D. Shackelford, P.P. Nelson and M.J.S. Roth, eds., American Society of Civil Engineers (ASCE), Reston, VA, pp. 604-635.
- * Wahl, T.L., 1998, *Prediction of Embankment Dam Breach Parameters: A Literature Review and Needs Assessment*, Dam Safety Research Report DSO-98-004, U.S. Department of the Interior, Bureau of Reclamation, Dam Safety Office, Denver, CO.
- Wald, D.J., V. Quitoriano, T.H. Heaton and H. Kanamori, 1999, "Relationships between Peak Ground Acceleration, Peak Ground Velocity and Modified Mercalli Intensity in California," *Earthquake Spectra*, Vol. 15, No. 3, pp. 557-564.
- * Walker, J.S., 1993, *State-of-the-Art Techniques for Backfilling Abandoned Mine Voids*, Information Circular No. 9359, U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA.
- Wang, Z., E.W. Woolery, B. Shi and J.D. Kiefer, 2003, "Communicating with Uncertainty: A Critical Issue with Probabilistic Seismic Hazard Analysis," *EOS Transactions*, American Geophysical Union (AGU), Vol. 84, No. 46, pp. 501, 506, 508.
- Ward, S.H., ed., 1990, *Investigations in Geophysics, No. 5: Geotechnical and Environmental Geophysics*, Vols. I-III, Society of Exploration Geophysicists, Tulsa, OK.
- Wartman, J., J.D. Bray and R.B. Seed, 2004, "Inclined Plane Studies of the Newmark Sliding Block Procedure," *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, Vol. 129, No. 8, pp. 673-684.
- Watkins, R.K. and L.R. Anderson, 1999, *Structural Mechanics of Buried Pipes*, CRC Press, New York, NY.
- Weaver, K.D. and D.A. Bruce, 2007, *Dam Foundation Grouting*, ASCE Press, Reston, VA.
- Wells, D.L. and K.J. Coppersmith, 1994, "New Empirical Relationships among Magnitude, Rupture Length, Rupture Width, Rupture Area, and Surface Displacement," *Bulletin of the Seismological Society of America*, Vol. 84, No. 4, pp. 974-1002.
- West Virginia Department of Transportation (WVDOT), 1999, *Materials Procedure, Nuclear Density Test by the Roller Pass Method*, MP 700.00.24.
- West Virginia Surface Mine Drainage Task Force, 1979, "Suggested Guidelines for Methods of Operation," *Surface Mining of Areas with Potentially Acid-Producing Materials*, *Proceedings, West Virginia Surface Mine Drainage Task Force Symposium*, West Virginia Department of Natural Resources, Charleston, WV.
- West Virginia Water Research Institute, 2005, *Guidance Document for Coal Waste Impoundment Facilities & Coal Waste Impoundment Inspection Form*, West Virginia University, Morgantown, WV.
- Wetzel, K.L. and S.A. Hoffman, 1989, *Distribution of Water-Quality Characteristics that May Indicate the Presence of Acid Mine Drainage in the Eastern Coal Province of the United States*, Hydrologic Investigations Atlas HA-705, U.S. Department of the Interior, Geological Survey, Denver, CO.

Whittaker, B.N. and D.J. Reddish, 1989, *Subsidence: Occurrence, Prediction and Control*, Elsevier, Amsterdam, Netherlands.

* Wightman, W.E., F. Jalinoos, P. Sirles and K. Hanna, 2003, *Application of Geophysical Methods to Highway Related Problems*, Contract No. DTFH68-02-P-00083, Federal Highway Administration, Central Federal Lands Highway Division, Lakewood, CO.

Wildeman, T.R., J.J. Gusek, and G.A. Brodie, 1993, *Wetland Design for Mining Operations*, Bitech Publishers, Richmond, BC, Canada.

Wilkins, J.K., 1956, "Flow of Water through Rockfill and Its Application to the Design of Dams," *Proceedings, 2nd Australia-New Zealand Conference on Soil Mechanics and Foundation Engineering*, International Society for Soil Mechanics and Foundation Engineering, University of Canterbury, Christchurch, NZ.

Wilson, A.H. and D.P. Ashwin, 1972, "Research into the Determination of Pillar Size: An Hypothesis Concerning Pillar Stability," *The Mining Engineer*, Vol. 131, No. 141, pp. 409-427.

Wilson, S.D. and L.R. Squier, 1969, "Earth and Rockfill Dams," *Proceedings, Seventh International Conference on Soil Mechanics and Foundation Engineering*, Mexico, pp. 137-223.

Wizniak, L. and R.J. Mitchell, 1987, "Crown Pillar Subsidence Prediction from Centrifuge Models," *Proceedings, International Symposium on Prediction and Performance in Geotechnical Engineering*, Calgary, Alberta, Canada, R.C. Joshi and F.J. Griffiths, eds., pp. 387-395.

Workhorse Technologies, 2006, personal communication.

Workman, J.L. and P.C. Satchwell, 1987, *Blasting as an AML Reclamation Method*, 2 Vols., U.S. Department of the Interior, Office of Surface Mining, Washington, DC.

Wride, C.E., E.C. McRoberts and P.K. Robertson, 1999, "Reconsideration of Case Histories for Estimating Undrained Shear Strength in Sandy Soils," *Canadian Geotechnical Journal*, Vol. 36, No. 5, pp. 907-933.

Wu, K.K., H.L. Owens and J.W. Fredland, 2003, "MSHA's Review of Impoundment Plans," 2003 *SME Annual Meeting, Preprint 03-099*, Cincinnati, Society for Mining Metallurgy and Exploration (SME), Littleton, CO.

Wyllie, D.C. and C.W. Mah, 2004, *Rock Slope Engineering*, Spon Press, New York, NY.

* Wyrick, G.G. and J.W. Borchers, 1981, *Hydrologic Effects of Stress-Relief Fracturing in an Appalachian Valley*, Water Supply Paper 2177, U.S. Department of the Interior, U.S. Geological Survey, Reston, VA.

Yearly, D.C., 2003, "Sustainable Development for the Global Mining and Metals Industry," *Mining Engineering*, Vol. 55, No. 8, pp. 45-48.

Yoshimine, M., P.K. Robertson, and C.E. Wride, 1999, "Undrained Shear Strength of Clean Sands to Trigger Flow Liquefaction," *Canadian Geotechnical Journal*, Vol. 36, No. 5, pp. 891-906.

Youd, T. L., I.M. Idriss, R.D. Andrus, I. Arango, G. Castro, J.T. Christian, R. Dobry, W.D.L. Finn, L.F. Harder, M.E. Hynes, K. Ishihara, J.P. Koester, S.S.C. Liao, W.F. Marcuson, G.R. Martin, J.K. Mitchell, Y. Moriwaki, M.S. Power, P.K. Robertson, R.B. Seed and K.H. Stokoe, 2001, "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils," *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, Vol. 127, No. 10, pp. 817-833.

Young, W.C. and R.G. Budynas, 2001, *Roark's Formulas for Stress and Strain*, 7th Ed., McGraw-Hill, New York, NY.

Zeng, X. and J.A. Goble, 2008, "Dynamic Properties of Coal Waste Refuse in a Tailings Dam," *Geotechnical Special Publication No. 181*, Geotechnical Earthquake Engineering and Soil Dynamics IV, D. Zeng, M.T. Manzari, and D.R. Hiltunen, eds., American Society of Civil Engineers (ASCE), Reston, VA.

References

Zeng, Y., J.G. Anderson, and G. Yu, 1994, "A Composite Source Model for Computing Realistic Synthetic Strong Ground Motions," *Geophysical Research Letters*, Vol. 21, No. 8, pp. 725-728.

Zhang, J., W. Wagner, A. Prakash, H. Mehl and S. Voight, 2004, "Detecting Coal Fires Using Remote Sensing Techniques," *International Journal of Remote Sensing*, Vol. 25, No. 16, pp. 3193-3220.